

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES
OF WILD FAUNA AND FLORA



Twenty-first meeting of the Plants Committee
Veracruz (Mexico), 2-8 May 2014

Interpretation and implementation of the Convention

Species trade and conservation

Non-detiment findings

Reporting on trade in artificially propagated plants

EMERGING TRADE IN ARTIFICIALLY PROPAGATED PLANTS

1. This report has been produced by UNEP-WCMC* and is provided as an information document by the Secretariat.

* The geographical designations employed in this document do not imply the expression of any opinion whatsoever on the part of the CITES Secretariat or the United Nations Environment Programme concerning the legal status of any country, territory, or area, or concerning the delimitation of its frontiers or boundaries. The responsibility for the contents of the document rests exclusively with its author.

Emerging trade in artificially propagated plants

Appendix II-listed taxa for which a ‘sharp increase’ in trade in artificially propagated specimens was identified in 2009 or 2010

Emerging trade in artificially propagated plants: Appendix II-listed taxa for which a ‘sharp increase’ in trade in artificially propagated specimens was identified in 2009 or 2010

Information document for CITES Plants Committee

Published April 2014

Copyright

UNEP

Citation

UNEP-WCMC. 2014. Emerging trade in artificially propagated plants: Appendix II-listed taxa for which a ‘sharp increase’ in trade in artificially propagated specimens was identified in 2009 or 2010. UNEP-WCMC, Cambridge. Information document submitted for 21st Meeting of the CITES Plants Committee.



The UNEP World Conservation Monitoring Centre (UNEP-WCMC) is the specialist biodiversity assessment of the United Nations Environment Programme, the world’s foremost intergovernmental environmental organization. The Centre has been in operation for over 30 years, combining scientific research with policy advice and the development of decision tools.

We are able to provide objective, scientifically rigorous products and services to help decision-makers recognize the value of biodiversity and apply this knowledge to all that they do. To do this, we collate and verify data on biodiversity and ecosystem services that we analyze and interpret in comprehensive assessments, making the results available in appropriate forms for national and international level decision-makers and businesses. To ensure that our work is both sustainable and equitable we seek to build the capacity of partners where needed, so that they can provide the same services at national and regional scales.

The contents of this report do not necessarily reflect the views or policies of UNEP, contributory organisations or editors. The designations employed and the presentations do not imply the expressions of any opinion whatsoever on the part of UNEP, contributory organisations, editors or publishers concerning the legal status of any country, territory, city area or its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of a commercial entity or product in this publication does not imply endorsement by UNEP.

**UNEP World Conservation Monitoring Centre
(UNEP-WCMC)**

219 Huntingdon Road,
Cambridge CB3 0DL, UK
Tel: +44 1223 277314
www.unep-wcmc.org

UNEP promotes environmentally sound practices globally and in its own activities. Printing on paper from environmentally sustainable forests and recycled fibre is encouraged.

Emerging trade in artificially propagated plants

This paper presents a list of taxa identified from an assessment of trade in artificially propagated plants that were characterised as “emerging in trade”.

The report ‘*Study of Reporting of Trade in Artificially Propagated Plants of Taxa included in CITES Appendix II*’ (UNEP-WCMC, 2013) identified 326 Appendix II-listed taxa for which a ‘sharp increase’ in trade in artificially propagated specimens was identified in 2009 or 2010 (see PC21 Doc. 16 Annex 3).

A ‘sharp increase’ is defined as follows: the taxon was reported in trade at a level of 100 or more artificially propagated specimens (e.g. individual live plants, roots, etc.) for commercial purposes in either 2009 or 2010, and the volume reported in either 2009 or 2010 was more than three times the average volume reported over the five preceding years.

Table 1: Taxa emerging in trade, i.e those showing a sharp increase in artificially propagated trade in 2009 or 2010.

Family	Taxon
Amaryllidaceae	<i>Galanthus ikariae</i>
Apocynaceae	<i>Pachypodium bispinosum</i>
	<i>Pachypodium brevicaule</i>
	<i>Pachypodium succulentum</i>
	<i>Panax quinquefolius</i>
Cactaceae	<i>Acanthocalycium spiniflorum</i>
	<i>Blossfeldia liliputana</i>
	<i>Cleistocactus hyalacanthus</i>
	<i>Copiapoa humilis</i>
	<i>Echinocereus enneacanthus</i>
	<i>Echinocereus fendleri</i>
	<i>Echinopsis bruchii</i>
	<i>Echinopsis eyriesii</i>
	<i>Echinopsis hybrid</i>
	<i>Epiphyllum anguliger</i>
	<i>Epiphyllum phyllanthus</i>
	<i>Ferocactus chrysacanthus</i>
	<i>Gymnocalycium stenopleurum</i>
	<i>Lepismium boliviianum</i>
	<i>Leuchtenbergia principis</i>
	<i>Mammillaria bocensis</i>
	<i>Mammillaria bombycinia</i>
	<i>Mammillaria petrophila</i>
	<i>Mammillaria prolifera</i>
	<i>Mammillaria sheldonii</i>
	<i>Matucana aurantiaca</i>
	<i>Matucana krahni</i>
	<i>Matucana paucicostata</i>
	<i>Neobuxbaumia tetetzo</i>
	<i>Opuntia articulata</i>
	<i>Opuntia brasiliensis</i>
	<i>Opuntia polyacantha</i>
	<i>Opuntia rufila</i>
	<i>Opuntia subulata</i>
	<i>Parodia ottonis</i>
	<i>Pygmaeocereus familiaris</i>
Cactaceae (cont.)	<i>Rebutia steinmannii</i>
	<i>Rhipsalis baccifera</i>
	<i>Rhipsalis cereuscula</i>
	<i>Rhipsalis ewaldiana</i>
	<i>Rhipsalis hybrid</i>
	<i>Rhipsalis pilocarpa</i>
	<i>Rhipsalis teres</i>
	<i>Selenicereus grandiflorus</i>
	<i>Stenocactus multicostatus</i>
	<i>Stenocactus ochotereneranus</i>
	<i>Crassulaceae</i>
	<i>Dudleya traskiae</i>
	<i>Cycadaceae</i>
	<i>Cycas cairnsiana</i>
	<i>Cycas panzhuhuaensis</i>
	<i>Cycas platyphylla</i>
	<i>Dicksoniaceae</i>
	<i>Cibotium barometz</i>
Euphorbiaceae	<i>Euphorbia aggregata</i>
	<i>Euphorbia atrispina</i>
	<i>Euphorbia colliculina</i>
	<i>Euphorbia franckiana</i>
	<i>Euphorbia globosa</i>
	<i>Euphorbia gorgonis</i>
	<i>Euphorbia heterochroma</i>
	<i>Euphorbia juglans</i>
	<i>Euphorbia moratii</i>
	<i>Euphorbia multifolia</i>
	<i>Euphorbia poissonii</i>
	<i>Euphorbia resinifera</i>
	<i>Euphorbia schoenlandii</i>
	<i>Euphorbia stellata</i>
	<i>Euphorbia stenoclada</i>
	<i>Liliaceae</i>
	<i>Aloe brevifolia</i>
	<i>Aloe pendens</i>
	<i>Aloe roeoescii</i>
	<i>Aloe thraskii</i>
Nepenthaceae	<i>Nepenthes ampullaria</i>
	<i>Nepenthes glabratus</i>

Family	Taxon	Family	Taxon
	<i>Nepenthes gracillima</i>		<i>Bulbophyllum skeatianum</i>
	<i>Nepenthes hybrid</i>		<i>Bulbophyllum vaginatum</i>
	<i>Nepenthes insignis</i>		<i>Calanthe brevicornu</i>
	<i>Nepenthes jacquelineae</i>		<i>Calanthe rubens</i>
	<i>Nepenthes madagascariensis</i>		<i>Cattleya hybrid</i>
	<i>Nepenthes neoguineensis</i>		<i>Chiloschista parishii</i>
	<i>Nepenthes rafflesiana</i>		<i>Chroniochilus virescens</i>
	<i>Nepenthes rhombicaulis</i>		<i>Cirrhopetalum hybrid</i>
	<i>Nepenthes treubiana</i>		<i>Cleistostoma duplociliobum</i>
Orchidaceae	<i>Acanthephippium mantinianum</i>		<i>Coelogyne hybrid</i>
Orchidaceae (cont.)	<i>Aerides hybrid</i>		<i>Coelogyne ovalis</i>
	<i>Aerides lawrenceiae</i>		<i>Coelogyne usitana</i>
	<i>Amesiella minor</i>		<i>Corybas geminigibus</i>
	<i>Amesiella monticola</i>		<i>Corybas hispidus</i>
	<i>Amesiella philippinensis</i>		<i>Corybas pictus</i>
	<i>Anoectochilus albolineatus</i>		<i>Cuitlauzina pendula</i>
	<i>Ansellia africana</i>		<i>Cycnoches hybrid</i>
	<i>Arachnis hybrid</i>		<i>Cymbidium cyperifolium</i>
	<i>Arundina graminifolia</i>		<i>Cymbidium finlaysonianum</i>
	<i>Ascocentropsis pusilla</i>		<i>Cymbidium hybrid</i>
	<i>Ascocentrum hybrid</i>		<i>Cypripedium flavum</i>
	<i>Brassavola hybrid</i>		<i>Cypripedium formosanum</i>
	<i>Brassia hybrid</i>		<i>Cypripedium hybrid</i>
	<i>Broughtonia sanguinea</i>		<i>Cypripedium kentuckiense</i>
	<i>Bulbophyllum aestivale</i>		<i>Cypripedium parviflorum</i>
	<i>Bulbophyllum alsiosum</i>		<i>Cypripedium reginae</i>
	<i>Bulbophyllum apodum</i>		<i>Cypripedium tibeticum</i>
	<i>Bulbophyllum arfakianum</i>		<i>Cyrtochilum hybrid</i>
	<i>Bulbophyllum callipes</i>		<i>Dactylorhiza maculata</i>
	<i>Bulbophyllum catenulatum</i>		<i>Dactylorhiza majalis</i>
	<i>Bulbophyllum cernuum</i>		<i>Dactylorhiza praetermissa</i>
	<i>Bulbophyllum cootesii</i>		<i>Dendrobium aloefolium</i>
	<i>Bulbophyllum cornutum</i>		<i>Dendrobium amethystoglossum</i>
	<i>Bulbophyllum cumingii</i>		<i>Dendrobium auriculatum</i>
	<i>Bulbophyllum dayanum</i>		<i>Dendrobium bullenianum</i>
	<i>Bulbophyllum elevatopunctatum</i>		<i>Dendrobium canaliculatum</i>
	<i>Bulbophyllum facetum</i>		<i>Dendrobium cathcartii</i>
	<i>Bulbophyllum fenixii</i>		<i>Dendrobium cerasula</i>
	<i>Bulbophyllum foetidum</i>		<i>Dendrobium cretaceum</i>
	<i>Bulbophyllum hybrid</i>		<i>Dendrobium crocatum</i>
	<i>Bulbophyllum lemniscatoides</i>		<i>Dendrobium dearei</i>
	<i>Bulbophyllum leptantense</i>		<i>Dendrobium equitans</i>
	<i>Bulbophyllum levanae</i>		<i>Dendrobium fairchildae</i>
	<i>Bulbophyllum lindleyanum</i>		<i>Dendrobium friedricksianum</i>
	<i>Bulbophyllum loherianum</i>		<i>Dendrobium grande</i>
	<i>Bulbophyllum makoyanum</i>		<i>Dendrobium hellwigianum</i>
	<i>Bulbophyllum maquilingense</i>		<i>Dendrobium hughii</i>
	<i>Bulbophyllum membranaceum</i>		<i>Dendrobium hybrid</i>
	<i>Bulbophyllum obtusipetalum</i>		<i>Dendrobium ionopus</i>
	<i>Bulbophyllum ovalifolium</i>		<i>Dendrobium lanyaiae</i>
	<i>Bulbophyllum papulosum</i>		<i>Dendrobium leonis</i>
	<i>Bulbophyllum pardalotum</i>		<i>Dendrobium masarangense</i>
	<i>Bulbophyllum patella</i>		<i>Dendrobium nemorale</i>
	<i>Bulbophyllum piestoglossum</i>		<i>Dendrobium olivaceum</i>
	<i>Bulbophyllum purpurascens</i>		<i>Dendrobium papilio</i>

Family	Taxon	Family	Taxon
	<i>Dendrobium primulinum</i>		<i>Microsaccus wenzelii</i>
	<i>Dendrobium purpureum</i>		<i>Miltonia hybrid</i>
	<i>Dendrobium rosellum</i>		<i>Myrmecophila albopurpurea</i>
	<i>Dendrobium sanderae</i>		<i>Notylia manabina</i>
	<i>Dendrobium sanderianum</i>	Orchidaceae (cont.)	<i>Oberonia setigera</i>
	<i>Dendrobium schuetzei</i>		<i>Odontoglossum hybrid</i>
Orchidaceae (cont.)	<i>Dendrobium sculptum</i>		<i>Oncidium hybrid</i>
	<i>Dendrobium stratiotes</i>		<i>Oncidium pubes</i>
	<i>Dendrobium sutiknoi</i>		<i>Orchis mascula</i>
	<i>Dendrobium taurinum</i>		<i>Papilionanthe hookeriana</i>
	<i>Dendrobium transparens</i>		<i>Paraphalaenopsis hybrid</i>
	<i>Dendrobium uniflorum</i>		<i>Phalaenopsis bastianii</i>
	<i>Dendrobium vannouhuysii</i>		<i>Phalaenopsis equestris</i>
	<i>Dendrobium victoriae-reginae</i>		<i>Phalaenopsis fasciata</i>
	<i>Dendrochilum cootesii</i>		<i>Phalaenopsis hieroglyphica</i>
	<i>Dendrochilum uncatum</i>		<i>Phalaenopsis hybrid</i>
	<i>Dresslerella caesariata</i>		<i>Phalaenopsis lindenii</i>
	<i>Encyclia hybrid</i>		<i>Phalaenopsis lueddemanniana</i>
	<i>Epidendrum fimbriatum</i>		<i>Phalaenopsis mariae</i>
	<i>Epidendrum hybrid</i>		<i>Phalaenopsis pallens</i>
	<i>Epidendrum ibaguense</i>		<i>Phalaenopsis pulchra</i>
	<i>Epidendrum mancum</i>		<i>Phalaenopsis sanderiana</i>
	<i>Epigeneium lyonii</i>		<i>Phalaenopsis schilleriana</i>
	<i>Epigeneium radicosum</i>		<i>Phalaenopsis stuartiana</i>
	<i>Epigeneium treacherianum</i>		<i>Platystele umbellata</i>
	<i>Epigeneium triflorum</i>		<i>Pleione chunii</i>
	<i>Euchile citrina</i>		<i>Pleione grandiflora</i>
	<i>Euchile mariae</i>		<i>Pleurothallis recurva</i>
	<i>Eulophia flava</i>		<i>Pleurothallis ruberrima</i>
	<i>Flickingeria comata</i>		<i>Porpax lanii</i>
	<i>Galeandra nivalis</i>		<i>Psychopsis hybrid</i>
	<i>Gastrochilus bellinus</i>		<i>Pteroceras pallidum</i>
	<i>Gastrodia elata</i>		<i>Pteroceras semiteretifolium</i>
	<i>Goodyera pusilla</i>		<i>Pteroceras unguiculatum</i>
	<i>Goodyera reticulata</i>		<i>Renanthera elongata</i>
	<i>Goodyera viridiflora</i>		<i>Renanthera hybrid</i>
	<i>Grammatophyllum hybrid</i>		<i>Renanthera philippinensis</i>
	<i>Grosourdya appendiculata</i>		<i>Rhynchostele aptera</i>
	<i>Habenaria carnea</i>		<i>Rhynchostylis hybrid</i>
	<i>Habenaria lindleyana</i>		<i>Robiquetia cerina</i>
	<i>Habenaria myriotricha</i>		<i>Schomburgkia hybrid</i>
	<i>Habenaria rhodocheila</i>		<i>Schomburgkia moyobambae</i>
	<i>Heterotaxis equitans</i>		<i>Schomburgkia thomsoniana</i>
	<i>Holcoglossum flavescens</i>		<i>Seidenfadenia mitrata</i>
	<i>Holcoglossum kimballianum</i>		<i>Sobralia yauaperyensis</i>
	<i>Laelia kautskyi</i>		<i>Staurochilus fasciatus</i>
	<i>Lepanthes gargantua</i>		<i>Staurochilus ionosma</i>
	<i>Lepanthes quadricornis</i>		<i>Staurochilus loherianus</i>
	<i>Masdevallia constricta</i>		<i>Staurochilus luzonensis</i>
	<i>Masdevallia erinacea</i>		<i>Stenoglottis hybrid</i>
	<i>Masdevallia hybrid</i>		<i>Sunipia grandiflora</i>
	<i>Masdevallia mendozae</i>		<i>Thrixspermum robinsonii</i>
	<i>Masdevallia norops</i>		<i>Trichocentrum albococcineum</i>
	<i>Maxillaria fractiflexa</i>		<i>Trichocentrum microchilum</i>
	<i>Micropora utricularia</i>		<i>Trichocentrum nudum</i>

Family	Taxon	Family	Taxon
	<i>Trichoglottis latisepala</i>		<i>Zygopetalum hybrid</i>
	<i>Trichoglottis philippinensis</i>	Orobanchaceae	<i>Cistanche deserticola</i>
Orchidaceae (cont.)	<i>Trichopilia marginata</i>	Portulacaceae	<i>Anacampseros rufescens</i>
	<i>Tuberolabium kotoense</i>	Portulacaceae	<i>Anacampseros telephastrum</i>
	<i>Vanda coerulea</i>	Primulaceae	<i>Cyclamen cilicum</i>
	<i>Vanda dearei</i>		<i>Cyclamen pseudibericum</i>
	<i>Vanda helvola</i>	Sarraceniaceae	<i>Sarracenia alata</i>
	<i>Vanda hybrid</i>		<i>Sarracenia farnhamii</i>
	<i>Vanda insignis</i>		<i>Sarracenia leucophylla</i>
	<i>Vanda merrillii</i>		<i>Sarracenia psittacina</i>
	<i>Vanda roeblingiana</i>	Scrophulariaceae	<i>Picrorhiza kurrooa</i>
	<i>Vanda scandens</i>	Thymelaeaceae	<i>Aquilaria malaccensis</i>
	<i>Vanda stangeana</i>	Zamiaceae	<i>Dioon edule</i>
	<i>Vanda testacea</i>		<i>Dioon spinulosum</i>
	<i>Vandopsis lissochiloides</i>		<i>Lepidozamia peroffskyana</i>
	<i>Vandopsis undulata</i>		<i>Macrozamia moorei</i>
	<i>Zamia hybrid</i>		<i>Zamia floridana</i>

