CITES APPLICATION FOR REGISTRATION AND ACCREDITATION OF OPERATION BREEDING APPENDIX I SPECIES FOR COMMERCIAL PURPOSES Res. Conf. 12.10 (Rev CoP15)

1. NAME AND ADDRESS OF THE OWNER AND THE MANAGER OF THE CAPTIVE-BREEDING OPERATION.

Birds International Incorporated (BII)
No. 1 Sto Nino St. Alemars Subd.
Commonwealth Heights, Fairview, Quezon City Philippines
Website Address: www.birdsinternational.net

Mr. Antonio M. de Dios - Founder-President

2. DATE OF ESTABLISHMENT: February 1975

3. APPENDIX-1 SPECIES PROPOSED FOR REGISTRATION:

Moluccan Cockatoo (Cacatua moluccensis)¹

4. Numbers and ages (if known or appropriate) of males and females that comprise the parental breeding stock.

Age (in years)	Sex/Gen.	Sex/Gen
20	5:5/F1	
19	5:5/F1	
18	4:4/F1	3:3/F2
17	3:3/F1	3:3/F2
16	3:3/F1	2:2/F2
Total	20:20/F1	8:8/F2

5. Evidence that the parental stock has been obtained in accordance with relevant national measures and the provisions of the Convention (e.g. dated capture permits or receipts, CITES documents, etc.)

F1 and F2 breeding stocks are captive bred specimens produced and paired at BII². See Exhibit A (Bred in Captivity- Certificate from CITES Philippines)

 $^{^{\}rm 1}$ Listed Appendix II on June 06, 1981. Elevated to Appendix I on Jan. 18, 1990

² These are progenies from legal acquisitions recognized under the law by the CITES-MA, Philippines. See CoP 15 Doc 41.1 Annex 7-p. 20-23 (Exhibit B)

6. Current stock (numbers, by sex and age, held in addition to the parental breeding stock above).

BII has a current stock of 14:14:07

Age(in yrs)	(Sex) M:F:U	Total
4	8:5:0	13
3	2:3:2	7
1-2	4:6:5	15

7. Information on the percentage mortalities, if possible reported by age and sex.

Year	Total production/ Percentage Mortality (F2)	Total production/ Percentage Mortality (F3)
2006	15/13.33%	6/0%
2007	6/0%	4/25%
2008	3/0%	0/0%
2009	3/0%	2/0%
2010	8/0%	7/0%

8. Documentation showing either:

- a) that the operation has bred at least two generations of the species and a description of the method used; or
- b) if the operation has only bred one generation of the species, that the husbandry methods used are the same as, or similar to, those that have resulted in secondgeneration offspring in other operations.

Birds International is already utilizing its F1 and F2 captive-bred specimen as breeders for the captive breeding of this species. See illustration below showing the process of achieving F2 and F3 generation.

Breeding Management

- Naturally bonded pairs (male/female) that are unrelated, no physical defects, with mature reproductive organs are paired to become breeders.
- Breeders are segregated in an individual cages with suitable size, perches, nest boxes, proper daily diet and most importantly daily clean sorroundings.
- c) Breeding cages are situated away from noise and daily disturbance.
- d) With the signs of breeding such as mating, food will be adjusted, more nesting materials will be provided and the disturbance must be reduced

- e) Following the protocols developed by BII, nest boxes are checked accordingly
- Eggs are pulled-out from nest boxes for artificial incubation. Eggs that are not pulled out will be for natural incubation
- g) Eggs that are hatched in the nest or in the incubator will be provided with appropriate care following protocols developed by BII to insure survival of the chicks.
- Maturing chicks (nest & incubator hatched) progenies are provided medical/husbandry care following tried/tested protocols developed by BII until they reached maturity.
- i) Matured birds are maintained at BII using proven husbandry management protocols until they become candidates/bonded pairs and future breeding pairs
- 9. Past, current and expected annual production of offspring and, where possible, information on: a) the number of females producing offspring each year; and
 - b) unusual fluctuations in the annual production of offspring (including an explanation of the probable cause).

Year	Number of	Total	Total
	Productive	production	production
	Female	F2	F3
	(F1)/(F2)		
2006	8/2	15	6
2007	4/3	6	4
2008	3/0	3	0
2009	3/2	3	2
2010	7/4	8	7
2011*	9/5	10	8
2012*	9/5	10	8

^{*}Projection

Fluctuations in the production of this species is due to cage and nest-box repair that involves temporary relocation or transfer of breeding pairs.

10. An assessment of the anticipated need for, and source of, additional specimens to augment the breeding stock to increase the genetic pool of the captive population in order to avoid any deleterious inbreeding.

BII selects unrelated, mature and superior quality captive bred produced at the center. Current population of F1P-BR and the additional F2P-BR breeding stocks are sufficient sources of bloodlines to sustain our present captive breeding operation. Proper management of the progenies bloodlines through the use of a specimen control number using computerized relational database guides BII personnel to avoid pairing of related birds. No additional stocks coming from other sources were introduced at BII to augment its breeding stocks.

11. Type of product exported (e.g. live specimens, skins, hides, other body parts, etc.).

The products exported are of live captive-bred birds. Each bird is individually marked, either by closed leg-band or by microchip implant and inspected by the technical staff of the Philippine Protected Areas and Wildlife Bureau (PAWB) which keeps a record of each bird bred from the time the egg hatched.

12. Detailed description of the marking methods (e.g. bands, tags, transponders, branding, etc.) used for the breeding stock and offspring and for the types of specimens (e.g. skins, meat, live animals, etc.) that will be exported.

A closed stainless steel leg-band with unique number series is used for all captive-bred progenies and breeding stocks at the center. Closed leg-band is usually attached ten to fifteen days (10-15) after hatching. The closed leg-band identification is being used by the Philippines CITES-CMA to identify the birds intended for export. Also this is the basis for the issuance of CITES export permit. An open stainless steel leg-band is attached additionally to a female captive bred-progeny after surgical sexing. This will clearly identify the surgically sexed female because it is fitted with two leg-bands, a closed band on the right foot and an open band on the left.

An ISO microchip implant is also used for the identification of captive-bred progenies intended for export.

See document CoP15 Doc. 41.1 Annex 7, pp9-10

13. Description of the inspection and monitoring procedures to be used by the CITES Management Authority to confirm the identity of the breeding stock and offspring and to detect the presence of unauthorized specimens held at or exported by the operation, or being exported.

The following procedures are being adopted by the Protected Areas and Wildlife Bureau (PAWB), the CITES Management Authority in monitoring the captive breeding operations of BII;

- 1. The collection of wildlife species from the natural habitat for breeding purposes is allowed only under a Wildlife Collector's Permit (WCP) issued by the PAWB. Exotic species maybe acquired from breeders duly accredited and registered with PAWB or through importation under an import permit issued by the said agency;
- 2. A Wildlife Farm Permit (WFP) is also required for the establishment of breeding farms in the country. A WFP holder is required to maintain and provide breeding facilities suitable for the avian species to be maintained and spacious enough to ensure the welfare of the birds. Likewise, leg bands for the identification of the breeders and progenies are being checked/verified by the CMA.
- 3. The breeding farm is required to maintain a record for each species maintained in the farm, which shall include the data specified below. The record is periodically inspected and the stocks verified by the CMA. Only the recorded/validated animal stocks in the farm as registered in the book are allowed for trade/disposition.
- a. founding/breeder stocks- species, origin, age (date laid and date hatched) generation, sex, quantity, source, marking (leg-band, microchip etc) parental legband number if any.
- b. progenies species, origin, generation, age (date laid and date hatched) sex, quantity, parental leg-band number.
- c. additional acquisition local purchase, importation, exchange or donation, species, source, generation, origin, age, quantity, parental leg-band, receipt, permit if imported
- d. mortality /accidental escape species, source, generation, origin, age, generation, quantity, parental leg-band number
- e. hospital, nursery, incubator apparatus, and nesting area shall provide the same information

as above.

- 4. The movement of the birds from the breeding farm to any point within the territorial jurisdiction of the Philippines or from the collection area to the farm should be accompanied by a local transport permit issued by the concerned field office of the CMA;
- 5. Only captive-bred wildlife species/sub-species produced in the breeding farms authorized under WFP are allowed for trade. Birds intended for export are inspected/validated by PAWB and verified against the production report regularly submitted by the establishment to the CMA. Export permits are issued only when the results of the inspection and verification conform with the requirements of the CMA;
- 6. The establishment is also required to observe cleanliness and sanitation in the maintenance of the breeding farm and facilities. This is to prevent possible contamination and /or spread of pests and/or diseases, which will affect the survival of either the captive-bred specimens or other wildlife species which maybe found in the surrounding area.
- 7. Cleanliness and Sanitation- the breeding operation shall observe cleanliness and sanitation in the maintenance of the breeding farm and facility. This is to prevent possible contamination and /or spread of pests and/or diseases, which may affect the survival of both captive-bred, and the wild population of animals and other wildlife species in the area.
- 14. Description of the facilities to house the current and expected captive stock, including security measures to prevent escapes and/or thefts. Detailed information should be provided on the number and size of breeding and rearing enclosures, tanks, ponds, egg incubation capacity, food production or supply, availability of veterinary services and record-keeping.

The list of equipment and facilities presented below play a very vital role in the husbandry management and breeding of all Moluccan Cockatoo at Birds International.

See document CoP15 Doc. 41.1 Annex 7, pp11-15

15. Description of the strategies used or activities conducted by the breeding operation to contribute to the conservation of wild population(s) of the species.

The proven and trusted breeding protocols developed at BII can be shared to an existing *in-situ* breeding conservation program of this species. Presently, BII together with the CITES MA of the Republic of the Philippines has an existing MoU with CITES Indonesia following CITES Res. Conf. 13.9

16. Assurance that the operation shall be carried out at all stages in a humane (non-cruel) manner.

The current success of BII in captive breeding not to mention other Appendix 1 species is a clear manifestation that indeed breeding operation at BII is carried out with utmost and humane manner. The company's commitment to follow the existing Animal Welfare Act of the Philippines and the Wild Life Resources Conservation and Protection Act is also an assurance that the company will protect, care and treat all species in a humane and non-cruel manner.

Exhibit A



Republic of the Philippines Department of Environment and Natural Resources PROTECTED AREAS AND WILDLIFE BUREAU

Quezon Avenue, Diliman, Quezon City
Tel. Nos. (632) 924-6031 to 35 Fax: (632) 924-0109, (632) 920-4486
Website: http://www.pawb.gov.ph
E-mail: planning@pawb.gov.ph

November 24, 2010

CERTIFICATE OF BRED IN CAPTIVITY

In accordance to CITES Resolution Conference 10.16 (Rev.) under paragraph (a) and (b) items, (i) and (ii) the Protected Areas and Wildlife Bureau (PAWB) as the designated CITES Management Authority of the Philippines for terrestrial species certifies that the following species produced and paired as breeders by BIRDS INTERNATIONAL INC. with Philippine Wildlife Farm Permit No. 2010-006 (Renewal) and CITES Register No-PH-501 are captive-bred specimens.

Species	Generation	Quantity (M:F)
Citron Crested Cockatoo	FI	9:9
<i>Cacatua</i> citrinocristata	F2	2:2
Lesser Sulphur Crested Cockatoo	FI	15:15
Cacatua sulphurea sulphurea	F2	3:3
Medium Sulphur Crested Cockatoo	FI	10:10
Cacatuu s. abbotti	F2	5:5
Moluccan Cockatoo	Fl	20:20
Cacatua moluccensis	F2	8:8

THERESA MUNDITA S. LIM Director



Protect & conserve our forest to save our wildlife

Exhibit B

				hilippine iculture	a L. Lu	DEV 2010	11 . 1
		JUSTA OF	PAREMAL	LIDUSTRY	0,	DURES,	45
	Singapere		Manila			MELLI	2/82
	*/ '/	(Wild exotic	ort Perm		d birds)	IME	- State
IMP	ORT PERMIT NO.	F-18			Dat	e inede	1987-01-18 Wasch 91; 1
Imp	orterna			*	EXI	niry dal	Brandin July V
-	r. Antonio de				Pur	chosa _	ngapere Breeding
100	P Mines Avenue		- 11			6	
1 7 1	Weson Caty		-				
		DESCRIPT	ION OF A	NINALS/B	LRDS -		EXHIBIT 1
-	Necies	: Type.		Sex	i Å	ge :	Number
77.	TO AVLAN	Pageot					thirty (30)h
71K	一対一大一大一大一大一大一	C-25-35-36-36-36-36-	-H -H -H -H	- N- N- N-	T-H-K-K-1	e-3e-3e-3	C-3C-3C-9C-9C-9C-9C
		grant to the state of the state					
	1 3 a a a a a a a a a a a a a a a a a a	* *		200			
m 6	WANTED IN AL	26 JaliAU			·		
	Tallociar .	CHEAD FARROT			2 1/100		(30) hd.
	That said	o, Marine and i Lanimals must	come fr	om or mus	t have be	en rals	ed in a
в.	That said government accor zoo for not from the wild for Zoologica. That said breeding farm toblishments wild state.	l animals must redited farm of tless then nin state. 1. Research, Te d bird must com , laboratory, of for not less the	come from so ety (90 Priformin from be aviar	om or mus a bave be duys fr g and The	t have been confinom the datatrical l	ite of c	nch farm
в.	That said government accor zoo for not from the wild for Zoologica That said breeding farm tablishments wild state.	l enimals must redited farm of t less than nin state. 1. Research, Te d bird must con , laboratory, c for not less the	come from the from th	om or muse a baye be be days from the control or raised y or have ays from	t have been confinom the desatrical line a government the date	ed in a te of c sirds: reriment fined of cap	t accredited in such es-
	That said government accor zoo for not from the wild For Zoologica. That said breeding farm to blishments wild state. For Pasts. Cir	l animals must redited farm of tless then nin state. 1. Research, Te d bird must com , laboratory, of for not less the	come from sety (90) reforming from sevier (90) dimension sevier (9	om or mus a have be days fr g and The or raised y or have ays from	t have been confinom the desatrical line a government the date	ed in a te of c sirds: reriment fined of cap	t accredited in such es-
	That said government accor zoo for not from the wild For Zoologica. That said breeding farm to blishments wild state. For Pasts. Cir	l enimals must redited farm of tless than nin state. 1. Research, Te direction in the state of	come from sety (90) reforming from sevier (90) dimension sevier (9	om or mus a have be days fr g and The or raised y or have ays from	t have been confinom the desatrical line a government the date	ed in a te of c sirds: reriment fined of cap	t accredited in such es-

CoP15 Doc. 41.1 Annex 7 - p. 20


2. That should the primals/birds arrive at the port of entry in the Philippines without that accompanying prescribed Veterinary Health Certificate, said animal/bird shall be quarantimed for a period determined by the birector. Bureau of Animal Industry and those found showing signs of dangerous communicable discusses of animals and birds shall be condemned and disposed off in any manner deemed appropriate by the Piroctor or his duly authorized representative. No compensation shall be paid to any animal destroyed.

3. The permittee shall pay to the Bureau of Animal Industry the following fees:

a) For iscuence of this import Permit - 14.00 let 20 Jud. Sec. VII, Animal Industry Adm. Order No. 6-17); & 0.25 each for excess.
b) For inspection and issuance of landing permit - 10.00 let to be paid upon affival of the said animals at the port of entry (per Sec. I, Anim. Ind. Adm. 200-10.5-10) exc.
This permit is subject to cancellation whould any dangerous communicable animal disease break out at the place of origin or may be revoked at any time before the expiration date if the interest of the government so requires.

Conforme: 6/vcd-2/4/81 Dt. Pastex CFUZ-GIC-MIA CERTS LO TRUE COP: MARTARITA W. AGOOT 27-81 PERCENCE AND ALLER DE

CoP15 Doc. 41.1 Annex 7 - p. 21



CoP15 Doc. 41.1 Annex 7 - p. 22

2. That should the animals/birds errive at the port of entry in the Philippines without the accompanying prescribed Veterinary Health Certificate, said animal/bird shall be quarantined for a period determined by the birector, Bureau of Animal Industry and those production of the signs of dangerous communicable diseases of animals and birds shall be condemned and disposed off in any manner deemed appropriate by the Pirector or his duly authorized representative. No compensation shall be paid to any animal destroyed.

3. The permittee shall pay to the Bureau of Animal Industry the following fees:

- e) For issuance of this Import Permit P VII, Animal Industry Adm. Order No. 6-17700 Int 2 per Sec.
- b) For inspection and issuance of landing permit-P to be paid upon arrival of the said animals at the part 5 hd of entry (per Sec. I, Anim. Ind. Adm. Order No. 6-14).

4. This permit is subject to cancellation should any dangerous communicable animal disease break out at the place of origin or may be revoked at any time before the expiration date if the interest of the government so requires.

Cdnfolhie:

6/vcd-2/4/8

er ite.

DAG - HEA AMOUNT

CERTIFICO TRUE COPY

Assistant Likecolor

ERVICIO IRUE CI

MARGARITA H. AGOOT RECORD OFFICER 11/2/

CoP15 Doc. 41.1 Annex 7 - p. 23