

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES
OF WILD FAUNA AND FLORA



Nineteenth meeting of the Conference of the Parties
Panama City (Panama), 14 – 25 November 2022

MEDICINAL AND AROMATIC PLANT SPECIES IN THE CITES APPENDICES

1. This information document is submitted by the Secretariat in relation to document CoP19 Doc. 82 on *Trade in medicinal and aromatic plant species.**
2. The Annex to this information document contains a sample list of medicinal and aromatic plant species currently listed in CITES Appendices I, II and III.

* The geographical designations employed in this document do not imply the expression of any opinion whatsoever on the part of the CITES Secretariat (or the United Nations Environment Programme) concerning the legal status of any country, territory, or area, or concerning the delimitation of its frontiers or boundaries. The responsibility for the contents of the document rests exclusively with its authors.

Medicinal and Aromatic Plant Species in the CITES Appendices

Uwe Schippmann, 1.11.2022

CoP19 Inf. 31
Annex

This list includes about 1000 medicinal plant species that would be subject to CITES control if they were to enter international trade. The list is the result of a cross-check between the species, genera and families listed in the CITES Appendices with the MAPROW database (Medicinal and Aromatic Plant Resources of the World). MAPROW holds conservation-related information of plant taxa which are internationally used as medicinal and aromatic plants sensu lato. Only those species enter MAPROW which are (or have been) used for MAP purposes and for which such use is referenced. Only a part of these species are in international trade.

Taxonomy based on: RBG Kew. World Checklist of Vascular Plants (WCVP). Download wcvp_v6_sep_2021. CITES status based on CoP18 Decisions. Medicinal plant status based on MAPROW database, see <http://plant-conservation.com/maprow/>.

Suggested citation: Schippmann, U. (1.11.2022): Medicinal and aromatic plant species included in the CITES Appendices I, II, and III. <http://plant-conservation.com/how-many-medicinal-plants-appendices/>

| Family | Taxon | App | keyName |
|-------------------|--|-----|---------|
| Amaryllidaceae | <i>Galanthus elwesii</i> Hook.f. | II | 4530 |
| | <i>Galanthus ikariae</i> Baker | II | 41925 |
| | <i>Galanthus nivalis</i> L. | II | 16286 |
| | <i>Galanthus woronowii</i> Losinsk. | II | 1899 |
| | <i>Sternbergia clusiana</i> (Ker Gawl.) Ker Gawl. ex Spreng. | II | 41642 |
| Anacampserotaceae | <i>Anacampseros arachnoides</i> (Haw.) Sims | II | 19951 |
| | <i>Anacampseros rhodesica</i> N.E.Br. | II | 25285 |
| Apocynaceae | <i>Hoodia currorii</i> (Hook.) Decne. | II | 2033 |
| | <i>Hoodia gordonii</i> (Masson) Sweet ex Decne. | II | 2036 |
| | <i>Hoodia officinalis</i> (N.E.Br.) Plowes subsp. <i>officinalis</i> | II | 2038 |
| | <i>Hoodia pedicellata</i> (Schinz) Plowes | II | 2075 |
| | <i>Hoodia pilifera</i> (L.f.) Plowes | II | 2039 |
| | <i>Hoodia pilifera</i> (L.fil.) Plowes subsp. <i>pilifera</i> | II | 44255 |
| | <i>Hoodia pilifera</i> subsp. <i>pillansii</i> (N.E.Br.) Bruyns | II | 44256 |
| | <i>Pachypodium lealii</i> Welw. | II | 21397 |
| | <i>Pachypodium rutenbergianum</i> Vatke | II | 16469 |
| | <i>Rauvolfia serpentina</i> (L.) Benth. ex Kurz | II | 1276 |
| Araliaceae | <i>Panax ginseng</i> C.A.Mey. | II | 1071 |
| | <i>Panax quinquefolius</i> L. | II | 1073 |
| Araucariaceae | <i>Araucaria araucana</i> (Molina) K.Koch | I | 26685 |
| Arecaceae | <i>Lodoicea maldivica</i> (J.F.Gmel.) Pers. | III | 10946 |
| Asphodelaceae | <i>Aloe abyssinica</i> Lam. | II | 25251 |
| | <i>Aloe affinis</i> A.Berger | II | 19907 |
| | <i>Aloe africana</i> Mill. | II | 2011 |
| | <i>Aloe arborescens</i> Mill. | II | 1017 |
| | <i>Aloe asperifolia</i> A.Berger | II | 1872 |
| | <i>Aloe boylei</i> Baker | II | 19908 |
| | <i>Aloe broomii</i> Schönland | II | 19909 |
| | <i>Aloe buettneri</i> A.Berger | II | 19910 |
| | <i>Aloe burgersfortensis</i> Reynolds | II | 19911 |
| | <i>Aloe camperi</i> Schweinf. | II | 5155 |
| | <i>Aloe candelabrum</i> A.Berger | II | 44253 |

| Family | Taxon | App | keyName |
|---------------|---|-----|---------|
| Asphodelaceae | <i>Aloe capitata</i> Baker | | 2018 |
| | <i>Aloe chabaudii</i> Schönland | | 1936 |
| | <i>Aloe cooperi</i> Baker | | 1873 |
| | <i>Aloe cryptopoda</i> Baker | | 19913 |
| | <i>Aloe davyana</i> Schönland | | 19921 |
| | <i>Aloe dewetii</i> Reynolds | | 19914 |
| | <i>Aloe divaricata</i> A.Berger | | 2019 |
| | <i>Aloe ecklonis</i> Salm-Dyck | | 19916 |
| | <i>Aloe esculenta</i> L.C.Leach | | 19917 |
| | <i>Aloe excelsa</i> A.Berger | | 16555 |
| | <i>Aloe ferox</i> Mill. | | 99 |
| | <i>Aloe fleurentiniorum</i> Lavranos & L.E.Newton | | 5160 |
| | <i>Aloe flexilifolia</i> Christian | | 30694 |
| | <i>Aloe fosteri</i> Pillans | | 19918 |
| | <i>Aloe globuligemma</i> Pole-Evans | | 5161 |
| | <i>Aloe greatheadii</i> Schönland | | 19920 |
| | <i>Aloe hereroensis</i> Engl. | | 1874 |
| | <i>Aloe humilis</i> (L.) Mill. | | 5162 |
| | <i>Aloe inermis</i> Forssk. | | 5163 |
| | <i>Aloe kraussii</i> Baker | | 19924 |
| | <i>Aloe lateritia</i> Engl. | | 5164 |
| | <i>Aloe linearifolia</i> A.Berger | | 1843 |
| | <i>Aloe littoralis</i> Baker | | 2193 |
| | <i>Aloe lomatophylloides</i> Balf.f. | | 30695 |
| | <i>Aloe macroclada</i> Baker | | 2020 |
| | <i>Aloe maculata</i> All. | | 2015 |
| | <i>Aloe maculata</i> subsp. <i>maculata</i> | | 44367 |
| | <i>Aloe marlothii</i> A.Berger | | 1875 |
| | <i>Aloe marlothii</i> subsp. <i>marlothii</i> | | 19926 |
| | <i>Aloe micracantha</i> Haw. | | 19927 |
| | <i>Aloe microstigma</i> subsp. <i>microstigma</i> | | 25252 |
| | <i>Aloe mutabilis</i> Pillans | | 19928 |
| | <i>Aloe niebuhriana</i> Lavranos | | 5166 |
| | <i>Aloe nuttii</i> Baker | | 30696 |
| | <i>Aloe officinalis</i> Forssk. | | 5174 |
| | <i>Aloe parvibracteata</i> Schönland | | 19923 |
| | <i>Aloe pearsonii</i> Schönland | | 19930 |
| | <i>Aloe pembana</i> L.E.Newton | | 41663 |
| | <i>Aloe percrassa</i> Tod. | | 25254 |
| | <i>Aloe perfoliata</i> L. | | 44254 |
| | <i>Aloe perryi</i> Baker | | 100 |
| | <i>Aloe pulcherrima</i> M.G.Gilbert & Sebsebe | | 43680 |
| | <i>Aloe purpurea</i> Lam. | | 16455 |
| | <i>Aloe rabaiensis</i> Rendle | | 30697 |
| | <i>Aloe rivierei</i> Lavranos & L.E.Newton | | 5167 |
| | <i>Aloe rubroviolacea</i> Schweinf. | | 5168 |

| Family | Taxon | App | keyName |
|---------------|---|-----|---------|
| Asphodelaceae | <i>Aloe rupestris</i> Baker | II | 19932 |
| | <i>Aloe scabrifolia</i> L.E.Newton & Lavranos | II | 43681 |
| | <i>Aloe schweinfurthii</i> Baker | II | 5170 |
| | <i>Aloe secundiflora</i> Engl. | II | 1902 |
| | <i>Aloe speciosa</i> Baker | II | 19933 |
| | <i>Aloe spectabilis</i> Reynolds | II | 41921 |
| | <i>Aloe spicata</i> L.f. | II | 2194 |
| | <i>Aloe succotrina</i> Weston | II | 2017 |
| | <i>Aloe suprafoliata</i> Pole-Evans | II | 19935 |
| | <i>Aloe thraskii</i> Baker | II | 19936 |
| | <i>Aloe tomentosa</i> Deflers | II | 5172 |
| | <i>Aloe transvaalensis</i> Kuntze | II | 44161 |
| | <i>Aloe turkanensis</i> Christian | II | 1903 |
| | <i>Aloe vacillans</i> Forssk. | II | 5173 |
| | <i>Aloe vaombe</i> Decorse & Poiss. | II | 16386 |
| | <i>Aloe volkensii</i> Engl. | II | 5175 |
| | <i>Aloe wollastonii</i> Rendle | II | 30698 |
| | <i>Aloe zebrina</i> Baker | II | 19939 |
| | <i>Aloiaampelos ciliaris</i> (Haw.) Klopper & Gideon F.Sm. | II | 19912 |
| | <i>Aloiaampelos gracilis</i> (Haw.) Klopper & Gideon F.Sm. | II | 19919 |
| | <i>Aloiaampelos striatula</i> (Haw.) Klopper & Gideon F.Sm. | II | 19934 |
| | <i>Aloiaampelos tenuior</i> (Haw.) Klopper & Gideon F.Sm. | II | 5171 |
| | <i>Aloidendron barberae</i> (Dyer) Klopper & Gideon F.Sm. | II | 2012 |
| | <i>Aloidendron dichotomum</i> (Masson) Klopper & Gideon F.Sm. | II | 19915 |
| | <i>Aloidendron sabaeum</i> (Schweinf.) Boatwr. & J.C.Manning | II | 5169 |
| | <i>Aristaloe aristata</i> (Haw.) Boatwr. & J.C.Manning | II | 1783 |
| | <i>Gonialoe variegata</i> (L.) Boatwr. & J.C.Manning | II | 19938 |
| | <i>Kumara plicatilis</i> (L.) G.D.Rowley | II | 19931 |
| Asteraceae | <i>Dolomiaeae costus</i> (Falc.) Kasana & A.K.Pandey | I | 1371 |
| Berberidaceae | <i>Podophyllum hexandrum</i> Royle | II | 1172 |
| Cactaceae | <i>Airampoaa soehrense</i> (Britton & Rose) Lodé | II | 11972 |
| | <i>Aporocactus flagelliformis</i> (L.) Lem. | I | 8401 |
| | <i>Ariocarpus fissuratus</i> (Engelm.) K.Schum. | I | 5647 |
| | <i>Ariocarpus retusus</i> Scheidw. | I | 26718 |
| | <i>Arrojadoa rhodantha</i> (Gürke) Britton & Rose | II | 19122 |
| | <i>Austrocactus bertinii</i> (J.F.Cels) Britton & Rose | II | 39964 |
| | <i>Brasiliopuntia brasiliensis</i> (Willd.) A.Berger | II | 40016 |
| | <i>Browningia hertlingiana</i> (Backeb.) Buxb. | II | 43741 |
| | <i>Carnegiea gigantea</i> (Engelm.) Britton & Rose | II | 6807 |
| | <i>Cephalocereus senilis</i> (Haw.) Pfeiff. | II | 6996 |
| | <i>Cereus aethiops</i> Haw. | II | 40072 |
| | <i>Cereus hildmannianus</i> K.Schum. | II | 1937 |
| | <i>Cereus jamacaru</i> DC. | II | 19201 |
| | <i>Cereus rostratus</i> Lem. | II | 7009 |
| | <i>Cleistocactus baumannii</i> (Lem.) Lem. | II | 40102 |
| | <i>Cochemiea dioica</i> (K.Brandegee) Doweld | II | 11203 |

| Family | Taxon | App | keyName |
|-----------|---|---------------------|---------|
| Cactaceae | <i>Cochemiea grahamii</i> (Engelm.) Doweld | II | 23602 |
| | <i>Cochemiea wrightii</i> (Engelm.) Doweld | II | 42730 |
| | <i>Coryphantha compacta</i> (Engelm.) Orcutt | cCop19 | 27310 |
| | <i>Cylindropuntia acanthocarpa</i> (Engelm. & J.M.Bigelow) F.M.Knuth | AEDIXCINAL AND AROM | 22829 |
| | <i>Cylindropuntia arbuscula</i> (Engelm.) F.M.Knuth | II | 42778 |
| | <i>Cylindropuntia bigelovii</i> (Engelm.) F.M.Knuth | II | 11964 |
| | <i>Cylindropuntia californica</i> subsp. <i>parkeri</i> (J.M.Coult.) U.Guzmán | II | 42780 |
| | <i>Cylindropuntia echinocarpa</i> (Engelm. & J.M.Bigelow) F.M.Knuth | II | 42783 |
| | <i>Cylindropuntia fulgida</i> (Engelm.) F.M.Knuth | II | 42787 |
| | <i>Cylindropuntia imbricata</i> (Haw.) F.M.Knuth | II | 23764 |
| | <i>Cylindropuntia imbricata</i> subsp. <i>rosea</i> (DC.) M.A.Baker | II | 29143 |
| | <i>Cylindropuntia imbricata</i> subsp. <i>spinosior</i> (Engelm.) M.A.Barker, Cloud-H. & Majure | II | 42791 |
| | <i>Cylindropuntia leptocaulis</i> (DC.) F.M.Knuth | II | 23766 |
| | <i>Cylindropuntia ramosissima</i> (Engelm.) F.M.Knuth | II | 42790 |
| | <i>Cylindropuntia thurberi</i> subsp. <i>versicolor</i> (Engelm. ex J.M.Coult.) M.A.Baker | II | 42792 |
| | <i>Cylindropuntia tunicata</i> (Lehm.) F.M.Knuth | II | 23776 |
| | <i>Cylindropuntia whipplei</i> (Engelm. & J.M.Bigelow) F.M.Knuth | II | 23778 |
| | <i>Disocactus ackermannii</i> (Haw.) Ralf Bauer | II | 25864 |
| | <i>Disocactus speciosus</i> (Cav.) Barthlott | II | 28166 |
| | <i>Echinocactus platyacanthus</i> Link & Otto | II | 43842 |
| | <i>Echinocactus polycephalus</i> Engelm. & J.M.Bigelow | II | 42530 |
| | <i>Echinocereus coccineus</i> Engelm. | II | 22946 |
| | <i>Echinocereus engelmannii</i> (Parry ex Engelm.) Lem. | II | 42531 |
| | <i>Echinocereus engelmannii</i> var. <i>chrysocentrus</i> (Engelm. & J.M.Bigelow) Rümpler | II | 42532 |
| | <i>Echinocereus fendleri</i> (Engelm.) Sencke ex Haage | II | 42533 |
| | <i>Echinocereus polyacanthus</i> Engelm. | II | 42534 |
| | <i>Echinocereus reichenbachii</i> (Terscheck) Haage | II | 27093 |
| | <i>Echinocereus rigidissimus</i> (Engelm.) Hirscht | II | 42535 |
| | <i>Echinocereus scheeri</i> (Salm-Dyck) Scheer | II | 27097 |
| | <i>Echinocereus triglochidiatus</i> Engelm. | II | 8557 |
| | <i>Echinopsis arboricola</i> (Kimnach) Mottram | II | 40774 |
| | <i>Echinopsis oxygona</i> (Link) Zucc. ex Pfeiff. & Otto | II | 27630 |
| | <i>Epiphyllum oxypetalum</i> (DC.) Haw. | II | 43851 |
| | <i>Epiphyllum phyllanthus</i> (L.) Haw. | II | 8721 |
| | <i>Epithelantha micromeris</i> (Engelm.) F.A.C.Weber ex Britton & Rose | II | 8725 |
| | <i>Escobaria missouriensis</i> (Sweet) D.R.Hunt | II | 42576 |
| | <i>Escobaria vivipara</i> (Nutt.) Buxb. | II | 23094 |
| | <i>Epsostoa melanosteles</i> (Vaupel) Borg | II | 43856 |
| | <i>Ferocactus cylindraceus</i> (Engelm.) Orcutt | II | 42578 |
| | <i>Ferocactus cylindraceus</i> subsp. <i>lecontei</i> (Engelm.) N.P.Taylor | II | 42579 |
| | <i>Ferocactus wislizeni</i> (Engelm.) Britton & Rose | II | 42580 |
| | <i>Grusonia clavata</i> (Engelm.) H.Rob. | II | 23214 |
| | <i>Harrisia adscendens</i> (Gürke) Britton & Rose | II | 19378 |
| | <i>Harrisia bonplandii</i> (J.Parm. ex Pfeiff.) Britton & Rose | II | 41909 |

| Family | Taxon | App | keyName |
|-----------|---|-----|---------|
| Cactaceae | <i>Harrisia pomanensis</i> (F.A.C.Weber ex K.Schum.) Britton & Rose | II | 745 |
| | <i>Isolatocereus dumortieri</i> (Scheidw.) Backeb. | II | 27094 |
| | <i>Kroenleinia grusonii</i> (Hildm.) Lodé | II | 43919 |
| | <i>Lepismium lorentzianum</i> (Griseb.) Barthlott | II | 40638 |
| | <i>Lepismium lumbricoides</i> (Lem.) Barthlott | II | 40639 |
| | <i>Leuenbergeria guamacho</i> (F.A.C.Weber) Lodé | II | 12380 |
| | <i>Lophocereus marginatus</i> (DC.) S.Arias & Terrazas | II | 26152 |
| | <i>Lophophora williamsii</i> (Lem.) J.M.Coult. | II | 909 |
| | <i>Maihueniopsis hickenii</i> (Britton & Rose) D.R.Hunt | II | 40424 |
| | <i>Mammillaria geminispina</i> Haw. | II | 28837 |
| | <i>Mammillaria heyderi</i> Muehlenpf. | II | 11204 |
| | <i>Mammillaria mainiae</i> K.Brandegee | II | 42729 |
| | <i>Mammillaria polythele</i> Mart. | II | 28839 |
| | <i>Melocactus bahiensis</i> (Britton & Rose) Luetzelb. | II | 19487 |
| | <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelb. | II | 19488 |
| | <i>Myrtillocactus cochal</i> (Orcutt) Britton & Rose | II | 42758 |
| | <i>Myrtillocactus geometrizans</i> (Mart. ex Pfeiff.) Console | II | 1012 |
| | <i>Nyctocereus serpentinus</i> (Lag. & Rodr.) Britton & Rose | II | 43635 |
| | <i>Opuntia × vaseyi</i> (J.M.Coult.) Britton & Rose | II | 42781 |
| | <i>Opuntia auberi</i> Pfeiff. | II | 43973 |
| | <i>Opuntia aurea</i> E.M.Baxter | II | 23754 |
| | <i>Opuntia azurea</i> Rose | II | 29139 |
| | <i>Opuntia basilaris</i> Engelm. & J.M.Bigelow | II | 42779 |
| | <i>Opuntia chlorotica</i> Engelm. & J.M.Bigelow | II | 42782 |
| | <i>Opuntia cochenillifera</i> (L.) Mill. | II | 11967 |
| | <i>Opuntia dillenii</i> (Ker Gawl.) Haw. | II | 44259 |
| | <i>Opuntia elata</i> var. <i>delaetiana</i> F.A.C.Weber | II | 40499 |
| | <i>Opuntia elatior</i> Mill. | II | 11968 |
| | <i>Opuntia engelmannii</i> Salm-Dyck ex Engelm. | II | 23757 |
| | <i>Opuntia engelmannii</i> var. <i>lindheimeri</i> (Engelm.) B.D.Parfitt & Pinkava | II | 42784 |
| | <i>Opuntia ficus-indica</i> (L.) Mill. | II | 1048 |
| | <i>Opuntia fragilis</i> (Nutt.) Haw. | II | 23762 |
| | <i>Opuntia humifusa</i> (Raf.) Raf. | II | 1047 |
| | <i>Opuntia karwinskiana</i> Salm-Dyck | II | 29141 |
| | <i>Opuntia macrorhiza</i> Engelm. | II | 23767 |
| | <i>Opuntia maxima</i> Mill. | II | 43391 |
| | <i>Opuntia monacantha</i> Haw. | II | 1049 |
| | <i>Opuntia phaeacantha</i> Engelm. | II | 23770 |
| | <i>Opuntia polyacantha</i> Haw. | II | 23772 |
| | <i>Opuntia polyacantha</i> var. <i>erinacea</i> (Engelm. & J.M.Bigelow) B.D.Parfitt | II | 42785 |
| | <i>Opuntia polyacantha</i> var. <i>hystricina</i> (Engelm. & J.M.Bigelow) B.D.Parfitt | II | 44578 |
| | <i>Opuntia polyacantha</i> var. <i>hystricina</i> (Engelm. & J.M.Bigelow) B.D.Parfitt | II | 44578 |
| | <i>Opuntia quimilo</i> K.Schum. | II | 40500 |
| | <i>Opuntia schumannii</i> F.A.C.Weber ex A.Berger | II | 29144 |
| | <i>Opuntia streptacantha</i> Lem. | II | 11973 |
| | <i>Opuntia stricta</i> (Haw.) Haw. | II | 3421 |

| Family | Taxon | App | keyName |
|----------------|---|-----|---------|
| Cactaceae | <i>Opuntia sulphurea</i> G.Don ex Salm-Dyck | II | 40502 |
| | <i>Opuntia tomentosa</i> Salm-Dyck | II | 29140 |
| | <i>Opuntia tuna</i> (L.) Mill. | II | 11974 |
| | <i>Pachycereus pecten-aboriginum</i> (Engelm. ex S.Watson) Britton & Rose | II | 12097 |
| | <i>Pachycereus pringlei</i> (S.Watson) Britton & Rose | II | 42800 |
| | <i>Peniocereus greggii</i> (Engelm.) Britton & Rose | II | 23854 |
| | <i>Peniocereus striatus</i> (Brandegee) Buxb. | II | 15849 |
| | <i>Pereskia aculeata</i> Mill. | II | 19547 |
| | <i>Pilosocereus piauhensis</i> (Gürke) Byles & G.D.Rowley | II | 19561 |
| | <i>Praecereus saxicola</i> (Morong) N.P.Taylor | II | 40453 |
| | <i>Quiabentia verticillata</i> (Vaupel) Borg | II | 40630 |
| | <i>Rhipsalis baccifera</i> (J.S.Muell.) Stearn | II | 1880 |
| | <i>Rhipsalis cereuscula</i> Haw. | II | 44032 |
| | <i>Rhipsalis floccosa</i> subsp. <i>tucumanensis</i> (F.A.C.Weber) Barthlott & N.P.Taylor | II | 40637 |
| | <i>Rhodocactus grandifolius</i> (Haw.) F.M.Knuth | II | 12379 |
| | <i>Rhodocactus sacharosa</i> (Griseb.) Backeb. | II | 40549 |
| | <i>Salmonopuntia salmiana</i> (J.Parm. ex Pfeiff.) P.V.Heath | II | 40501 |
| | <i>Schlumbergera truncata</i> (Haw.) Moran | II | 44054 |
| | <i>Selenicereus grandiflorus</i> (L.) Britton & Rose | II | 336 |
| | <i>Selenicereus grandiflorus</i> subsp. <i>donkelaarii</i> (Salm-Dyck) Ralf Bauer | II | 14164 |
| | <i>Selenicereus monacanthus</i> (Lem.) D.R.Hunt | II | 43461 |
| | <i>Selenicereus pteranthus</i> (Link ex A.Dietr.) Britton & Rose | II | 44063 |
| | <i>Selenicereus undatus</i> (Haw.) D.R.Hunt | II | 10127 |
| | <i>Stenocereus eruca</i> (Brandegee) A.C.Gibson & K.E.Horak | II | 42720 |
| | <i>Stenocereus griseus</i> (Haw.) Buxb. | II | 44080 |
| | <i>Stenocereus gummosus</i> (Engelm.) A.C.Gibson & K.E.Horak | II | 14669 |
| | <i>Stenocereus thurberi</i> (Engelm.) Buxb. | II | 14672 |
| | <i>Stetsonia coryne</i> (C.F.Först.) Britton & Rose | II | 40740 |
| | <i>Tacinga palmadora</i> (Britton & Rose) N.P.Taylor & Stuppy | II | 19735 |
| | <i>Trichocereus macrogonus</i> var. <i>pachanoi</i> (Britton & Rose) Albesiano & R.Kiesling | II | 2840 |
| | <i>Xiquexique gounellei</i> (F.A.C.Weber ex K.Schum.) Lavor & Calvente | II | 19560 |
| | <i>Xiquexique tuberculatus</i> (Werderm.) Lavor & Calvente | II | 19562 |
| Caprifoliaceae | <i>Nardostachys jatamansi</i> (D.Don) DC. | II | 1016 |
| Cupressaceae | <i>Fitzroya cupressoides</i> (Molina) I.M.Johnst. | I | 40234 |
| Cyatheaceae | <i>Alsophila celsa</i> R.M.Tryon | II | 16417 |
| | <i>Alsophila dregei</i> (Kunze) R.M.Tryon | II | 2028 |
| | <i>Alsophila firma</i> (Baker) D.S.Conant | II | 27414 |
| | <i>Alsophila manniana</i> (Hook.) R.M.Tryon | II | 27413 |
| | <i>Cibotium barometz</i> (L.) J.Sm. | II | 363 |
| | <i>Cyathea lasiosora</i> Domin | II | 25265 |
| | <i>Cyathea microdonta</i> (Desv.) Domin | II | 19286 |
| | <i>Dicksonia karsteniana</i> (Klotzsch) T.Moore | II | 8249 |
| | <i>Gymnosphaera capensis</i> (L.f.) S.Y.Dong | II | 20434 |
| Cycadaceae | <i>Cycas circinalis</i> L. | II | 1639 |

| Family | Taxon | App | keyName |
|---------------|---|-----|---------|
| Cycadaceae | <i>Cycas inermis</i> Lour. | II | 27420 |
| | <i>Cycas revoluta</i> Thunb. | II | 2735 |
| | <i>Cycas thouarsii</i> R.Br. | II | 27421 |
| Didiereaceae | <i>Alluaudia dumosa</i> (Drake) Drake | II | 16385 |
| | <i>Portulacaria afra</i> Jacq. | II | 21534 |
| Dioscoreaceae | <i>Dioscorea deltoidea</i> Wall. ex Griseb. | II | 532 |
| Droseraceae | <i>Dionaea muscipula</i> J.Ellis | II | 1768 |
| Euphorbiaceae | <i>Euphorbia ammak</i> Schweinf. | II | 19330 |
| | <i>Euphorbia antiquorum</i> L. | II | 2920 |
| | <i>Euphorbia antisiphilitica</i> Zucc. | II | 2022 |
| | <i>Euphorbia antso</i> Denis | II | 30720 |
| | <i>Euphorbia atoto</i> G.Forst. | II | 8989 |
| | <i>Euphorbia balsamifera</i> Aiton | II | 8990 |
| | <i>Euphorbia bupleurifolia</i> Jacq. | II | 1883 |
| | <i>Euphorbia cactus</i> Ehrenb. ex Boiss. | II | 19333 |
| | <i>Euphorbia caerulescens</i> Haw. | II | 20690 |
| | <i>Euphorbia canariensis</i> L. | II | 8997 |
| | <i>Euphorbia clavarioides</i> Boiss. | II | 20691 |
| | <i>Euphorbia comosa</i> Vell. | II | 19334 |
| | <i>Euphorbia cooperi</i> N.E.Br. ex A.Berger | II | 1886 |
| | <i>Euphorbia corniculata</i> R.A.Dyer | II | 25936 |
| | <i>Euphorbia crassipes</i> Marloth | II | 20699 |
| | <i>Euphorbia deightonii</i> Croizat | II | 27795 |
| | <i>Euphorbia didiereoides</i> Denis ex Leandri | II | 30722 |
| | <i>Euphorbia duseimata</i> R.A.Dyer | II | 20694 |
| | <i>Euphorbia espinosa</i> Pax | II | 20695 |
| | <i>Euphorbia flanaganii</i> N.E.Br. | II | 1869 |
| | <i>Euphorbia fruticosa</i> Forssk. | II | 19335 |
| | <i>Euphorbia gossypina</i> Pax | II | 9019 |
| | <i>Euphorbia grandicornis</i> Blanc | II | 20701 |
| | <i>Euphorbia grandidens</i> Haw. | II | 6 |
| | <i>Euphorbia guerichiana</i> Pax | II | 20702 |
| | <i>Euphorbia heterochroma</i> Pax | II | 9024 |
| | <i>Euphorbia heterodoxa</i> Müll.Arg. | II | 9025 |
| | <i>Euphorbia inarticulata</i> Schweinf. | II | 19336 |
| | <i>Euphorbia ingens</i> E.Mey. ex Boiss. | II | 7 |
| | <i>Euphorbia kamerunica</i> Pax | II | 27799 |
| | <i>Euphorbia kanalensis</i> Boiss. | II | 9030 |
| | <i>Euphorbia lacei</i> Craib | II | 9032 |
| | <i>Euphorbia lateriflora</i> Schumach. | II | 9036 |
| | <i>Euphorbia mainty</i> (Poiss.) Denis ex Leandri | II | 30724 |
| | <i>Euphorbia maleolens</i> E.Phillips | II | 43863 |
| | <i>Euphorbia matabelensis</i> Pax | II | 9042 |
| | <i>Euphorbia meloformis</i> Aiton | II | 20704 |
| | <i>Euphorbia milii</i> Des Moul. | II | 9046 |
| | <i>Euphorbia murielii</i> N.E.Br. | II | 8998 |

| Family | Taxon | App | keyName |
|---------------|--|-----|---------|
| Euphorbiaceae | Euphorbia namibensis Marloth | II | 20707 |
| | Euphorbia neriifolia L. | II | 2927 |
| | Euphorbia nivulia Buch.-Ham. | II | 9047 |
| | Euphorbia officinarum L. | II | 25935 |
| | Euphorbia paganorum A.Chev. | II | 25937 |
| | Euphorbia parciramulosa Schweinf. | II | 19337 |
| | Euphorbia phosphorea Mart. | II | 19338 |
| | Euphorbia plumerioides Teijsm. ex Hassk. | II | 9054 |
| | Euphorbia poissonii Pax | II | 9055 |
| | Euphorbia procumbens Mill. | II | 9061 |
| | Euphorbia pulvinata Marloth | II | 1870 |
| | Euphorbia qarad Deflers | II | 19341 |
| | Euphorbia quinquecostata Volkens | II | 9062 |
| | Euphorbia racemosa E.Mey. ex Boiss. | II | 20710 |
| | Euphorbia radians Benth. | II | 25947 |
| | Euphorbia resinifera O.Berg | II | 634 |
| | Euphorbia restituta N.E.Br. | II | 20708 |
| | Euphorbia schinzii Pax | II | 9068 |
| | Euphorbia sekukuniensis R.A.Dyer | II | 20709 |
| | Euphorbia subsalsa Hiern | II | 30727 |
| | Euphorbia tetragona Haw. | II | 20713 |
| | Euphorbia tirucalli L. | II | 2933 |
| | Euphorbia tortilis Rottler ex Ainslie | II | 41545 |
| | Euphorbia triaculeata Forssk. | II | 19331 |
| | Euphorbia triangularis Desf. ex A.Berger | II | 20714 |
| | Euphorbia unispina N.E.Br. | II | 9079 |
| Fabaceae | Dalbergia armata E.Mey. | II | 8054 |
| | Dalbergia boehmii Taub. | II | 25786 |
| | Dalbergia brownei (Jacq.) Schinz | II | 8055 |
| | Dalbergia candenatensis (Dennst.) Prain | II | 25789 |
| | Dalbergia cumingiana Benth. | II | 8056 |
| | Dalbergia ecastaphyllum (L.) Taub. | II | 25787 |
| | Dalbergia ferruginea Roxb. | II | 44278 |
| | Dalbergia horrida (Dennst.) Mabb. | II | 25791 |
| | Dalbergia hostilis Benth. | II | 16640 |
| | Dalbergia lactea Vatke | II | 8059 |
| | Dalbergia lanceolaria L.f. | II | 2767 |
| | Dalbergia lanceolaria subsp. paniculata (Roxb.) Thoth. | II | 41952 |
| | Dalbergia latifolia Roxb. | II | 8061 |
| | Dalbergia melanoxylon Guill. & Perr. | II | 8062 |
| | Dalbergia nigra (Vell.) Allemão ex Benth. | I | 2768 |
| | Dalbergia nitidula Welw. ex Baker | II | 8064 |
| | Dalbergia obovata E.Mey. | II | 20492 |
| | Dalbergia odorifera T.C.Chen | II | 2769 |
| | Dalbergia oliveri Gamble ex Prain | II | 43815 |
| | Dalbergia ovalis (L.) P.L.R.Moraes & L.P.Queiroz | II | 8063 |

| Family | Taxon | App | keyName |
|-----------------|---|-----|---------|
| Fabaceae | <i>Dalbergia pinnata</i> (Lour.) Prain | II | 24998 |
| | <i>Dalbergia retusa</i> Hemsl. | II | 8065 |
| | <i>Dalbergia saxatilis</i> Hook.f. | II | 8066 |
| | <i>Dalbergia sissoo</i> Roxb. ex DC. | II | 2770 |
| | <i>Dalbergia volubilis</i> Roxb. | II | 8069 |
| | <i>Guibourtia demeusei</i> (Harms) J.Léonard | II | 28081 |
| | <i>Paubrasilia echinata</i> (Lam.) Gagnon, H.C.Lima & G.P.Lewis | II | 270 |
| | <i>Pericopsis elata</i> (Harms) Meeuwen | II | 26569 |
| | <i>Pterocarpus erinaceus</i> Poir. | II | 13222 |
| | <i>Pterocarpus santalinus</i> L.f. | II | 1241 |
| | <i>Pterocarpus tinctorius</i> Welw. | II | 29570 |
| Fagaceae | <i>Quercus mongolica</i> subsp. <i>crispula</i> (Blume) Menitsky | III | 39864 |
| Gnetaceae | <i>Gnetum montanum</i> Markgr. | III | 1645 |
| Lauraceae | <i>Aniba rosodora</i> Ducke | II | 2256 |
| Malvaceae | <i>Adansonia grandidieri</i> Baill. | II | 40852 |
| Melastomataceae | <i>Rhynchanthera grandiflora</i> DC. | II | 29746 |
| Meliaceae | <i>Cedrela balansae</i> C.DC. | II | 40066 |
| | <i>Cedrela fissilis</i> Vell. | II | 6912 |
| | <i>Cedrela odorata</i> L. | II | 2533 |
| | <i>Swietenia humilis</i> Zucc. | II | 3876 |
| | <i>Swietenia macrophylla</i> King | II | 3877 |
| | <i>Swietenia mahagoni</i> (L.) Jacq. | II | 14874 |
| Nepenthaceae | <i>Nepenthes distillatoria</i> L. | II | 1021 |
| | <i>Nepenthes khasiana</i> Hook.f. | I | 1022 |
| | <i>Nepenthes pervillei</i> Blume | II | 16464 |
| Oleaceae | <i>Fraxinus mandshurica</i> Rupr. | III | 43874 |
| Orchidaceae | <i>Acampe carinata</i> (Griff.) Panigrahi | II | 41961 |
| | <i>Acampe praemorsa</i> (Roxb.) Blatt. & McCann | II | 1764 |
| | <i>Acampe praemorsa</i> var. <i>longepedunculata</i> (Trimen) Govaerts | II | 41962 |
| | <i>Acriopsis liliifolia</i> (J.Koenig) Ormerod | II | 41963 |
| | <i>Acrolophia cochlearis</i> (Lindl.) Schltr. & Bolus | II | 1747 |
| | <i>Aerangis mystacidii</i> (Rchb.f.) Schltr. | II | 1743 |
| | <i>Aerangis thomsonii</i> (Rolfe) Schltr. | II | 1744 |
| | <i>Aerides crispa</i> Lindl. | II | 41964 |
| | <i>Aerides falcata</i> Lindl. & Paxton | II | 26558 |
| | <i>Aerides multiflora</i> Roxb. | II | 41965 |
| | <i>Aerides odorata</i> Lour. | II | 41966 |
| | <i>Agrostophyllum stipulatum</i> subsp. <i>bicuspidatum</i> (J.J.Sm.) Schuit. | II | 41967 |
| | <i>Anacamptis coriophora</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase | II | 1842 |
| | <i>Anacamptis laxiflora</i> (Lam.) R.M.Bateman, Pridgeon & M.W.Chase | II | 1845 |
| | <i>Anacamptis morio</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase | II | 4562 |
| | <i>Anacamptis morio</i> subsp. <i>picta</i> (Loisel.) Jacquet & Scappat. | II | 41970 |
| | <i>Anacamptis palustris</i> (Jacq.) R.M.Bateman, Pridgeon & M.W.Chase | II | 1847 |
| | <i>Anacamptis papilionacea</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase | II | 1892 |
| | <i>Anacamptis pyramidalis</i> (L.) Rich. | II | 124 |
| | <i>Anacamptis sancta</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase | II | 1851 |

| Family | Taxon | App | keyName |
|-------------|--|-----|---------|
| Orchidaceae | <i>Angraecum eburneum</i> Bory | II | 16387 |
| | <i>Anoectochilus formosanus</i> Hayata | II | 1939 |
| | <i>Anoectochilus koshunensis</i> Hayata | II | 5457 |
| | <i>Anoectochilus reinwardtii</i> Blume | II | 41971 |
| | <i>Anoectochilus roxburghii</i> (Wall.) Lindl. | II | 1940 |
| | <i>Ansellia africana</i> Lindl. | II | 1746 |
| | <i>Anthogonium gracile</i> Wall. ex Lindl. | II | 41972 |
| | <i>Aplectrum hyemale</i> (Muhl. ex Willd.) Torr. | II | 22261 |
| | <i>Apostasia nuda</i> R.Br. | II | 41973 |
| | <i>Apostasia wallichii</i> R.Br. | II | 19113 |
| | <i>Appendicula cornuta</i> Blume | II | 41974 |
| | <i>Arachnis flos-aeris</i> (L.) Rchb.f. | II | 41975 |
| | <i>Arpophyllum spicatum</i> Lex. | II | 25373 |
| | <i>Arundina graminifolia</i> (D.Don) Hochr. | II | 1941 |
| | <i>Aspidogyne kuczynskii</i> (Porsch) Garay | II | 39954 |
| | <i>Bambuseria bambusifolia</i> (Lindl.) Schuit., Y.P.Ng & H.A.Pedersen | II | 41999 |
| | <i>Bipinnula penicillata</i> (Rchb.f.) Cisternas & Salazar | II | 40271 |
| | <i>Bletia campanulata</i> Lex. | II | 25522 |
| | <i>Bletia coccinea</i> Lex. | II | 25523 |
| | <i>Bletilla foliosa</i> (King & Pantl.) Tang & F.T.Wang | II | 41976 |
| | <i>Bletilla formosana</i> (Hayata) Schltr. | II | 1942 |
| | <i>Bletilla ochracea</i> Schltr. | II | 1943 |
| | <i>Bletilla striata</i> (Thunb.) Rchb.f. | II | 244 |
| | <i>Bolusiella maudiae</i> (Bolus) Schltr. | II | 1774 |
| | <i>Bonatea steudneri</i> (Rchb.f.) T.Durand & Schinz | II | 1775 |
| | <i>Brachycorythis obcordata</i> (Lindl. ex Wall.) Summerh. | II | 40900 |
| | <i>Brachycorythis ovata</i> Lindl. | II | 20150 |
| | <i>Brachystele camporum</i> (Lindl.) Schltr. | II | 40014 |
| | <i>Brachystele unilateralis</i> (Poir.) Schltr. | II | 40015 |
| | <i>Bromheadia finlaysoniana</i> (Lindl.) Miq. | II | 6418 |
| | <i>Bulbophyllum affine</i> Wall. ex Lindl. | II | 41977 |
| | <i>Bulbophyllum ambrosia</i> (Hance) Schltr. | II | 41978 |
| | <i>Bulbophyllum andersonii</i> (Hook.f.) J.J.Sm. | II | 41979 |
| | <i>Bulbophyllum careyanum</i> (Hook.) Spreng. | II | 41980 |
| | <i>Bulbophyllum cariniflorum</i> Rchb.f. | II | 41981 |
| | <i>Bulbophyllum cylindraceum</i> Wall. ex Lindl. | II | 41982 |
| | <i>Bulbophyllum disciflorum</i> Rolfe | II | 42218 |
| | <i>Bulbophyllum griffithii</i> (Lindl.) Rchb.f. | II | 1944 |
| | <i>Bulbophyllum inconspicuum</i> Maxim. | II | 1945 |
| | <i>Bulbophyllum kwangtungense</i> Schltr. | II | 1948 |
| | <i>Bulbophyllum laxiflorum</i> (Blume) Lindl. | II | 41664 |
| | <i>Bulbophyllum leopardinum</i> (Wall.) Lindl. ex Wall. | II | 41985 |
| | <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. | II | 41983 |
| | <i>Bulbophyllum lobbii</i> Lindl. | II | 41987 |
| | <i>Bulbophyllum lopalthanthum</i> J.J.Verm., Schuit. & de Vogel | II | 42214 |
| | <i>Bulbophyllum nasutum</i> Rchb.f. | II | 42219 |

| Family | Taxon | App | keyName |
|-------------|---|-----|---------|
| Orchidaceae | <i>Bulbophyllum nutans</i> (Thouars) Thouars | II | 16396 |
| | <i>Bulbophyllum odoratissimum</i> (Sm.) Lindl. ex Wall. | II | 1947 |
| | <i>Bulbophyllum pecten-veneris</i> (Gagnep.) Seidenf. | II | 41988 |
| | <i>Bulbophyllum pectinatum</i> Finet | II | 41989 |
| | <i>Bulbophyllum reptans</i> (Lindl.) Lindl. ex Wall. | II | 1977 |
| | <i>Bulbophyllum rufinum</i> Rchb.f. | II | 41990 |
| | <i>Bulbophyllum scabratum</i> Rchb.f. | II | 41986 |
| | <i>Bulbophyllum sterile</i> (Lam.) Suresh | II | 41991 |
| | <i>Bulbophyllum umbellatum</i> Lindl. | II | 41992 |
| | <i>Bulbophyllum vaginatum</i> (Lindl.) Rchb.f. | II | 41993 |
| | <i>Calanthe alismifolia</i> Lindl. | II | 41994 |
| | <i>Calanthe alpina</i> Hook.f. ex Lindl. | II | 1978 |
| | <i>Calanthe brevicornu</i> Lindl. | II | 41995 |
| | <i>Calanthe cardioglossa</i> Schltr. | II | 41996 |
| | <i>Calanthe ceciliae</i> Rchb.f. | II | 41997 |
| | <i>Calanthe davidii</i> Franch. | II | 1949 |
| | <i>Calanthe densiflora</i> Lindl. | II | 41998 |
| | <i>Calanthe discolor</i> Lindl. | II | 42034 |
| | <i>Calanthe graciliflora</i> Hayata | II | 42035 |
| | <i>Calanthe mannii</i> Hook.f. | II | 42036 |
| | <i>Calanthe masuca</i> (D.Don) Lindl. | II | 40911 |
| | <i>Calanthe plantaginea</i> Lindl. | II | 42037 |
| | <i>Calanthe puberula</i> Lindl. | II | 42038 |
| | <i>Calanthe sylvatica</i> (Thouars) Lindl. | II | 43749 |
| | <i>Calanthe tricarinata</i> Lindl. | II | 42039 |
| | <i>Calanthe triplicata</i> (Willemet) Ames | II | 6577 |
| | <i>Calanthe vestita</i> Wall. ex Lindl. | II | 25586 |
| | <i>Calypso bulbosa</i> (L.) Oakes | II | 22525 |
| | <i>Calypso bulbosa</i> var. <i>americana</i> (R.Br.) Luer | II | 22526 |
| | <i>Catasetum fimbriatum</i> (C.Morren) Lindl. | II | 6894 |
| | <i>Cephalanthera erecta</i> (Thunb.) Blume | II | 42000 |
| | <i>Cephalanthera falcata</i> (Thunb.) Blume | II | 42001 |
| | <i>Cephalanthera longifolia</i> (L.) Fritsch | II | 42002 |
| | <i>Cephalanthera nanchuanica</i> (S.C.Chen) X.H.Jin & X.G.Xiang | II | 1972 |
| | <i>Ceratandra grandiflora</i> Lindl. | II | 20221 |
| | <i>Changnienia amoena</i> S.S.Chien | II | 1950 |
| | <i>Cleisomeria lanatum</i> (Lindl.) Lindl. ex G.Don | II | 26403 |
| | <i>Cleisostoma birmanicum</i> (Schltr.) Garay | II | 42003 |
| | <i>Cleisostoma fuerstenbergianum</i> Kraenzl. | II | 42004 |
| | <i>Cleisostoma paniculatum</i> (Ker Gawl.) Garay | II | 42005 |
| | <i>Cleisostoma tenuifolium</i> (L.) Garay | II | 42006 |
| | <i>Cleisostoma williamsonii</i> (Rchb.f.) Garay | II | 42007 |
| | <i>Coelogyne barbata</i> Lindl. ex Griff. | II | 42008 |
| | <i>Coelogyne corymbosa</i> Lindl. | II | 40948 |
| | <i>Coelogyne cristata</i> Lindl. | II | 7419 |
| | <i>Coelogyne fimbriata</i> Lindl. | II | 42009 |

| Family | Taxon | App | keyName |
|-------------|---|-----|---------|
| Orchidaceae | <i>Coelogyne flaccida</i> Lindl. | | 40949 |
| | <i>Coelogyne fuscescens</i> Lindl. | | 42010 |
| | <i>Coelogyne leucantha</i> W.W.Sm. | | 42012 |
| | <i>Coelogyne nitida</i> (Wall. ex D.Don) Lindl. | | 40951 |
| | <i>Coelogyne occultata</i> Hook.f. | | 42013 |
| | <i>Coelogyne ovalis</i> Lindl. | | 42014 |
| | <i>Coelogyne prolifera</i> Lindl. | | 7420 |
| | <i>Coelogyne punctulata</i> Lindl. | | 42015 |
| | <i>Coelogyne stricta</i> (D.Don) Schltr. | | 42016 |
| | <i>Coelogyne trinervis</i> Lindl. | | 42017 |
| | <i>Corallorrhiza maculata</i> Raf. | | 7559 |
| | <i>Corallorrhiza odontorhiza</i> (Willd.) Nutt. | | 2660 |
| | <i>Corycium nigrescens</i> Sond. | | 20356 |
| | <i>Corymborkis corymbis</i> Thouars | | 20357 |
| | <i>Corymborkis veratrifolia</i> (Reinw.) Blume | | 42019 |
| | <i>Cranichis speciosa</i> Lex. | | 27332 |
| | <i>Cranichis tubularis</i> Lex. | | 27333 |
| | <i>Cremastra appendiculata</i> (D.Don) Makino | | 1952 |
| | <i>Crepidium acuminatum</i> (D.Don) Szlach. | | 943 |
| | <i>Crepidium resupinatum</i> (G.Forst.) Szlach. | | 42020 |
| | <i>Crepidium versicolor</i> (Lindl.) Sushil K.Singh, Agrawala & Jalal | | 11470 |
| | <i>Cyclopogon elatus</i> (Sw.) Schltr. | | 40149 |
| | <i>Cynnoches cooperi</i> Rolfe | | 44693 |
| | <i>Cymbidium aloifolium</i> (L.) Sw. | | 27428 |
| | <i>Cymbidium bicolor</i> Lindl. | | 42021 |
| | <i>Cymbidium crassifolium</i> Herb. | | 42022 |
| | <i>Cymbidium devonianum</i> Paxton | | 40971 |
| | <i>Cymbidium elegans</i> var. <i>elegans</i> | | 42023 |
| | <i>Cymbidium ensifolium</i> (L.) Sw. | | 2010 |
| | <i>Cymbidium faberi</i> Rolfe | | 42024 |
| | <i>Cymbidium finlaysonianum</i> Lindl. | | 42025 |
| | <i>Cymbidium floribundum</i> Lindl. | | 42026 |
| | <i>Cymbidium goeringii</i> (Rchb.f.) Rchb.f. | | 42027 |
| | <i>Cymbidium hookerianum</i> Rchb.f. | | 42028 |
| | <i>Cymbidium iridioides</i> D.Don | | 42029 |
| | <i>Cymbidium kanran</i> Makino | | 42030 |
| | <i>Cymbidium lancifolium</i> Hook. | | 42031 |
| | <i>Cymbidium macrorhizon</i> Lindl. | | 42033 |
| | <i>Cymbidium sinense</i> (Andrews) Willd. | | 1979 |
| | <i>Cymbidium wilsonii</i> (Rolfe ex De Cock) Rolfe | | 42040 |
| | <i>Cypripedium acaule</i> Aiton | | 2761 |
| | <i>Cypripedium arietinum</i> R.Br. | | 22847 |
| | <i>Cypripedium calceolus</i> L. | | 2762 |
| | <i>Cypripedium cordigerum</i> D.Don | | 8032 |
| | <i>Cypripedium debile</i> Rchb.f. | | 42041 |
| | <i>Cypripedium elegans</i> Rchb.f. | | 42042 |

| Family | Taxon | App | keyName |
|-------------|---|-----|---------|
| Orchidaceae | <i>Cypripedium fasciolatum</i> Franch. | II | 42043 |
| | <i>Cypripedium flavum</i> P.F.Hunt & Summerh. | II | 1953 |
| | <i>Cypripedium formosanum</i> Hayata | II | 42044 |
| | <i>Cypripedium franchetii</i> Rolfe | II | 1954 |
| | <i>Cypripedium guttatum</i> Sw. | II | 1955 |
| | <i>Cypripedium henryi</i> Rolfe | II | 1956 |
| | <i>Cypripedium himalaicum</i> Rolfe | II | 42045 |
| | <i>Cypripedium japonicum</i> Thunb. | II | 1957 |
| | <i>Cypripedium macranthos</i> Sw. | II | 1958 |
| | <i>Cypripedium margaritaceum</i> Franch. | II | 1959 |
| | <i>Cypripedium montanum</i> Douglas ex Lindl. | II | 22848 |
| | <i>Cypripedium parviflorum</i> Salisb. | II | 492 |
| | <i>Cypripedium parviflorum</i> var. <i>parviflorum</i> | II | 44214 |
| | <i>Cypripedium parviflorum</i> var. <i>pubescens</i> (Willd.) O.W.Knight | II | 4265 |
| | <i>Cypripedium reginae</i> Walter | II | 8033 |
| | <i>Cypripedium tibeticum</i> King ex Rolfe | II | 42047 |
| | <i>Cyrtochilum revolutum</i> (Lindl.) Dalström | II | 29098 |
| | <i>Cyrtopodium palmifrons</i> Rchb.f. & Warm. | II | 8037 |
| | <i>Cyrtopodium pflanzii</i> Schltr. | II | 40158 |
| | <i>Cyrtopodium punctatum</i> (L.) Lindl. | II | 493 |
| | <i>Cyrtorchis arcuata</i> (Lindl.) Schltr. | II | 1777 |
| | <i>Cyrtosia lindleyana</i> Hook.f. & Thomson | II | 1988 |
| | <i>Cyrtosia septentrionalis</i> (Rchb.f.) Garay | II | 42048 |
| | <i>Dactylorhiza hatagirea</i> (D.Don) Soó | II | 495 |
| | <i>Dactylorhiza iberica</i> (M.Bieb. ex Willd.) Soó | II | 1778 |
| | <i>Dactylorhiza incarnata</i> (L.) Soó | II | 16327 |
| | <i>Dactylorhiza incarnata</i> subsp. <i>cilicica</i> (Klinge) H.Sund. | II | 42051 |
| | <i>Dactylorhiza incarnata</i> subsp. <i>cilicica</i> (Klinge) H.Sund. | II | 1779 |
| | <i>Dactylorhiza incarnata</i> subsp. <i>incarnata</i> | II | 44580 |
| | <i>Dactylorhiza maculata</i> (L.) Soó | II | 2764 |
| | <i>Dactylorhiza majalis</i> (Rchb.) P.F.Hunt & Summerh. | II | 2765 |
| | <i>Dactylorhiza romana</i> (Sebast.) Soó | II | 1780 |
| | <i>Dactylorhiza romana</i> subsp. <i>georgica</i> (Klinge) Soó ex Renz & Taubenheim | II | 42049 |
| | <i>Dactylorhiza salina</i> (Turcz. ex Lindl.) Soó | II | 42050 |
| | <i>Dactylorhiza viridis</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase | II | 22850 |
| | <i>Dactylorhiza viridis</i> var. <i>virescens</i> (Muhl. ex Willd.) Baumbach | II | 9758 |
| | <i>Dendrobium acinaciforme</i> Roxb. | II | 1770 |
| | <i>Dendrobium aduncum</i> Lindl. | II | 1781 |
| | <i>Dendrobium amoenum</i> Wall. ex Lindl. | II | 42053 |
| | <i>Dendrobium amplum</i> Lindl. | II | 42054 |
| | <i>Dendrobium aphyllum</i> (Roxb.) C.E.C.Fisch. | II | 1771 |
| | <i>Dendrobium appendiculatum</i> (Blume) Lindl. | II | 1933 |
| | <i>Dendrobium bellatulum</i> Rolfe | II | 1772 |
| | <i>Dendrobium bigibbum</i> var. <i>superbum</i> Rchb.f. | II | 43818 |
| | <i>Dendrobium blumei</i> Lindl. | II | 42055 |
| | <i>Dendrobium capillipes</i> Rchb.f. | II | 42056 |

| Family | Taxon | App | keyName |
|-------------|---|-----|---------|
| Orchidaceae | Dendrobium cariniferum Rchb.f. | II | 1542 |
| | Dendrobium christyanum Rchb.f. | II | 42067 |
| | Dendrobium chrysanthum Wall. ex Lindl. | II | 509 |
| | Dendrobium chryseum Rolfe | II | 1787 |
| | Dendrobium chrysotoxum Lindl. | II | 1773 |
| | Dendrobium comatum (Blume) Lindl. | II | 1934 |
| | Dendrobium crepidatum Lindl. & Paxton | II | 1785 |
| | Dendrobium crumenatum Sw. | II | 1786 |
| | Dendrobium crystallinum Rchb.f. | II | 1980 |
| | Dendrobium cumulatum Lindl. | II | 42057 |
| | Dendrobium denneanum Kerr | II | 41665 |
| | Dendrobium densiflorum Lindl. | II | 1864 |
| | Dendrobium devonianum Paxton | II | 1788 |
| | Dendrobium discolor Lindl. | II | 42058 |
| | Dendrobium draconis Rchb.f. | II | 42081 |
| | Dendrobium eriiflorum Griff. | II | 42082 |
| | Dendrobium falconeri Hook. | II | 1767 |
| | Dendrobium fargesii Finet | II | 42083 |
| | Dendrobium fimbriatum Hook. | II | 510 |
| | Dendrobium flexicaule Z.H.Tsi, S.C.Sun & L.G.Xu | II | 42084 |
| | Dendrobium fugax Rchb.f. | II | 41502 |
| | Dendrobium gibsonii Paxton | II | 1759 |
| | Dendrobium gratiosissimum Rchb.f. | II | 1790 |
| | Dendrobium hainanense Rolfe | II | 1960 |
| | Dendrobium hancockii Rolfe | II | 1791 |
| | Dendrobium henryi Schltr. | II | 1761 |
| | Dendrobium herbaceum Lindl. | II | 8157 |
| | Dendrobium hercoglossum Rchb.f. | II | 1792 |
| | Dendrobium heterocarpum Wall. ex Lindl. | II | 42059 |
| | Dendrobium hookerianum Lindl. | II | 1762 |
| | Dendrobium hymenanthum Rchb.f. | II | 42060 |
| | Dendrobium indivisum (Blume) Miq. | II | 42061 |
| | Dendrobium jenkinsii Wall. ex Lindl. | II | 1793 |
| | Dendrobium leonis (Lindl.) Rchb.f. | II | 42062 |
| | Dendrobium linawianum Rchb.f. | II | 1794 |
| | Dendrobium lindleyi Steud. | II | 1981 |
| | Dendrobium lituiflorum Lindl. | II | 1749 |
| | Dendrobium loddigesii Rolfe | II | 511 |
| | Dendrobium lohohense Tang & F.T.Wang | II | 1795 |
| | Dendrobium longicornu Lindl. | II | 1750 |
| | Dendrobium macraei Lindl. | II | 1796 |
| | Dendrobium moniliforme (L.) Sw. | II | 1797 |
| | Dendrobium monticola P.F.Hunt & Summerh. | II | 42063 |
| | Dendrobium moschatum (Banks) Sw. | II | 1799 |
| | Dendrobium nobile Lindl. | II | 512 |
| | Dendrobium nodosum Dalzell | II | 41503 |

| Family | Taxon | App | keyName |
|-------------|--|-----|---------|
| Orchidaceae | <i>Dendrobium officinale</i> Kimura & Migo | II | 1982 |
| | <i>Dendrobium ovatum</i> (L.) Kraenzl. | II | 1784 |
| | <i>Dendrobium pachyphyllum</i> (Kuntze) Bakh.f. | II | 42064 |
| | <i>Dendrobium parishii</i> H.Low | II | 1751 |
| | <i>Dendrobium planibulbe</i> Lindl. | II | 42065 |
| | <i>Dendrobium plicatile</i> Lindl. | II | 1801 |
| | <i>Dendrobium polyanthum</i> Wall. ex Lindl. | II | 1752 |
| | <i>Dendrobium pulchellum</i> Roxb. ex Lindl. | II | 1804 |
| | <i>Dendrobium purpureum</i> Roxb. | II | 1803 |
| | <i>Dendrobium salaccense</i> (Blume) Lindl. | II | 1983 |
| | <i>Dendrobium strongylanthum</i> Rchb.f. | II | 1753 |
| | <i>Dendrobium subulatum</i> (Blume) Lindl. | II | 42068 |
| | <i>Dendrobium terminale</i> C.S.P.Parish & Rchb.f. | II | 1754 |
| | <i>Dendrobium thyrsiflorum</i> B.S.Williams | II | 42069 |
| | <i>Dendrobium transparens</i> Wall. ex Lindl. | II | 42070 |
| | <i>Dendrobium trigonopus</i> Rchb.f. | II | 1755 |
| | <i>Dendrobium wardianum</i> R.Warner | II | 1984 |
| | <i>Dendrobium williamsonii</i> Day & Rchb.f. | II | 1756 |
| | <i>Dendrobium wilsonii</i> Rolfe | II | 43591 |
| | <i>Dendrobium xantholeucum</i> Rchb.f. | II | 1757 |
| | <i>Dienia cylindrostachya</i> Lindl. | II | 11170 |
| | <i>Dienia ophrydis</i> (J.Koenig) Seidenf. | II | 42071 |
| | <i>Diploprora championii</i> (Lindl.) Hook.f. | II | 42073 |
| | <i>Dipodium scandens</i> (Blume) J.J.Sm. | II | 42074 |
| | <i>Disa aconitoides</i> Sond. | II | 1813 |
| | <i>Disa chrysostachya</i> Sw. | II | 20570 |
| | <i>Disa polygonoides</i> Lindl. | II | 20571 |
| | <i>Disa stachyoides</i> Rchb.f. | II | 20572 |
| | <i>Disa versicolor</i> Rchb.f. | II | 20573 |
| | <i>Eltroplectris schlechteriana</i> (Porto & Brade) Pabst | II | 40183 |
| | <i>Epipactis gigantea</i> Douglas ex Hook. | II | 22988 |
| | <i>Epipactis helleborine</i> (L.) Crantz | II | 1962 |
| | <i>Epipactis helleborine</i> subsp. <i>helleborine</i> | II | 44472 |
| | <i>Epipactis mairei</i> Schltr. | II | 42075 |
| | <i>Epipactis papillosa</i> Franch. & Sav. | II | 42076 |
| | <i>Eria scabrilunguis</i> Lindl. | II | 42077 |
| | <i>Eriaxis rigida</i> Rchb.f. | II | 25876 |
| | <i>Eulophia angolensis</i> (Rchb.f.) Summerh. | II | 20680 |
| | <i>Eulophia bicallosa</i> (D.Don) P.F.Hunt & Summerh. | II | 42078 |
| | <i>Eulophia clitellifera</i> (Rchb.f.) Bolus | II | 1814 |
| | <i>Eulophia cucullata</i> (Afzel. ex Sw.) Steud. | II | 1815 |
| | <i>Eulophia dabia</i> (D.Don) Hochr. | II | 8930 |
| | <i>Eulophia ensata</i> Lindl. | II | 20681 |
| | <i>Eulophia epidendraea</i> (J.Koenig ex Retz.) C.E.C.Fisch. | II | 1817 |
| | <i>Eulophia graminea</i> Lindl. | II | 42080 |
| | <i>Eulophia herbacea</i> Lindl. | II | 1818 |

| Family | Taxon | App | keyName |
|-------------|---|-----|---------|
| Orchidaceae | <i>Eulophia hians</i> Spreng. var. <i>hians</i> | II | 20682 |
| | <i>Eulophia hians</i> var. <i>inaequalis</i> (Schltr.) S.Thomas | II | 20683 |
| | <i>Eulophia hians</i> var. <i>nutans</i> (Sond.) S.Thomas | II | 20684 |
| | <i>Eulophia leontoglossa</i> Rchb.f. | II | 20685 |
| | <i>Eulophia livingstoneana</i> (Rchb.f.) Summerh. | II | 20687 |
| | <i>Eulophia nuda</i> Lindl. | II | 1819 |
| | <i>Eulophia ochreata</i> Lindl. | II | 42085 |
| | <i>Eulophia ovalis</i> Lindl. | II | 20686 |
| | <i>Eulophia parviflora</i> (Lindl.) A.V.Hall | II | 1820 |
| | <i>Eulophia petersii</i> (Rchb.f.) Rchb.f. | II | 1821 |
| | <i>Eulophia pratensis</i> Lindl. | II | 27767 |
| | <i>Eulophia speciosa</i> (R.Br.) Bolus | II | 1963 |
| | <i>Eulophia streptopetala</i> Lindl. | II | 1822 |
| | <i>Eulophia streptopetala</i> var. <i>streptopetala</i> | II | 44543 |
| | <i>Eulophia tenella</i> Rchb.f. | II | 20688 |
| | <i>Eulophia welwitschii</i> (Rchb.f.) Rolfe | II | 20689 |
| | <i>Galeola faberi</i> Rolfe | II | 1987 |
| | <i>Gastrochilus distichus</i> (Lindl.) Kuntze | II | 42086 |
| | <i>Gastrochilus formosanus</i> (Hayata) Hayata | II | 1989 |
| | <i>Gastrochilus obliquus</i> (Lindl.) Kuntze | II | 42087 |
| | <i>Gastrodia elata</i> Blume | II | 688 |
| | <i>Geodorum attenuatum</i> Griff. | II | 42088 |
| | <i>Geodorum densiflorum</i> (Lam.) Schltr. | II | 3011 |
| | <i>Geodorum recurvum</i> (Roxb.) Alston | II | 42089 |
| | <i>Gomesa bifolia</i> (Sims) M.W.Chase & N.H.Williams | II | 11931 |
| | <i>Goodyera biflora</i> (Lindl.) Hook.f. | II | 42090 |
| | <i>Goodyera brachystegia</i> Hand.-Mazz. | II | 42091 |
| | <i>Goodyera foliosa</i> (Lindl.) Benth. ex C.B.Clarke | II | 42092 |
| | <i>Goodyera henryi</i> Rolfe | II | 42093 |
| | <i>Goodyera oblongifolia</i> Raf. | II | 9633 |
| | <i>Goodyera procera</i> (Ker Gawl.) Hook. | II | 1964 |
| | <i>Goodyera pubescens</i> (Willd.) R.Br. | II | 9634 |
| | <i>Goodyera repens</i> (L.) R.Br. | II | 9635 |
| | <i>Goodyera schlechtendaliana</i> Rchb.f. | II | 1965 |
| | <i>Grammatophyllum scriptum</i> (L.) Blume | II | 25993 |
| | <i>Grammatophyllum speciosum</i> Blume | II | 9647 |
| | <i>Grandiphyllum divaricatum</i> (Lindl.) Docha Neto | II | 40496 |
| | <i>Gymnadenia conopsea</i> (L.) R.Br. | II | 1966 |
| | <i>Gymnadenia crassinervis</i> Finet | II | 1990 |
| | <i>Gymnadenia emeiensis</i> K.Y.Lang | II | 1991 |
| | <i>Gymnadenia nigra</i> (L.) Rchb.f. | II | 24938 |
| | <i>Gymnadenia odoratissima</i> (L.) Rich. | II | 28088 |
| | <i>Gymnadenia orchidis</i> Lindl. | II | 734 |
| | <i>Habenaria aitchisonii</i> Rchb.f. | II | 42096 |
| | <i>Habenaria arietina</i> Hook.f. | II | 42097 |
| | <i>Habenaria ciliolaris</i> Kraenzl. | II | 42098 |

| Family | Taxon | App | keyName |
|-------------|--|-----|---------|
| Orchidaceae | <i>Habenaria commelinifolia</i> (Roxb.) Wall. ex Lindl. | II | 9760 |
| | <i>Habenaria crinifera</i> Lindl. | II | 42099 |
| | <i>Habenaria davidii</i> Franch. | II | 42100 |
| | <i>Habenaria delavayi</i> Finet | II | 42101 |
| | <i>Habenaria dentata</i> (Sw.) Schltr. | II | 42102 |
| | <i>Habenaria diphylla</i> (Nimmo) Dalzell | II | 42104 |
| | <i>Habenaria dives</i> Rchb.f. | II | 20845 |
| | <i>Habenaria dregeana</i> Lindl. | II | 20846 |
| | <i>Habenaria epipactidea</i> Rchb.f. | II | 20847 |
| | <i>Habenaria floribunda</i> Lindl. | II | 23219 |
| | <i>Habenaria fordii</i> Rolfe | II | 42105 |
| | <i>Habenaria furcifera</i> Lindl. | II | 42106 |
| | <i>Habenaria glaucifolia</i> Bureau & Franch. | II | 1996 |
| | <i>Habenaria hollandiana</i> Santapau | II | 42107 |
| | <i>Habenaria intermedia</i> D.Don | II | 18871 |
| | <i>Habenaria limprichtii</i> Schltr. | II | 42108 |
| | <i>Habenaria linguella</i> Lindl. | II | 1992 |
| | <i>Habenaria longicorniculata</i> J.Graham | II | 42109 |
| | <i>Habenaria mairei</i> Schltr. | II | 1993 |
| | <i>Habenaria marginata</i> Colebr. | II | 42110 |
| | <i>Habenaria pectinata</i> D.Don | II | 42111 |
| | <i>Habenaria petelotii</i> Gagnep. | II | 42112 |
| | <i>Habenaria plantaginea</i> Lindl. | II | 42113 |
| | <i>Habenaria rariflora</i> A.Rich. | II | 42114 |
| | <i>Habenaria rhodocheila</i> Hance | II | 1994 |
| | <i>Habenaria roxburghii</i> Nicolson | II | 42115 |
| | <i>Habenaria stenopetala</i> Lindl. | II | 44668 |
| | <i>Habenaria szechuanica</i> Schltr. | II | 1995 |
| | <i>Habenaria tibetica</i> Schltr. | II | 1997 |
| | <i>Hemipilia chusua</i> (D.Don) Y.Tang & H.Peng | II | 42206 |
| | <i>Hemipilia cordifolia</i> Lindl. | II | 42117 |
| | <i>Hemipilia cucullata</i> (L.) Y.Tang, H.Peng & T.Yukawa | II | 42151 |
| | <i>Hemipilia gracilis</i> (Blume) Y.Tang, H.Peng & T.Yukawa | II | 1938 |
| | <i>Hemipilia pinguicula</i> (Rchb.f. & S.Moore) Y.Tang & H.Peng | II | 41968 |
| | <i>Hemipilia purpureopunctata</i> (K.Y.Lang) X.H.Jin, Schuit. & W.T.Jin | II | 42119 |
| | <i>Hemipilia simplex</i> (Tang & F.T.Wang) Y.Tang & H.Peng | II | 41969 |
| | <i>Herminium bulleyi</i> (Rolfe) Tang & F.T.Wang | II | 42179 |
| | <i>Herminium clavigerum</i> (Lindl.) X.H.Jin, Schuit., Raskoti & Lu Q.Huang | II | 9763 |
| | <i>Herminium edgeworthii</i> (Hook.f. ex Collett) X.H.Jin, Schuit., Raskoti & Lu Q.Huang | II | 41505 |
| | <i>Herminium lanceum</i> (Thunb. ex Sw.) Vuijk | II | 42120 |
| | <i>Herminium monorchis</i> (L.) R.Br. | II | 42121 |
| | <i>Hetaeria obliqua</i> Blume | II | 42122 |
| | <i>Himantoglossum caprinum</i> (M.Bieb.) Spreng. | II | 1826 |
| | <i>Himantoglossum caprinum</i> (M.Bieb.) Spreng. | II | 1825 |
| | <i>Himantoglossum comperianum</i> (Steven) P.Delforge | II | 1878 |

| Family | Taxon | CoP19 Inf.31 Anne | Name |
|-------------|---|----------------------|-------|
| Orchidaceae | <i>Himantoglossum robertianum</i> (Loisel.) P.Delforge | II | 1745 |
| | <i>Hippeophyllum scortechinii</i> (Hook.f.) Schltr. | II | 42123 |
| | <i>Holcoglossum amesianum</i> (Rchb.f.) Christenson | II | 42124 |
| | <i>Holcoglossum quasipinifolium</i> (Hayata) Schltr. | II | 42125 |
| | <i>Ipsea speciosa</i> Lindl. | II | 42126 |
| | <i>Ischnogyne mandarinorum</i> (Kraenzl.) Schltr. | II | 42127 |
| | <i>Jumellea fragrans</i> (Thouars) Schltr. | II | 10476 |
| | <i>Laelia autumnalis</i> (Lex.) Lindl. | II | 28513 |
| | <i>Liparis bootanensis</i> Griff. | II | 42128 |
| | <i>Liparis bowkeri</i> Harv. | II | 21152 |
| | <i>Liparis cathcartii</i> Hook.f. | II | 42129 |
| | <i>Liparis cespitosa</i> (Lam.) Lindl. | II | 1998 |
| | <i>Liparis condylobulbon</i> Rchb.f. | II | 42131 |
| | <i>Liparis cordifolia</i> Hook.f. | II | 42132 |
| | <i>Liparis distans</i> C.B.Clarke | II | 1999 |
| | <i>Liparis dunnii</i> Rolfe | II | 2000 |
| | <i>Liparis fargesii</i> Finet | II | 2001 |
| | <i>Liparis kumokiri</i> F.Maek. | II | 42133 |
| | <i>Liparis loeselii</i> (L.) Rich. | II | 23468 |
| | <i>Liparis nakaharae</i> Hayata | II | 42134 |
| | <i>Liparis nervosa</i> (Thunb.) Lindl. | II | 2003 |
| | <i>Liparis odorata</i> (Willd.) Lindl. | II | 42135 |
| | <i>Liparis petiolata</i> (D.Don) P.F.Hunt & Summerh. | II | 42136 |
| | <i>Liparis remota</i> J.Stewart & Schelpe | II | 1827 |
| | <i>Liparis rheedei</i> Lindl. | II | 42137 |
| | <i>Liparis rostrata</i> Rchb.f. | II | 42138 |
| | <i>Liparis stricklandiana</i> Rchb.f. | II | 42139 |
| | <i>Liparis tschangii</i> Schltr. | II | 42140 |
| | <i>Liparis viridiflora</i> (Blume) Lindl. | II | 42141 |
| | <i>Ludisia discolor</i> (Ker Gawl.) Blume | II | 2004 |
| | <i>Luisia brachystachys</i> (Lindl.) Blume | II | 42142 |
| | <i>Luisia curtisii</i> Seidenf. | II | 42143 |
| | <i>Luisia hancockii</i> Rolfe | II | 42144 |
| | <i>Luisia morsei</i> Rolfe | II | 42145 |
| | <i>Luisia tenuifolia</i> Blume | II | 28725 |
| | <i>Luisia teres</i> (Thunb.) Blume | II | 28726 |
| | <i>Luisia thailandica</i> Seidenf. | II | 42146 |
| | <i>Luisia trichorrhiza</i> (Hook.) Blume | II | 42147 |
| | <i>Luisia tristis</i> (G.Forst.) Hook.f. | II | 43650 |
| | <i>Luisia zeylanica</i> Lindl. | II | 41120 |
| | <i>Macodes petola</i> (Blume) Lindl. | II | 42148 |
| | <i>Malaxis monophyllos</i> (L.) Sw. var. <i>monophyllos</i> | II | 2002 |
| | <i>Malaxis muscifera</i> (Lindl.) Kuntze | II | 3285 |
| | <i>Malaxis unifolia</i> Michx. | II | 11172 |
| | <i>Manniella gustavi</i> Rchb.f. | II | 28849 |
| | <i>Microcoelia exilis</i> Lindl. | II | 1829 |

| Family | Taxon | App | keyName |
|-------------|--|-----|---------|
| Orchidaceae | <i>Microlitis unifolia</i> (G.Forst.) Rchb.f. | II | 42149 |
| | <i>Mystacidium capense</i> (L.f.) Schltr. | II | 1830 |
| | <i>Mystacidium venosum</i> Harv. ex Rolfe | II | 1832 |
| | <i>Neotinea maculata</i> (Desf.) Stearn | II | 1833 |
| | <i>Neotinea tridentata</i> (Scop.) R.M.Bateman, Pridgeon & M.W.Chase | II | 1854 |
| | <i>Neotinea ustulata</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase | II | 16328 |
| | <i>Neottia camtschatea</i> (L.) Rchb.f. | II | 42150 |
| | <i>Nephelaphyllum pulchrum</i> Blume | II | 42153 |
| | <i>Nervilia concolor</i> (Blume) Schltr. | II | 11797 |
| | <i>Nervilia fordii</i> (Hance) Schltr. | II | 2005 |
| | <i>Nervilia gammieana</i> (Hook.f.) Pfitzer | II | 42156 |
| | <i>Nervilia plicata</i> (Andrews) Schltr. | II | 2006 |
| | <i>Nervilia simplex</i> (Thouars) Schltr. | II | 42155 |
| | <i>Neuwiedia zollingeri</i> var. <i>singapureana</i> (Wall. ex Baker) de Vogel | II | 42157 |
| | <i>Oberonia caulescens</i> Lindl. | II | 42158 |
| | <i>Oberonia cavaleriei</i> Finet | II | 42159 |
| | <i>Oberonia ensiformis</i> (Sm.) Lindl. | II | 42160 |
| | <i>Oberonia longibracteata</i> Lindl. | II | 29082 |
| | <i>Oberonia lycopodioides</i> (J.Koenig) Ormerod | II | 42161 |
| | <i>Oberonia mucronata</i> (D.Don) Ormerod & Seidenf. | II | 42162 |
| | <i>Oeceoclades maculata</i> (Lindl.) Lindl. | II | 21319 |
| | <i>Ophrys apifera</i> Huds. | II | 1837 |
| | <i>Ophrys bombyliflora</i> Link | II | 1834 |
| | <i>Ophrys ferrum-equinum</i> Desf. | II | 1835 |
| | <i>Ophrys fuciflora</i> subsp. <i>fuciflora</i> | II | 29138 |
| | <i>Ophrys fusca</i> Link | II | 1836 |
| | <i>Ophrys lutea</i> Cav. | II | 1855 |
| | <i>Ophrys lutea</i> subsp. <i>galilaea</i> (H.Fleischm. & Bornm.) Soó | II | 1840 |
| | <i>Ophrys reinholdii</i> Spruner ex Fleischm. | II | 1887 |
| | <i>Ophrys scolopax</i> Cav. | II | 1888 |
| | <i>Ophrys scolopax</i> subsp. <i>phrygia</i> (H.Fleischm. & Bornm.) H.A.Pedersen & P.J.Cribb | II | 1866 |
| | <i>Ophrys speculum</i> Link | II | 1891 |
| | <i>Ophrys speculum</i> subsp. <i>lusitanica</i> O.Danesch & E.Danesch | II | 41913 |
| | <i>Ophrys sphegodes</i> Mill. | II | 42163 |
| | <i>Ophrys sphegodes</i> subsp. <i>mammosa</i> (Desf.) Soó ex E.Nelson | II | 1838 |
| | <i>Ophrys tenthredinifera</i> Willd. | II | 1889 |
| | <i>Ophrys umbilicata</i> Desf. | II | 1890 |
| | <i>Orchis adenocheila</i> Czerniak. | II | 42164 |
| | <i>Orchis anatolica</i> Boiss. | II | 1841 |
| | <i>Orchis anthropophora</i> (L.) All. | II | 1742 |
| | <i>Orchis italica</i> Poir. | II | 1844 |
| | <i>Orchis mascula</i> (L.) L. | II | 1050 |
| | <i>Orchis mascula</i> subsp. <i>mascula</i> | II | 43974 |
| | <i>Orchis militaris</i> L. | II | 1967 |
| | <i>Orchis pallens</i> L. | II | 1846 |

| Family | Taxon | CoP19 Inf. Annex | Keptame |
|-------------|--|---------------------|---------|
| Orchidaceae | <i>Orchis provincialis</i> Balb. ex Lam. & DC. | | 1849 |
| | <i>Orchis punctulata</i> Steven ex Lindl. | II | 41615 |
| | <i>Orchis purpurea</i> Huds. | II | 1850 |
| | <i>Orchis simia</i> Lam. | II | 1852 |
| | <i>Orchis spitzelii</i> Saut. ex W.D.J.Koch | II | 1853 |
| | <i>Oreorchis foliosa</i> (Lindl.) Lindl. | II | 42165 |
| | <i>Oreorchis patens</i> (Lindl.) Lindl. | II | 42166 |
| | <i>Otochilus albus</i> Lindl. | II | 42168 |
| | <i>Otochilus fuscus</i> Lindl. | II | 42169 |
| | <i>Otochilus porrectus</i> Lindl. | II | 42170 |
| | <i>Paphiopedilum concolor</i> (Lindl. ex Bateman) Pfitzer | I | 2007 |
| | <i>Paphiopedilum dianthum</i> Tang & F.T.Wang | I | 42174 |
| | <i>Paphiopedilum insigne</i> (Wall. ex Lindl.) Pfitzer | I | 42171 |
| | <i>Paphiopedilum micranthum</i> Tang & F.T.Wang | I | 42172 |
| | <i>Paphiopedilum parishii</i> (Rchb.f.) Stein | I | 2008 |
| | <i>Paphiopedilum x maudiae</i> (Rolfe) McQuade | I | 44694 |
| | <i>Papilionanthe hookeriana</i> (Rchb.f.) Schltr. | II | 42175 |
| | <i>Papilionanthe teres</i> (Roxb.) Schltr. | II | 41168 |
| | <i>Pecteilis susannae</i> (L.) Raf. | II | 28099 |
| | <i>Pelatantheria scolopendrifolia</i> (Makino) Aver. | II | 42176 |
| | <i>Peristylus affinis</i> (D.Don) Seidenf. | II | 42178 |
| | <i>Peristylus constrictus</i> (Lindl.) Lindl. | II | 9762 |
| | <i>Peristylus densus</i> (Lindl.) Santapau & Kapadia | II | 9759 |
| | <i>Peristylus goodyeroides</i> (D.Don) Lindl. | II | 42180 |
| | <i>Peristylus tentaculatus</i> (Lindl.) J.J.Sm. | II | 42181 |
| | <i>Phaius callosus</i> (Blume) Lindl. | II | 42182 |
| | <i>Phaius flavus</i> (Blume) Lindl. | II | 42183 |
| | <i>Phaius tankervilleae</i> (Banks) Blume | II | 2009 |
| | <i>Phalaenopsis amabilis</i> (L.) Blume | II | 42185 |
| | <i>Phalaenopsis deliciosa</i> Rchb.f. | II | 42186 |
| | <i>Phalaenopsis difformis</i> (Wall. ex Lindl.) Kocyan & Schuit. | II | 42167 |
| | <i>Phalaenopsis lobbii</i> (Rchb.f.) H.R.Sweet | II | 44695 |
| | <i>Phalaenopsis pulcherrima</i> (Lindl.) J.J.Sm. | II | 42187 |
| | <i>Phalaenopsis schilleriana</i> Rchb.f. | II | 42188 |
| | <i>Phalaenopsis subparishii</i> (Z.H.Tsi) Kocyan & Schuit. | II | 42211 |
| | <i>Phalaenopsis wilsonii</i> Rolfe | II | 42189 |
| | <i>Pholidota articulata</i> Lindl. | II | 41182 |
| | <i>Pholidota cantonensis</i> Rolfe | II | 1968 |
| | <i>Pholidota chinensis</i> Lindl. | II | 1969 |
| | <i>Pholidota imbricata</i> Hook. | II | 12506 |
| | <i>Pholidota pallida</i> Lindl. | II | 42190 |
| | <i>Pholidota yunnanensis</i> Rolfe | II | 1970 |
| | <i>Pinalia graminifolia</i> (Lindl.) Kuntze | II | 42191 |
| | <i>Pinalia spicata</i> (D.Don) S.C.Chen & J.J.Wood | II | 42192 |
| | <i>Platanthera bifolia</i> (L.) Rich. | II | 16335 |
| | <i>Platanthera chlorantha</i> (Custer) Rchb. | II | 1856 |

| Family | Taxon | App | keyName |
|-------------|---|-----|---------|
| Orchidaceae | <i>Platanthera ciliaris</i> (L.) Lindl. | II | 24005 |
| | <i>Platanthera dilatata</i> (Pursh) Lindl. ex L.C.Bech var. <i>dilatata</i> | II | 24008 |
| | <i>Platanthera dilatata</i> var. <i>leucostachys</i> (Lindl.) Hultén | II | 42862 |
| | <i>Platanthera elegans</i> Lindl. | II | 42854 |
| | <i>Platanthera fuscescens</i> (L.) Kraenzl. | II | 42193 |
| | <i>Platanthera grandiflora</i> (Bigelow) Lindl. | II | 42863 |
| | <i>Platanthera huronensis</i> Lindl. | II | 24009 |
| | <i>Platanthera japonica</i> (Thunb.) Lindl. | II | 42194 |
| | <i>Platanthera minor</i> (Miq.) Rchb.f. | II | 42195 |
| | <i>Platanthera orbiculata</i> (Pursh) Lindl. | II | 24010 |
| | <i>Platanthera psycodes</i> (L.) Lindl. | II | 24011 |
| | <i>Platanthera sikkimensis</i> (Hook.f.) Kraenzl. | II | 42196 |
| | <i>Platanthera sparsiflora</i> (S.Watson) Schltr. | II | 42864 |
| | <i>Platanthera stenoglossa</i> Hayata | II | 42198 |
| | <i>Platanthera stricta</i> Lindl. | II | 24013 |
| | <i>Platanthera unalascensis</i> (Spreng.) Kurtz | II | 42855 |
| | <i>Platanthera ussuriensis</i> (Regel) Maxim. | II | 42199 |
| | <i>Pleione bulbocodioides</i> (Franch.) Rolfe | II | 1975 |
| | <i>Pleione hookeriana</i> (Lindl.) Rollisson | II | 42200 |
| | <i>Pleione humilis</i> (Sm.) D.Don | II | 41196 |
| | <i>Pleione maculata</i> (Lindl.) Lindl. & Paxton | II | 42201 |
| | <i>Pleione praecox</i> (Sm.) D.Don | II | 41197 |
| | <i>Pleione yunnanensis</i> (Rolfe) Rolfe | II | 1976 |
| | <i>Plocoglottis javanica</i> Blume | II | 42202 |
| | <i>Plocoglottis lowii</i> Rchb.f. | II | 42203 |
| | <i>Pogonia japonica</i> Rchb.f. | II | 42204 |
| | <i>Polystachya concreta</i> (Jacq.) Garay & H.R.Sweet | II | 21528 |
| | <i>Polystachya modesta</i> Rchb.f. | II | 21527 |
| | <i>Polystachya ottoniana</i> Rchb.f. | II | 1859 |
| | <i>Polystachya pubescens</i> (Lindl.) Rchb.f. | II | 1860 |
| | <i>Polystachya sandersonii</i> Harv. | II | 1861 |
| | <i>Polystachya transvaalensis</i> Schltr. | II | 21529 |
| | <i>Pomatocalpa spicatum</i> Breda | II | 42205 |
| | <i>Porpax muscicola</i> (Lindl.) Schuit., Y.P.Ng & H.A.Pedersen | II | 42018 |
| | <i>Prosthechea citrina</i> (Lex.) W.E.Higgins | II | 25655 |
| | <i>Prosthechea pastoris</i> (Lex.) Espéjo & López-Ferr. | II | 27694 |
| | <i>Rangaeris muscicola</i> (Rchb.f.) Summerh. | II | 1862 |
| | <i>Renanthera coccinea</i> Lour. | II | 42207 |
| | <i>Rhipidoglossum millarii</i> (Bolus) Farminhão & Stéwart | II | 1811 |
| | <i>Rhipidoglossum xanthopollinium</i> (Rchb.f.) Schltr. | II | 1812 |
| | <i>Rhynchostylis retusa</i> (L.) Blume | II | 29753 |
| | <i>Robiquetia succisa</i> (Lindl.) Seidenf. & Garay | II | 42208 |
| | <i>Satyrium bracteatum</i> (L.f.) Thunb. | II | 21677 |
| | <i>Satyrium nepalense</i> D.Don | II | 13945 |
| | <i>Satyrium nepalense</i> var. <i>ciliatum</i> (Lindl.) Hook.f. | II | 42210 |
| | <i>Satyrium parviflorum</i> Sw. | II | 21678 |

| Family | Taxon | App | keyName |
|----------------|--|-----|---------|
| Orchidaceae | <i>Satyrium rhodanthum</i> Schltr. | II | 21679 |
| | <i>Serapias vomeracea</i> (Burm.f.) Briq. | II | 1863 |
| | <i>Smitinandia micrantha</i> (Lindl.) Holttum | II | 14410 |
| | <i>Spathoglottis affinis</i> de Vriese | II | 42212 |
| | <i>Spathoglottis eburnea</i> Gagnep. | II | 30146 |
| | <i>Spathoglottis plicata</i> Blume | II | 30147 |
| | <i>Spathoglottis pubescens</i> Lindl. | II | 42213 |
| | <i>Spiranthes australis</i> (R.Br.) Lindl. | II | 44201 |
| | <i>Spiranthes lacera</i> var. <i>gracilis</i> (Bigelow) Luer | II | 24504 |
| | <i>Spiranthes lucida</i> (H.H.Eaton) Ames | II | 24505 |
| | <i>Spiranthes romanzoffiana</i> Cham. | II | 24506 |
| | <i>Spiranthes sinensis</i> (Pers.) Ames | II | 1971 |
| | <i>Spiranthes spiralis</i> (L.) Chevall. | II | 14602 |
| | <i>Stanhopea tigrina</i> Bateman ex Lindl. | II | 30185 |
| | <i>Stenoglottis fimbriata</i> Lindl. | II | 21846 |
| | <i>Strongyleria pannea</i> (Lindl.) Schuit., Y.P.Ng & H.A.Pedersen | II | 25875 |
| | <i>Taprobanea spathulata</i> (L.) Christenson | II | 30517 |
| | <i>Thrixspermum centipeda</i> Lour. | II | 42216 |
| | <i>Thrixspermum pardale</i> (Ridl.) Schltr. | II | 42217 |
| | <i>Thunia alba</i> (Lindl.) Rchb.f. | II | 1973 |
| | <i>Traunsteinera globosa</i> (L.) Rchb. | II | 1974 |
| | <i>Trichocentrum pumilum</i> (Lindl.) M.W.Chase & N.H.Williams | II | 40773 |
| | <i>Tridactyle bicaudata</i> (Lindl.) Schltr. | II | 1730 |
| | <i>Tridactyle bicaudata</i> subsp. <i>bicaudata</i> | II | 44182 |
| | <i>Tridactyle bicaudata</i> subsp. <i>rupestris</i> H.P.Linder | II | 21971 |
| | <i>Tridactyle tridentata</i> (Harv.) Schltr. | II | 1865 |
| | <i>Tropidia curculigoides</i> Lindl. | II | 30490 |
| | <i>Vanda coerulea</i> Griff. ex Lindl. | II | 42220 |
| | <i>Vanda concolor</i> Blume | II | 42221 |
| | <i>Vanda cristata</i> Wall. ex Lindl. | II | 15569 |
| | <i>Vanda falcata</i> (Thunb.) Beer | II | 44120 |
| | <i>Vanda tessellata</i> (Roxb.) Hook. ex G.Don | II | 4015 |
| | <i>Vanda testacea</i> (Lindl.) Rchb.f. | II | 42222 |
| | <i>Vanilla × tahitensis</i> J.W.Moore | II | 4016 |
| | <i>Vanilla griffithii</i> Rchb.f. | II | 42223 |
| | <i>Vanilla odorata</i> C.Presl | II | 30527 |
| | <i>Vanilla planifolia</i> Andrews | II | 1572 |
| | <i>Vanilla pompona</i> Schiede | II | 30528 |
| | <i>Vanilla roscheri</i> Rchb.f. | II | 22026 |
| | <i>Zeuxine strateumatica</i> (L.) Schltr. | II | 24781 |
| Orobanchaceae | <i>Cistanche deserticola</i> Ma | II | 385 |
| Pedaliaceae | <i>Uncarina stellulifera</i> Humbert | II | 16527 |
| Pinaceae | <i>Pinus koraiensis</i> Siebold & Zucc. | III | 12648 |
| Plantaginaceae | <i>Picrorhiza kurroa</i> Royle ex Benth. | II | 1137 |
| Podocarpaceae | <i>Podocarpus nerifolius</i> D.Don | III | 1171 |
| | <i>Podocarpus parlatorei</i> Pilg. | I | 40589 |

| Family | Taxon | App | keyName |
|-----------------|---|-----|---------|
| Primulaceae | <i>Cyclamen cilicium</i> Boiss. & Heldr. | II | 4519 |
| | <i>Cyclamen coum</i> Mill. | II | 41922 |
| | <i>Cyclamen hederifolium</i> Aiton | II | 1733 |
| | <i>Cyclamen persicum</i> Mill. | II | 7944 |
| | <i>Cyclamen purpurascens</i> Mill. | II | 478 |
| Ranunculaceae | <i>Adonis vernalis</i> L. | II | 54 |
| | <i>Hydrastis canadensis</i> L. | II | 783 |
| Rosaceae | <i>Prunus africana</i> (Hook.f.) Kalkman | II | 1215 |
| Santalaceae | <i>Osyris lanceolata</i> Hochst. & Steud. | II | 3429 |
| Sarraceniaceae | <i>Sarracenia purpurea</i> L. | II | 1367 |
| Taxaceae | <i>Taxus contorta</i> Griff. | II | 43623 |
| | <i>Taxus cuspidata</i> Siebold & Zucc. | II | 1898 |
| | <i>Taxus mairei</i> (Lemée & H.Lév.) S.Y.Hu | II | 15019 |
| | <i>Taxus wallichiana</i> Zucc. | II | 1700 |
| Thymelaeaceae | <i>Aquilaria crassna</i> Pierre ex Lecomte | II | 2053 |
| | <i>Aquilaria cumingiana</i> (Decne.) Ridl. | II | 2045 |
| | <i>Aquilaria malaccensis</i> Lam. | II | 1727 |
| | <i>Aquilaria sinensis</i> (Lour.) Spreng. | II | 157 |
| | <i>Gonystylus macrophyllus</i> (Miq.) Airy Shaw | II | 25988 |
| | <i>Gyrinops caudata</i> (Gilg) Domke | II | 44705 |
| | <i>Gyrinops ledermannii</i> Domke | II | 44706 |
| | <i>Gyrinops versteegii</i> (Gilg) Domke | II | 44707 |
| | <i>Gyrinops walla</i> Gaertn. | II | 44708 |
| Welwitschiaceae | <i>Welwitschia mirabilis</i> Hook.f. | II | 22069 |
| Zamiaceae | <i>Dioon edule</i> Lindl. | II | 27541 |
| | <i>Encephalartos barteri</i> Carruth. ex Miq. | I | 16662 |
| | <i>Encephalartos heenanii</i> R.A.Dyer | I | 20613 |
| | <i>Encephalartos laevifolius</i> Stapf & Burtt Davy | I | 20614 |
| | <i>Encephalartos lebomboensis</i> I.Verdi | I | 20615 |
| | <i>Encephalartos natalensis</i> R.A.Dyer & I.Verdi | I | 20616 |
| | <i>Encephalartos ngoyanus</i> I.Verdi | I | 20617 |
| | <i>Encephalartos paucidentatus</i> Stapf & Burtt Davy | I | 20618 |
| | <i>Encephalartos villosus</i> Lem. | I | 20619 |
| | <i>Stangeria eriopus</i> (Kunze) Baill. | I | 1868 |
| | <i>Zamia pumila</i> L. | II | 15934 |
| Zingiberaceae | <i>Siphonochilus aethiopicus</i> (Schweinf.) B.L.Burtt | II | 4306 |
| Zygophyllaceae | <i>Guaiacum coulteri</i> A.Gray | II | 1895 |
| | <i>Guaiacum officinale</i> L. | II | 730 |
| | <i>Guaiacum sanctum</i> L. | II | 731 |
| | <i>Plectrocarpa sarmientoi</i> (Lorentz ex Griseb.) Christenh. & Byng | II | 2086 |
| | <i>Porlieria angustifolia</i> (Engelm.) A.Gray | II | 2023 |