

# Bird taxonomy

Comparison of the generic and species taxonomies in the 3<sup>rd</sup> and 4<sup>th</sup> editions of *The Howard & Moore complete checklist of the birds of the world*, and in the non-passerine volume of the *HBW and BirdLife International illustrated checklist of the birds of the world*, relating to taxa listed in the EU Wildlife Trade Regulations (which include all CITES-listed species)

**Bird taxonomy: comparison of the generic and species taxonomies in the 3<sup>rd</sup> and 4<sup>th</sup> editions of *The Howard & Moore complete checklist of the birds of the world*, and in the non-passerine volume of the *HBW and BirdLife International illustrated checklist of the birds of the world*, relating to taxa listed in the EU Wildlife Trade Regulations (which include all CITES-listed species)**

**Prepared for**

The European Commission, Directorate General Environment, Directorate E - Global & Regional Challenges, LIFE ENV.E.2. – Global Sustainability, Trade & Multilateral Agreements, Brussels, Belgium

**Prepared June 2015**

**Copyright**

European Commission 2015

**Citation**

UNEP-WCMC. 2015. Bird taxonomy: comparison of the generic and species taxonomies in the 3<sup>rd</sup> and 4<sup>th</sup> editions of *The Howard & Moore complete checklist of the birds of the world*, and in the non-passerine volume of the *HBW and BirdLife International illustrated checklist of the birds of the world*, relating to taxa listed in the EU Wildlife Trade Regulations (which include all CITES-listed species). UNEP-WCMC, Cambridge.



The UNEP World Conservation Monitoring Centre (UNEP-WCMC) is the specialist biodiversity assessment of the United Nations Environment Programme, the world's foremost intergovernmental environmental organization. The Centre has been in operation for over 30 years, combining scientific research with policy advice and the development of decision tools.

We are able to provide objective, scientifically rigorous products and services to help decision-makers recognize the value of biodiversity and apply this knowledge to all that they do. To do this, we collate and verify data on biodiversity and ecosystem services that we analyze and interpret in comprehensive assessments, making the results available in appropriate forms for national and international level decision-makers and businesses. To ensure that our work is both sustainable and equitable we seek to build the capacity of partners where needed, so that they can provide the same services at national and regional scales.

The contents of this report do not necessarily reflect the views or policies of UNEP, contributory organisations or editors. The designations employed and the presentations do not imply the expressions of any opinion whatsoever on the part of UNEP, the European Commission or contributory organisations, editors or publishers concerning the legal status of any country, territory, city area or its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of a commercial entity or product in this publication does not imply endorsement by UNEP.

**UNEP World Conservation Monitoring Centre  
(UNEP-WCMC)**

219 Huntingdon Road,  
Cambridge CB3 0DL, UK  
Tel: +44 1223 277314  
[www.unep-wcmc.org](http://www.unep-wcmc.org)



UNEP promotes environmentally sound practices globally and in its own activities. Printing on paper from environmentally sustainable forests and recycled fibre is encouraged.

# Introduction

This report provides an overview of taxonomic updates for bird species that the CITES Animals Committee may wish to consider in the context of updating the CITES Standard Reference.

The revised and enlarged *3rd edition of The Howard and Moore Complete Checklist of the Birds of the World* (Dickinson, 2003)<sup>1</sup> is the current CITES standard nomenclatural reference for most birds (Resolution Conf. 12.11 Rev. CoP16). This is also the standard reference determining the nomenclature of birds in the EU Wildlife Trade Regulations. In 2013 and 2014, a *4th edition* of this Checklist was published (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)<sup>2,3</sup>. Also in 2014, the non-passerine volume of the *HBW and BirdLife International Illustrated Checklist of the Birds of the World* was published (del Hoyo & Collar, 2014)<sup>4</sup>.

The table below provides a comparison of the generic and species taxonomy adopted in Dickinson (2003) (and its 4th corrigenda) with that adopted in Dickinson & Remsen (2013), Dickinson & Christidis (2014), and del Hoyo & Collar (2014), relating to bird taxa listed in CITES and in the EU Wildlife Trade Regulations.

Compared to H&M<sub>3</sub> (Dickinson, 2003 and its 4th corrigenda), H&M<sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014) introduces 23 species lumps, 54 species splits and 145 generic changes, while HBW & BirdLife Checklist (del Hoyo & Collar, 2014) introduces 14 species lumps, 130 species splits and 127 generic changes.

## Symbols and abbreviations used

The symbol '<' is used to indicate species lumps, i.e. taxa currently recognised as separate, but that have been grouped together under another name in the associated reference.

The symbol '>' is used to indicate species splits, i.e. cases where a currently recognised taxon has been split into various taxa in the associated reference.

The symbol '→' is used to indicate generic changes that otherwise do not involve a change in the scope of the taxon in question.

The symbol '=' is used to indicate taxonomic or nomenclatural changes that do not involve a change in the scope of the taxon in question.

**H&M<sub>3</sub>** is used as an abbreviation for the *3<sup>rd</sup> edition of The Howard and Moore Complete Checklist of the Birds of the World* (Dickinson, 2003).

**H&M<sub>4</sub>** is used as an abbreviation for the *4<sup>th</sup> edition of The Howard and Moore Complete Checklist of the Birds of the World* (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014).

**HBW/BL** is used as an abbreviation for the non-passerine volume of the *HBW and BirdLife International Illustrated Checklist of the Birds of the World* (del Hoyo & Collar, 2014).

**N/A** is used in cases where a taxon is not included in a particular reference, e.g. passerine species in the non-passerine volume of HBW/BL.

<sup>1</sup> Dickinson, E.C. (ed.) 2003. *The Howard and Moore Complete Checklist of the Birds of the World. Revised and enlarged 3rd Edition.* 1039 pp. London: Christopher Helm.

<sup>2</sup> Dickinson, E.C. & Remsen Jr. J.V. (eds.) 2013. *The Howard and Moore Complete Checklist of the Birds of the World. 4th Edition. Volume 1: Non-passeriforms.* 461 pp. Eastbourne: Aves Press.

<sup>3</sup> Dickinson, E.C. & Christidis, L. (eds.) 2014. *The Howard and Moore Complete Checklist of the Birds of the World. 4th Edition. Volume 2: Passeriforms.* 752 pp. Eastbourne: Aves Press.

<sup>4</sup> del Hoyo, J. & Collar, N. J. (2014). *HBW and BirdLife International Illustrated Checklist of the Birds of the World. Volume 1: Non-passerines.* Barcelona: Lynx Edicions. 903 pp.

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex		H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<b>ANSERIFORMES</b>						
<b>ANATIDAE</b>						
<i>Anas chlorotis</i> G. R. Gray, 1845	I/A	<	<i>Anas aucklandica</i> (G. R. Gray, 1844)	=	<i>Anas chlorotis</i> G. R. Gray, 1845	Species lump (H&M4 only)
<i>Anas formosa</i> Georgi, 1775	II/B	→	<i>Sibirionetta formosa</i> (Georgi, 1775)	→	<i>Sibirionetta formosa</i> (Georgi, 1775)	Generic change
<i>Anas nesiotis</i> (J. H. Fleming, 1935)	I/A	<	<i>Anas aucklandica</i> (G. R. Gray, 1844)	=	<i>Anas nesiotis</i> (J. H. Fleming, 1935)	Species lump (H&M4 only)
<i>Anas querquedula</i> Linnaeus, 1758	-/A	→	<i>Spatula querquedula</i> (Linnaeus, 1758)	→	<i>Spatula querquedula</i> (Linnaeus, 1758)	Generic change
<i>Branta canadensis leucopareia</i> (von Brandt, 1836)	I/A	=	<i>Branta hutchinsi leucopareia</i> (von Brandt, 1836)	=	<i>Branta hutchinsi leucopareia</i> (von Brandt, 1836)	Subspecies transfer
<i>Sarkidiornis melanotos</i> (Pennant, 1769)	II/B	=	<i>Sarkidiornis melanotos</i> (Pennant, 1769)		<i>Sarkidiornis melanotos</i> (Pennant, 1769)	
				>	<i>Sarkidiornis sylvicola</i> H. & R. von Ihering, 1907	Species split (HBW/BL only)
<b>APODIFORMES</b>						
<b>TROCHILIDAE</b>						
<i>Aglaiocercus kingi</i> (Lesson, 1832)	II/B	<	<i>Aglaiocercus kingii</i> (Lesson, 1832)		<i>Aglaiocercus kingii</i> (Lesson, 1832)	Spelling correction
		>	<i>Aglaiocercus berlepschi</i> (E. Hartert, 1898)	>	<i>Aglaiocercus berlepschi</i> (E. Hartert, 1898)	Species split
<i>Amazilia alfaroana</i> Underwood, 1896	II/B	<	<i>Amazilia cyanifrons</i> (Bourcier, 1843)	<	<i>Amazilia cyanifrons</i> (Bourcier, 1843)	Species lump
<i>Amazilia alticola</i> Gould, 1860	II/B	<	<i>Amazilia amazilia</i> (Lesson & Garnot, 1827)	<	<i>Amazilia amazilia</i> (Lesson & Garnot, 1827)	Species lump
<i>Amazilia amabilis</i> (Gould, 1853)	II/B		<i>Amazilia amabilis</i> (Gould, 1853)		<i>Amazilia amabilis</i> (Gould, 1853)	
		>	<i>Amazilia decora</i> (Salvin, 1891)	>	<i>Amazilia decora</i> (Salvin, 1891)	Species split
<i>Amazilia cupreicauda</i> Salvin & Godman, 1884	II/B	<	<i>Amazilia viridigaster</i> (Bourcier, 1843)	=	<i>Amazilia cupreicauda</i> Salvin & Godman, 1884	Species lump (H&M4 only)
<i>Amazilia lactea</i> (Lesson, 1832)	II/B	=	<i>Amazilia lactea</i> (Lesson, 1832)		<i>Amazilia lactea</i> (Lesson, 1832) (including spp. <i>lactea</i> , <i>zimmeri</i> )	
				>	<i>Amazilia bartletti</i> (Gould, 1866)	Species split (HBW/BL only)
<i>Amazilia rondoniae</i> Ruschi, 1982	II/B	<	<i>Amazilia versicolor</i> (Vieillot, 1818)	<	<i>Amazilia versicolor</i> (Vieillot, 1818)	Species lump

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Amazilia viridigaster</i> (Bourcier, 1843)	II/B	= <i>Amazilia viridigaster</i> (Bourcier, 1843)		<i>Amazilia viridigaster</i> (Bourcier, 1843) (including spp. <i>viridigaster</i> , <i>iodura</i> )	
			>	<i>Amazilia cupreicauda</i> Salvin & Godman, 1884 (including spp. <i>cupreicauda</i> , <i>duida</i> , <i>laireti</i> , <i>pacaraimae</i> )	Species split (HBW/BL only)
<i>Amazilia viridifrons</i> (Elliot, 1871)	II/B	= <i>Amazilia viridifrons</i> (Elliot, 1871)		<i>Amazilia viridifrons</i> (Elliot, 1871) (including spp. <i>viridifrons</i> , <i>villadai</i> )	
			>	<i>Amazilia wagneri</i> A. R. Phillips, 1966	Species split (HBW/BL only)
<i>Anthracothorax dominicus</i> (Linnaeus, 1766)	II/B	= <i>Anthracothorax dominicus</i> (Linnaeus, 1766)		<i>Anthracothorax dominicus</i> (Linnaeus, 1766)	
			>	<i>Anthracothorax aurulentus</i> (Audebert & Vieillot, 1801)	Species split (HBW/BL only)
<i>Anthracothorax prevostii iridescentis</i> (Gould, 1861)	II/B	= <i>Anthracothorax nigricollis iridescentis</i> (Gould, 1861)	=	<i>Anthracothorax nigricollis iridescentis</i> (Gould, 1861)	Subspecies transfer
<i>Anthracothorax recurvirostris</i> (Swainson, 1822)	II/B	→ <i>Avocettula recurvirostris</i> (Swainson, 1822)	→	<i>Avocettula recurvirostris</i> (Swainson, 1822)	Generic change
<i>Basilinna leucotis</i> (Vieillot, 1818)	II/B	→ <i>Hylocharis leucotis</i> (Vieillot, 1818)	=	<i>Basilinna leucotis</i> (Vieillot, 1818)	Generic change (H&M <sub>4</sub> only)
<i>Basilinna xantusii</i> (Lawrence, 1861)	II/B	→ <i>Hylocharis xantusii</i> (Lawrence, 1861)	=	<i>Basilinna xantusii</i> (Lawrence, 1861)	Generic change (H&M <sub>4</sub> only)
<i>Campylopterus curvipennis</i> (Deppe, 1830)	II/B	<i>Campylopterus curvipennis</i> (Deppe, 1830) (including spp. <i>curvipennis</i> , <i>pampa</i> , <i>yucatanensis</i> )	=	<i>Campylopterus curvipennis</i> (Deppe, 1830)	
		> <i>Campylopterus excellens</i> (Wetmore, 1941)			Species split (H&M <sub>4</sub> only)
<i>Campylopterus cuvierii</i> (DeLattre & Bourcier, 1846)	II/B	→ <i>Phaeochroa cuvierii</i> (DeLattre & Bourcier, 1846)	=	<i>Campylopterus cuvierii</i> (DeLattre & Bourcier, 1846)	Generic change (H&M <sub>4</sub> only)
<i>Chaetocercus mulsanti</i> (Bourcier, 1842)	II/B	= <i>Chaetocercus mulsant</i> (Bourcier, 1843)	=	<i>Chaetocercus mulsant</i> (Bourcier, 1843)	Spelling and date correction
<i>Chlorostilbon alice</i> (Bourcier & Mulsant, 1848)	II/B	= <i>Chlorostilbon alice</i> (Bourcier & Mulsant, 1848)			

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			<	<i>Chlorostilbon poortmani</i> (Bourcier, 1843)	Species lump (HBW/BL only)
<i>Chlorostilbon aureoventris</i> (d'Orbigny & Lafresnaye, 1838)	II/B	= <i>Chlorostilbon lucidus</i> (Shaw, 1812)	=	<i>Chlorostilbon lucidus</i> (Shaw, 1812)	Replacement name. See CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Chlorostilbon mellisugus</i> (Linnaeus, 1758)	II/B	<p><i>Chlorostilbon mellisugus</i> (Linnaeus, 1758) (including sspp. <i>mellisugus</i>, <i>caribaeus</i>, <i>duidae</i>, <i>napensis</i>, <i>peruanus</i>, <i>phoeopygus</i>, <i>subfurcatus</i>)</p> <p>&gt; <i>Chlorostilbon gibsoni</i> (Fraser, 1840) (including sspp. <i>gibsoni</i>, <i>chrysogaster</i>, <i>nitens</i>)</p> <p>&gt; <i>Chlorostilbon melanorhynchus</i> Gould, 1860</p>		<p><i>Chlorostilbon mellisugus</i> (Linnaeus, 1758) (including sspp. <i>mellisugus</i>, <i>caribaeus</i>, <i>duidae</i>, <i>melanorhynchus</i>, <i>napensis</i>, <i>peruanus</i>, <i>phoeopygus</i>, <i>subfurcatus</i>)</p> <p>&gt; <i>Chlorostilbon gibsoni</i> (Fraser, 1840) (including sspp. <i>gibsoni</i>, <i>chrysogaster</i>, <i>nitens</i>)</p>	Species split Species split (H&M <sub>4</sub> only)
<i>Chlorostilbon notatus</i> (Reich, 1793)	II/B	→ <i>Chlorestes notata</i> (Reich, 1793)	=	<i>Chlorostilbon notatus</i> (Reich, 1793)	Generic change (H&M <sub>4</sub> only)
<i>Coeligena bonapartei</i> (Boissonneau, 1840)	II/B	<p><i>Coeligena bonapartei</i> (Boissonneau, 1840) (including sspp. <i>bonapartei</i>, <i>consita</i>, <i>eos</i>)</p> <p>&gt; <i>Coeligena consita</i> Wetmore &amp; Phelps, Jr, 1952</p> <p>&gt; <i>Coeligena eos</i> (Gould, 1848)</p> <p>&gt; <i>Coeligena orina</i> Wetmore, 1953</p>		<i>Coeligena bonapartei</i> (Boissonneau, 1840) <i>Coeligena consita</i> Wetmore & Phelps, Jr, 1952 <i>Coeligena eos</i> (Gould, 1848) <i>Coeligena orina</i> Wetmore, 1953	Species split (HBW/BL only) Species split(HBW/BL only) Species split
<i>Coeligena torquata</i> (Boissonneau, 1840)	II/B	= <i>Coeligena torquata</i> (Boissonneau, 1840)		<i>Coeligena torquata</i> (Boissonneau, 1840) (including sspp. <i>torquata</i> , <i>fulgidigula</i> , <i>insectivora</i> , <i>margaretae</i> )	

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			>	<i>Coeligena conradii</i> (Bourcier, 1847)	Species split (HBW/BL only)
			>	<i>Coeligena eisenmanni</i> Weske, 1985	Species split (HBW/BL only)
			>	<i>Coeligena inca</i> (Gould, 1852) (including spp. <i>inca</i> , <i>omissa</i> )	Species split (HBW/BL only)
<i>Coeligena violifer</i> (Gould, 1846)	II/B	=	<i>Coeligena violifer</i> (Gould, 1846)	<i>Coeligena violifer</i> (Gould, 1846)	
			>	<i>Coeligena albicaudata</i> Schuchmann & Züchner, 1998	Species split (HBW/BL only)
			>	<i>Coeligena dichroura</i> (Taczanowski, 1874)	Species split (HBW/BL only)
			>	<i>Coeligena osculans</i> (Gould, 1871)	Species split (HBW/BL only)
<i>Cynanthus latirostris</i> Swainson, 1827	II/B	=	<i>Cynanthus latirostris</i> Swainson, 1827	<i>Cynanthus latirostris</i> Swainson, 1827 (including spp. <i>latirostris</i> , <i>magicus</i> , <i>propinquus</i> )	
			>	<i>Cynanthus doubledayi</i> (Bourcier, 1847)	Species split (HBW/BL only)
			>	<i>Cynanthus lawrencei</i> (von Berlepsch, 1887)	Species split (HBW/BL only)
<i>Damophila julie</i> (Bourcier, 1843)	II/B	→	<i>Juliamyia julie</i> (Bourcier, 1843)	→ <i>Juliamyia julie</i> (Bourcier, 1843)	Generic change
<i>Eriocnemis alinae</i> (Bourcier, 1842)	II/B	=	<i>Eriocnemis aline</i> (Bourcier, 1843)	= <i>Eriocnemis aline</i> (Bourcier, 1843)	Spelling and date correction

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
N/A	II/B	<i>Eriocnemis isabellae</i> Corté-Diago, Ortega, Mazariegos-Hurtado & Weller, 2007		<i>Eriocnemis isabellae</i> Corté-Diago, Ortega, Mazariegos-Hurtado & Weller, 2007	New species. See CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Eriocnemis luciani</i> (Bourcier, 1847)	II/B	= <i>Eriocnemis luciani</i> (Bourcier, 1847)		<i>Eriocnemis luciani</i> (Bourcier, 1847) (including spp. <i>luciani</i> , <i>baptistae</i> , <i>meridae</i> )	
			>	<i>Eriocnemis sapphiropygia</i> Taczanowski, 1874 (including spp. <i>sapphiropygia</i> , <i>catharina</i> )	Species split (HBW/BL only)
<i>Heliangelus amethysticollis</i> (d'Orbigny & Lafresnaye, 1838)	II/B	<i>Heliangelus amethysticollis</i> (d'Orbigny & Lafresnaye, 1838) (including spp. <i>amethysticollis</i> , <i>clarisse</i> , <i>decolor</i> , <i>laticlavius</i> , <i>violiceps</i> & <i>apurimacensis</i> Weller, 2009)		<i>Heliangelus amethysticollis</i> (d'Orbigny & Lafresnaye, 1838) (including spp. <i>amethysticollis</i> , <i>decolor</i> , <i>laticlavius</i> & <i>apurimacensis</i> Weller, 2009)	
		> <i>Heliangelus spencei</i> (Bourcier, 1847)	>	<i>Heliangelus spencei</i> (Bourcier, 1847)	Species split
			>	<i>Heliangelus clarisse</i> (Longuemare, 1841) (including spp. <i>verdiscutus</i> Phelps, Sr & Phelps, Jr, 1955 & <i>violiceps</i> )	Species split (HBW/BL only)
<i>Heliodoxa schreibersii</i> (Bourcier, 1847)	II/B	= <i>Heliodoxa schreibersii</i> (Bourcier, 1847)		<i>Heliodoxa schreibersii</i> (Bourcier, 1847)	
			>	<i>Heliodoxa whitelyana</i> (Gould, 1872)	Species split (HBW/BL only)
<i>Hylocharis grayi</i> (DeLattre & Bourcier, 1846)	II/B	= <i>Hylocharis grayi</i> (DeLattre & Bourcier, 1846)	→	<i>Amazilia grayi</i> (DeLattre & Bourcier, 1846)	Generic change (HBW/BL only)
		> <i>Hylocharis humboldtii</i> (Bourcier & Mulsant, 1852)	→ >	<i>Amazilia humboldtii</i> (Bourcier & Mulsant, 1852)	Generic change (HBW/BL only) and species split
<i>Hylocharis sapphirina</i> (J. F. Gmelin, 1788)	II/B	= <i>Hylocharis sapphirina</i> (J. F. Gmelin, 1788)	→	<i>Amazilia sapphirina</i> (J. F. Gmelin, 1788)	Generic change (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Lampornis castaneoventris</i> (Gould, 1851)	II/B	=	<i>Lampornis castaneoventris</i> (Gould, 1851)		<i>Lampornis castaneoventris</i> (Gould, 1851)
				> <i>Lampornis cinereicauda</i> (Lawrence, 1867)	Species split (HBW/BL only)
<i>Lophornis chalybeus</i> (Temminck, 1821)	II/B	=	<i>Lophornis chalybeus</i> (Temminck, 1821)		<i>Lophornis chalybeus</i> (Temminck, 1821)
				> <i>Lophornis verreauxii</i> Boucard, 1853 (including spp. <i>verreauxii</i> , <i>klagesi</i> )	Species split (HBW/BL only)
<i>Oreonympha nobilis</i> Gould, 1869	II/B	=	<i>Oreonympha nobilis</i> Gould, 1869		<i>Oreonympha nobilis</i> Gould, 1869
				> <i>Oreonympha albolineata</i> Berlitz, 1938	Species split (HBW/BL only)
<i>Oreotrochilus estella</i> (d'Orbigny & Lafresnaye, 1838)	II/B	=	<i>Oreotrochilus estella</i> (d'Orbigny & Lafresnaye, 1838)		<i>Oreotrochilus estella</i> (d'Orbigny & Lafresnaye, 1838) (including spp. <i>estella</i> , <i>bolivianus</i> )
				> <i>Oreotrochilus stolzmanni</i> Salvin, 1895	Species split (HBW/BL only)
<i>Oxypogon guerinii</i> (Boissonneau, 1840)	II/B	=	<i>Oxypogon guerinii</i> (Boissonneau, 1840)		<i>Oxypogon guerinii</i> (Boissonneau, 1840)
				> <i>Oxypogon cyanolaemus</i> Salvin & Godman, 1880	Species split (HBW/BL only)
				> <i>Oxypogon lindenii</i> (Parzudaki, 1845)	Species split (HBW/BL only)
				> <i>Oxypogon stuebelii</i> A. B. Meyer, 1884 [ <i>O. stubelii</i> in H&M 4]	Species split(HBW/BL only)
<i>Phaeochroa cuvierii</i> (DeLattre & Bourcier, 1846)	II/B	=	<i>Phaeochroa cuvierii</i> (DeLattre & Bourcier, 1846)	→ <i>Campylopterus cuvierii</i> (DeLattre & Bourcier, 1846)	Generic change (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex		H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Phaethornis griseogularis</i> Gould, 1851	II/B	=	<i>Phaethornis griseogularis</i> Gould, 1851		<i>Phaethornis griseogularis</i> Gould, 1851 (including spp. <i>griseogularis</i> , <i>zonura</i> )	
				>	<i>Phaethornis porcullae</i> Carriker, 1935	Species split (HBW/BL only)
<i>Phaethornis longirostris</i> (DeLattre, 1843)	II/B	=	<i>Phaethornis longirostris</i> (DeLattre, 1843)		<i>Phaethornis longirostris</i> (DeLattre, 1843) (including spp. <i>longirostris</i> , <i>cephalus</i> , <i>susurrus</i> )	
				>	<i>Phaethornis mexicanus</i> E. Hartert, 1897 (including spp. <i>mexicanus</i> , <i>griseoventer</i> )	Species split (HBW/BL only)
				>	<i>Phaethornis baroni</i> E. Hartert, 1897	Species split (HBW/BL only)
<i>Phaethornis ruber</i> x <i>P. rupurumii</i>	II/B	=	<i>Phaethornis aethopygus</i> J. T. Zimmer, 1950	=	<i>Phaethornis aethopygus</i> J. T. Zimmer, 1950	Species revalidated. See CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Sappho sparganura</i> (Shaw, 1812)	II/B	=	<i>Sappho sparganurus</i> (Shaw, 1812)	=	<i>Sappho sparganurus</i> (Shaw, 1812)	Spelling correction
<i>Schistes geoffroyi</i> (Bourcier, 1843)	II/B	=	<i>Schistes geoffroyi</i> (Bourcier, 1843)		<i>Schistes geoffroyi</i> (Bourcier, 1843) (including spp. <i>geoffroyi</i> , <i>chapmani</i> )	
				>	<i>Schistes albogularis</i> Gould, 1852	Species split (HBW/BL only)
<i>Sephanoides sephanoides</i> (Lesson & Garnot, 1827)	II/B	=	<i>Sephanoides sephanoides</i> (Lesson & Garnot, 1827)	=	<i>Sephanoides sephanoides</i> (Lesson & Garnot, 1827)	See H&M 3 corrigendum 2.1 for spelling as 'sephanoides'
<i>Stellula calliope</i> (Gould, 1847)	II/B	→	<i>Selasphorus calliope</i> (Gould, 1847)	→	<i>Selasphorus calliope</i> (Gould, 1847)	Generic change
<i>Thalurania fannyi</i> (DeLattre & Bourcier, 1846)	II/B	<	<i>Thalurania colombica</i> (Bourcier, 1843)	<	<i>Thalurania colombica</i> (Bourcier, 1843)	Species lump

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Threnetes niger</i> (Linnaeus, 1758)	II/B	<i>Threnetes niger</i> (Linnaeus, 1766) (including spp. <i>niger</i> , <i>loehkeni</i> )	>	<i>Threnetes niger</i> (Linnaeus, 1766) (including spp. <i>niger</i> )	
		> <i>Threnetes leucurus</i> (Linnaeus, 1766) (including spp. <i>leucurus</i> , <i>cervinicauda</i> , <i>loehkeni</i> , <i>medianus</i> , <i>rufogastra</i> )	>	<i>Threnetes leucurus</i> (Linnaeus, 1766) (including spp. <i>leucurus</i> , <i>cervinicauda</i> , <i>loehkeni</i> , <i>medianus</i> , <i>rufogastra</i> )	Species split
<i>Urochroa bouguieri</i> (Bourcier, 1851)	II/B	= <i>Urochroa bouguieri</i> (Bourcier, 1851)		<i>Urochroa bouguieri</i> (Bourcier, 1851)	
			>	<i>Urochroa leucura</i> Lawrence, 1864	Species split (HBW/BL only)
<i>Urosticte benjamini</i> (Bourcier, 1851)	II/B	<i>Urosticte benjamini</i> (Bourcier, 1851)		<i>Urosticte benjamini</i> (Bourcier, 1851)	
		> <i>Urosticte ruficrissa</i> Lawrence, 1864	>	<i>Urosticte ruficrissa</i> Lawrence, 1864	Species split
<b>CHARADRIIFORMES</b>					
<b>LARIDAE</b>					
<i>Larus relictus</i> Lönnberg, 1831	I/A	→ <i>Ichthyaetus relictus</i> (Lönnberg, 1831)	=	<i>Larus relictus</i> Lönnberg, 1831	Generic change (H&M <sub>4</sub> only)
<b>CICONIIFORMES</b>					
<b>PHOENICOPTERIDAE</b>					
<i>Phoenicopterus ruber</i> Linnaeus, 1758	II/A	<i>Phoenicopterus ruber</i> Linnaeus, 1758		<i>Phoenicopterus ruber</i> Linnaeus, 1758	
		> <i>Phoenicopterus roseus</i> Pallas, 1811	>	<i>Phoenicopterus roseus</i> Pallas, 1811	Species split
<b>COLUMBIFORMES</b>					
<b>COLUMBIDAE</b>					
<i>Claravis godefrida</i> (Temminck, 1811)	-/A	= <i>Claravis geoffroyi</i> (Temminck, 1811)	=	<i>Claravis geoffroyi</i> (Temminck, 1811)	Replacement name
<i>Goura scheepmakeri</i> Finsch, 1876	II/B	= <i>Goura scheepmakeri</i> Finsch, 1876		<i>Goura scheepmakeri</i> Finsch, 1876	
			>	<i>Goura sclaterii</i> Salvadori, 1876	Species split (HBW/BL only)
<i>Nesoenas mayeri</i> (Prévost, 1843)	III/C	→ <i>Streptopelia mayeri</i> (Prévost, 1843)	=	<i>Nesoenas mayeri</i> (Prévost, 1843)	Generic change (H&M <sub>4</sub> only)
<b>CORACIIFORMES</b>					
<b>BUCEROTIDAE</b>					
<i>Aceros cassidix</i> (Temminck, 1823)	II/B	→ <i>Rhyticeros cassidix</i> (Temminck, 1823)	→	<i>Rhyticeros cassidix</i> (Temminck, 1823)	Generic change
<i>Aceros corrugatus</i> (Temminck, 1832)	II/B	→ <i>Rhyticeros corrugatus</i> (Temminck, 1832)	→	<i>Rhabdotorrhinus corrugatus</i> (Temminck, 1832)	Generic change

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Aceros leucocephalus</i> (Vieillot, 1816)	II/B	→ <i>Rhyticeros leucocephalus</i> (Vieillot, 1816)	→	<i>Rhabdotorrhinus leucocephalus</i> (Vieillot, 1816)	Generic change
<i>Aceros waldeni</i> (Sharpe, 1877)	II/B	→ <i>Rhyticeros waldeni</i> (Sharpe, 1877)	→	<i>Rhabdotorrhinus waldeni</i> (Sharpe, 1877)	Generic change
<i>Anorrhinus tickelli</i> (Blyth, 1855)	II/B	→ <i>Ptilolaemus tickelli</i> (Blyth, 1855) → <i>Ptilolaemus austeni</i> (Jerdon, 1872) >		<i>Anorrhinus tickelli</i> (Blyth, 1855) <i>Anorrhinus austeni</i> Jerdon, 1872	Generic change (H&M <sub>4</sub> only) Generic change (H&M <sub>4</sub> only) & species split
<i>Buceros hydrocorax</i> Linnaeus, 1766	II/B	= <i>Buceros hydrocorax</i> Linnaeus, 1766 =		<i>Buceros hydrocorax</i> Linnaeus, 1766 <i>Buceros mindanensis</i> Tweeddale, 1877 (including spp. <i>mindanensis</i> , <i>semigaleatus</i> )	Species split (HBW/BL only)
<i>Penelopides exarhatus</i> (Temminck, 1823)	II/B	= <i>Penelopides exarhatus</i> (Temminck, 1823)	→	<i>Rhabdotorrhinus exarhatus</i> (Temminck, 1823)	Generic change (HBW/BL only)
<i>Penelopides panini</i> (Boddaert, 1783)	II/B	= <i>Penelopides panini</i> (Boddaert, 1783) =		<i>Penelopides panini</i> (Boddaert, 1783) (including spp. <i>panini</i> , <i>ticaensis</i> ) <i>Penelopides affinis</i> Tweeddale, 1877 (including spp. <i>affinis</i> , <i>basilanicus</i> , <i>samarensis</i> )	Species split(HBW/BL only)
		=		<i>Penelopides manillae</i> (Boddaert, 1783) (including spp. <i>manillae</i> , <i>subniger</i> )	Species split (HBW/BL only)
		=		<i>Penelopides mindorensis</i> Steere, 1890	Species split (HBW/BL only)
<b>CUCULIFORMES</b>					
<b>MUSOPHAGIDAE</b>					

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex	H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Tauraco porphyreolophus</i> (Vigors, 1831)	II/B	→ <i>Gallirex porphyreolophus</i> (Vigors, 1831)		→ <i>Gallirex porphyreolophus</i> (Vigors, 1831)	Generic change. [N.B. cannot change listing to <i>Gallirex</i> spp. because <i>Gallirex johnstoni</i> is not CITES listed]
<b>FALCONIFORMES</b>					
<b>ACCIPITRIDAE</b>					
<i>Accipiter cirrhocephalus</i> (Vieillot, 1817)	II/B	= <i>Accipiter cirrocephalus</i> (Vieillot, 1817)	=	<i>Accipiter cirrocephalus</i> (Vieillot, 1817)	Spelling correction
<i>Accipiter francesii</i> A. Smith, 1834	II/B	= <i>Accipiter francesiae</i> A. Smith, 1834	=	<i>Accipiter francesiae</i> A. Smith, 1834	Spelling correction
<i>Accipiter novaehollandiae</i> (J. F. Gmelin, 1788)	II/B	<i>Accipiter novaehollandiae</i> (J. F. Gmelin, 1788)		<i>Accipiter novaehollandiae</i> (J. F. Gmelin, 1788)	
		> <i>Accipiter hiogaster</i> (S. Müller, 1841) (including spp. <i>hiogaster</i> , <i>albiventris</i> , <i>bougainvillei</i> , <i>dampieri</i> , <i>griseogularis</i> , <i>lavongai</i> , <i>leucosomus</i> , <i>lihirensis</i> , <i>malaitae</i> , <i>manusi</i> , <i>matthiae</i> , <i>misoriensis</i> , <i>misulae</i> , <i>mortyi</i> , <i>obiensis</i> , <i>pallidiceps</i> , <i>pallidimas</i> , <i>polionotus</i> , <i>pulchellus</i> , <i>rubiana</i> , <i>rufoschistaceus</i> , <i>sylvestris</i> )	> <i>Accipiter hiogaster</i> (S. Müller, 1841) (including spp. <i>hiogaster</i> , <i>albiventris</i> , <i>bougainvillei</i> , <i>dampieri</i> , <i>griseogularis</i> , <i>lavongai</i> , <i>leucosomus</i> , <i>lihirensis</i> , <i>malaitae</i> , <i>manusi</i> , <i>matthiae</i> , <i>misoriensis</i> , <i>misulae</i> , <i>mortyi</i> , <i>obiensis</i> , <i>pallidiceps</i> , <i>pallidimas</i> , <i>polionotus</i> , <i>pulchellus</i> , <i>rubiana</i> , <i>rufoschistaceus</i> )	Species split	
				> <i>Accipiter sylvestris</i> Wallace, 1864	Species split (HBW/BL only)
<i>Accipiter toussenelii</i> (J. & E. Verreaux, 1855)	II/B	< <i>Accipiter tachiro</i> (Daudin, 1800)	=	<i>Accipiter toussenelii</i> (J. & E. Verreaux, 1855)	Species lump (H&M4 only)
<i>Asturina nitida</i> (Latham, 1790)	II/B	→ <i>Buteo nitidus</i> (Latham, 1790) (including spp. <i>nitidus</i> , <i>blakei</i> (syn. <i>costaricensis</i> ), <i>pallidus</i> )	→	<i>Buteo nitidus</i> (Latham, 1790) (including spp. <i>nitidus</i> , <i>blakei</i> (syn. <i>costaricensis</i> ), <i>pallidus</i> )	Generic change

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
		→ <i>Buteo plagiatus</i> (Schlegel, 1862) >	→ >	<i>Buteo plagiatus</i> (Schlegel, 1862)	Generic change and species split
<i>Aquila clanga</i> Pallas, 1811	II/A	→ <i>Clanga clanga</i> (Pallas, 1811)	→	<i>Clanga clanga</i> (Pallas, 1811)	Generic change
<i>Aquila pomarina</i> C. L. Brehm, 1831	II/A	→ <i>Clanga pomarina</i> (C. L. Brehm, 1831) → <i>Clanga hastata</i> (Lesson, 1831) >	→ → >	<i>Clanga pomarina</i> (C. L. Brehm, 1831) <i>Clanga hastata</i> (Lesson, 1831)	Generic change Generic change and species split
<i>Buteo albicaudatus</i> Vieillot, 1816	II/B	→ <i>Geranoaetus albicaudatus</i> (Vieillot, 1816)	→	<i>Geranoaetus albicaudatus</i> (Vieillot, 1816)	Generic change
<i>Buteo buteo</i> (Linnaeus, 1758)	II/A	→ <i>Buteo buteo</i> (Linnaeus, 1758) (including spp. <i>buteo</i> , <i>harterti</i> , <i>insularum</i> , <i>menetriesi</i> , <i>pojana</i> , <i>vulpinus</i> ) > <i>Buteo japonicus</i> Temminck & Schlegel, 1844 (including spp. <i>japonicus</i> , <i>oshiroi</i> , <i>toyoshimai</i> ) > <i>Buteo refectus</i> Portenko, 1935		<i>Buteo buteo</i> (Linnaeus, 1758) (including spp. <i>buteo</i> , <i>bannermani</i> , <i>harterti</i> , <i>insularum</i> , <i>menetriesi</i> , <i>pojana</i> , <i>vulpinus</i> ) > <i>Buteo japonicus</i> Temminck & Schlegel, 1844 (including spp. <i>japonicus</i> , <i>oshiroi</i> , <i>toyoshimai</i> ) > <i>Buteo refectus</i> Portenko, 1935	
<i>Buteo buteo bannermani</i> Swann, 1919	II/A	= <i>Buteo rufinus bannermani</i> Swann, 1919	=	<i>Buteo buteo bannermani</i> Swann, 1919	Subspecies transfer (H&M <sub>4</sub> only)
<i>Buteo leucorrhous</i> (Quoy & Gaimard, 1824)	II/B	→ <i>Parabuteo leucorrhous</i> (Quoy & Gaimard, 1824)	→	<i>Parabuteo leucorrhous</i> (Quoy & Gaimard, 1824)	Generic change
<i>Buteo magnirostris</i> (J. F. Gmelin, 1788)	II/B	→ <i>Rupornis magnirostris</i> (J. F. Gmelin, 1788)	→	<i>Rupornis magnirostris</i> (J. F. Gmelin, 1788)	Generic change
<i>Buteo poecilochrous</i> J. H. Gurney, 1879	II/B	→ <i>Geranoaetus polyosoma</i> (Quoy & Gaimard, 1824) <	→ <	<i>Geranoaetus polyosoma</i> (Quoy & Gaimard, 1824)	Generic change & species lump
<i>Buteo polyosoma</i> (Quoy & Gaimard, 1824)	II/B	→ <i>Geranoaetus polyosoma</i> (Quoy & Gaimard, 1824)	→	<i>Geranoaetus polyosoma</i> (Quoy & Gaimard, 1824)	Generic change

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
N/A	II/B	<i>Buteo socotraensis</i> Porter & Kirwan, 2010		<i>Buteo socotraensis</i> Porter & Kirwan, 2010	New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
		< <i>Buteo rufinus</i> (Cretzschmar, 1829)			Species lump (H&M <sub>4</sub> only)
<i>Buteogallus anthracinus</i> (Deppe, 1830)	II/B	<i>Buteogallus anthracinus</i> (Deppe, 1830) (including spp. <i>anthracinus</i> , <i>utilensis</i> )		<i>Buteogallus anthracinus</i> (Deppe, 1830) (including spp. <i>anthracinus</i> , <i>utilensis</i> )	
		> <i>Buteogallus gundlachii</i> (Cabanis, 1855)	>	<i>Buteogallus gundlachii</i> (Cabanis, 1855)	Species split
<i>Buteogallus subtilis</i> (Thayer & Bangs, 1905)	II/B	< <i>Buteogallus anthracinus</i> (Deppe, 1830)	<	<i>Buteogallus anthracinus</i> (Deppe, 1830)	Species lump
<i>Chondrohierax uncinatus wilsonii</i> (Cassin, 1847)	I/A	= <i>Chondrohierax uncinatus wilsonii</i> (Cassin, 1847)	=	<i>Chondrohierax wilsonii</i> (Cassin, 1847)	Species split (HBW/BL only)
<i>Circus cyaneus</i> (Linnaeus, 1766)	II/A	<i>Circus cyaneus</i> (Linnaeus, 1766)	=	<i>Circus cyaneus</i> (Linnaeus, 1766)	
		> <i>Circus hudsonius</i> (Linnaeus, 1766)			Species split (H&M <sub>4</sub> only)
<i>Circus maillardi</i> J. Verreaux, 1862	II/B	<i>Circus maillardi</i> J. Verreaux, 1862		<i>Circus maillardi</i> J. Verreaux, 1862	
		> <i>Circus macrosceles</i> A. Newton, 1863	>	<i>Circus macrosceles</i> A. Newton, 1863	Species split
<i>Circus spilonotus</i> Kaup, 1847		= <i>Circus spilonotus</i> Kaup, 1847		<i>Circus spilonotus</i> Kaup, 1847	
			>	<i>Circus spilothorax</i> Salvadori & D'Albertis, 1876	Species split(HBW/BL only)
<i>Gyps rueppellii</i> (A. E. Brehm, 1852)	II/B	= <i>Gyps rueppelli</i> (A. E. Brehm, 1852)	=	<i>Gyps rueppelli</i> (A. E. Brehm, 1852)	Spelling correction. See H&M 3 corrigendum 2.1R for spelling as 'rueppellii'
<i>Harpyhaliaetus coronatus</i> (Vieillot, 1817)	II/B	→ <i>Buteogallus coronatus</i> (Vieillot, 1817)	→	<i>Buteogallus coronatus</i> (Vieillot, 1817)	Generic change

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Harpyhaliaetus solitarius</i> (Tschudi, 1844)	II/B	→ <i>Buteogallus solitarius</i> (Tschudi, 1844)	→	<i>Buteogallus solitarius</i> (Tschudi, 1844)	Generic change
<i>Hieraetus fasciatus</i> (Vieillot, 1822)	II/A	→ <i>Aquila fasciata</i> Vieillot, 1822	→	<i>Aquila fasciata</i> Vieillot, 1822	Generic change
<i>Hieraetus kienerii</i> (I. Geoffroy Saint-Hilaire, 1835)	II/B	→ <i>Lophotriorchis kienerii</i> (de Sparre, 1835)	→	<i>Lophotriorchis kienerii</i> (de Sparre, 1835)	Generic change and author correction
<i>Hieraetus morphnoides</i> (Gould, 1841)	II/B	→ <i>Hieraetus morphnoides</i> (Gould, 1841) -> <i>Hieraetus weiskei</i> (Reichenow, 1900)	→ >	<i>Hieraetus morphnoides</i> (Gould, 1841) <i>Hieraetus weiskei</i> (Reichenow, 1900)	Species split
<i>Hieraetus spilogaster</i> (Bonaparte, 1850)	II/B	→ <i>Aquila spilogaster</i> (Bonaparte, 1850)	→	<i>Aquila spilogaster</i> (Bonaparte, 1850)	Generic change
<i>Ichthyophaga humilis</i> (Müller & Schlegel, 1841)	II/B	= <i>Icthyophaga humilis</i> (Müller & Schlegel, 1841)	=	<i>Icthyophaga humilis</i> (Müller & Schlegel, 1841)	Spelling correction
<i>Ichthyophaga ichthyaetus</i> (Horsfield, 1821)	II/B	= <i>Icthyophaga ichthyaetus</i> (Horsfield, 1821)	=	<i>Icthyophaga ichthyaetus</i> (Horsfield, 1821)	Spelling correction
<i>Ictinaetus malayensis</i> (Temminck, 1822)	II/B	= <i>Ictinaetus malaiensis</i> (Temminck, 1822)	=	<i>Ictinaetus malaiensis</i> (Temminck, 1822)	Spelling correction
<i>Leptodon cayanensis</i> (Latham, 1790)	II/B	Leptodon cayanensis (Latham, 1790) (including spp. <i>cayanensis</i> , <i>monachus</i> ) -> <i>Leptodon forbesi</i> (Swann, 1922)		Leptodon cayanensis (Latham, 1790) (including spp. <i>cayanensis</i> , <i>monachus</i> ) -> <i>Leptodon forbesi</i> (Swann, 1922)	
<i>Leucopternis albicollis</i> (Latham, 1790)	II/B	→ <i>Pseudastur albicollis</i> (Latham, 1790)	→	<i>Pseudastur albicollis</i> (Latham, 1790)	Generic change
<i>Leucopternis lacernulatus</i> (Temminck, 1827)	II/B	→ <i>Buteogallus lacernulatus</i> (Temminck, 1827)	→	<i>Buteogallus lacernulatus</i> (Temminck, 1827)	Generic change
<i>Leucopternis occidentalis</i> Salvin, 1876	II/B	→ <i>Pseudastur occidentalis</i> (Salvin, 1876)	→	<i>Pseudastur occidentalis</i> (Salvin, 1876)	Generic change
<i>Leucopternis plumbeus</i> Salvin, 1872	II/B	→ <i>Cryptoleucopteryx plumbea</i> (Salvin, 1872)	→	<i>Cryptoleucopteryx plumbea</i> (Salvin, 1872)	Generic change
<i>Leucopternis polionotus</i> (Kaup, 1847)	II/B	→ <i>Pseudastur polionotus</i> (Kaup, 1847)	→	<i>Pseudastur polionotus</i> (Kaup, 1847)	Generic change
<i>Leucopternis princeps</i> P. L. Sclater, 1865	II/B	→ <i>Morphnarchus princeps</i> (P. L. Sclater, 1865)	→	<i>Morphnarchus princeps</i> (P. L. Sclater, 1865)	Generic change
<i>Leucopternis schistaceus</i> (Sundevall, 1851)	II/B	→ <i>Buteogallus schistaceus</i> (Sundevall, 1850)	→	<i>Buteogallus schistaceus</i> (Sundevall, 1850)	Generic change and date correction
<i>Oroaetus isidori</i> (Des Murs, 1845)	II/B	→ <i>Spizaetus isidori</i> (Des Murs, 1845)	→	<i>Spizaetus isidori</i> (Des Murs, 1845)	Generic change
<i>Pernis celebensis</i> Wallace, 1868	II/B	Pernis celebensis Wallace, 1868 -> <i>Pernis steerei</i> W. L. Sclater, 1919 (including spp. <i>steerei</i> , <i>winkleri</i> )	>	<i>Pernis celebensis</i> Wallace, 1868 > <i>Pernis steerei</i> W. L. Sclater, 1919 (including spp. <i>steerei</i> , <i>winkleri</i> )	Species split

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Rostrhamus hamatus</i> (Temminck, 1821)	II/B	→ <i>Helicolestes hamatus</i> (Temminck, 1821)	→	<i>Helicolestes hamatus</i> (Temminck, 1821)	Generic change
<i>Spilornis cheela</i> (Latham, 1790)	II/B	= <i>Spilornis cheela</i> (Latham, 1790)		<i>Spilornis cheela</i> (Latham, 1790) (including spp. <i>cheela</i> , <i>abbotti</i> , <i>asturinus</i> , <i>batu</i> , <i>baweanus</i> , <i>bido</i> , <i>burmanicus</i> , <i>davisoni</i> , <i>hoya</i> , <i>malayensis</i> , <i>melanotis</i> , <i>minimus</i> , <i>naturensis</i> , <i>palawanensis</i> , <i>pallidus</i> , <i>perplexus</i> , <i>richmondi</i> , <i>ricketti</i> , <i>rutherfordi</i> , <i>sipora</i> , <i>spilogaster</i> )	
			>	<i>Spilornis holospilus</i> (Vigors, 1831)	Species split (HBW/BL only)
<i>Spizaetus africanus</i> (Cassin, 1865)	II/B	→ <i>Aquila africana</i> (Cassin, 1865)	→	<i>Aquila africana</i> (Cassin, 1865)	Generic change
<i>Spizaetus alboniger</i> (Blyth, 1845)	II/B	→ <i>Nisaetus alboniger</i> Blyth, 1845	→	<i>Nisaetus alboniger</i> Blyth, 1845	Generic change
<i>Spizaetus bartelsi</i> Stresemann, 1924	II/B	→ <i>Nisaetus bartelsi</i> (Stresemann, 1924)	→	<i>Nisaetus bartelsi</i> (Stresemann, 1924)	Generic change
<i>Spizaetus cirrhatus</i> (J. F. Gmelin, 1788)	II/B	→ <i>Nisaetus cirrhatus</i> (J. F. Gmelin, 1788)	→	<i>Nisaetus cirrhatus</i> (J. F. Gmelin, 1788)	Generic change
			>	<i>Nisaetus floris</i> (E. Hartert, 1898)	Species split (HBW/BL only)
<i>Spizaetus lanceolatus</i> Temminck & Schlegel, 1844	II/B	→ <i>Nisaetus lanceolatus</i> (Temminck & Schlegel, 1844)	→	<i>Nisaetus lanceolatus</i> (Temminck & Schlegel, 1844)	Generic change
<i>Spizaetus nanus</i> Wallace, 1868	II/B	→ <i>Nisaetus nanus</i> (Wallace, 1868)	→	<i>Nisaetus nanus</i> (Wallace, 1868)	Generic change
<i>Spizaetus nipalensis</i> (Hodgson, 1836)	II/B	→ <i>Nisaetus nipalensis</i> Hodgson, 1836	→	<i>Nisaetus nipalensis</i> Hodgson, 1836	Generic change
<i>Spizaetus philippensis</i> Gould, 1863	II/B	→ <i>Nisaetus philippensis</i> (Gould, 1863)	→	<i>Nisaetus philippensis</i> (Gould, 1863)	Generic change
		→ <i>Nisaetus pinskeri</i> (Preleuthner & Gamauf, 1998)	>	<i>Nisaetus pinskeri</i> (Preleuthner & Gamauf, 1998)	Generic change and species split
<i>Spizastur melanoleucus</i> (Vieillot, 1816)	II/B	→ <i>Spizaetus melanoleucus</i> (Vieillot, 1816)	→	<i>Spizaetus melanoleucus</i> (Vieillot, 1816)	Generic change
<i>Torgos tracheliotus</i> (J. R. Forster, 1791)	II/B	= <i>Torgos tracheliotus</i> (J. R. Forster, 1796)	=	<i>Torgos tracheliotus</i> (J. R. Forster, 1796)	Spelling and date correction
<b>FALCONIDAE</b>					
<i>Falco chicquera</i> Daudin, 1800	II/B	= <i>Falco chicquera</i> Daudin, 1800		<i>Falco chicquera</i> Daudin, 1800	

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes	
			>	<i>Falco ruficollis</i> Swainson, 1837 (including sspp. <i>ruficollis</i> , <i>horsbrughi</i> )	Species split (HBW/BL only)	
<i>Falco pelegrinoides</i> Temminck, 1829	I/A	< <i>Falco peregrinus</i> Tunstall, 1771	<	<i>Falco peregrinus</i> Tunstall, 1771	Species lump	
N/A		<i>Micrastur mintoni</i> Whittaker, 2003		<i>Micrastur mintoni</i> Whittaker, 2003	New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)	
<i>Milvago chimango</i> (Vieillot, 1816)	II/B	→ <i>Phalcoboenus chimango</i> (Vieillot, 1816)	→	<i>Phalcoboenus chimango</i> (Vieillot, 1816)	Generic change	
<b>GALLIFORMES</b>						
<b>PHASIANIDAE</b>						
<i>Lophura hatinhensis</i> Vo Quy, 1975	-/B	< <i>Lophura edwardsi</i> (Oustalet, 1896)	<	<i>Lophura edwardsi</i> (Oustalet, 1896)	Species lump	
<i>Lophura imperialis</i> (Delacour & Jabouille, 1924)	I/A	= <i>Lophura edwardsi</i> x <i>Lophura nycthemera</i>	=	<i>Lophura edwardsi</i> x <i>Lophura nycthemera</i>	Species now known to be a hybrid	
<i>Polyplectron bicalcaratum</i> (Linnaeus, 1758)	II/B	<i>Polyplectron bicalcaratum</i> (Linnaeus, 1758) (considered monotypic)		<i>Polyplectron bicalcaratum</i> (Linnaeus, 1758) (including sspp. <i>bicalcaratum</i> , <i>bakeri</i> , <i>ghigii</i> )		
		> <i>Polyplectron katsumatae</i> Rothschild, 1906	>	<i>Polyplectron katsumatae</i> Rothschild, 1906	Species split	
<b>GRUIFORMES</b>						
<b>GRUIDAE</b>						
<i>Anthropoides paradiseus</i> (A. A. H. Lichtenstein, 1793)	II/B	→ <i>Grus paradisea</i> (A. A. H. Lichtenstein, 1793)	=	<i>Anthropoides paradiseus</i> (A. A. H. Lichtenstein, 1793)	Generic change (H&M <sub>4</sub> only)	
<i>Anthropoides virgo</i> (Linnaeus, 1758)	II/B	→ <i>Grus virgo</i> (Linnaeus, 1758)	=	<i>Anthropoides virgo</i> (Linnaeus, 1758)	Generic change (H&M <sub>4</sub> only)	
<i>Bugeranus carunculatus</i> (J. F. Gmelin, 1789)	II/B	→ <i>Grus carunculata</i> (J. F. Gmelin, 1789)	=	<i>Bugeranus carunculatus</i> (J. F. Gmelin, 1789)	Generic change (H&M <sub>4</sub> only)	
<i>Grus antigone</i> (Linnaeus, 1758)	II/B	→ <i>Antigone antigone</i> (Linnaeus, 1758)	→	<i>Antigone antigone</i> (Linnaeus, 1758)	Generic change	
<i>Grus canadensis</i> (Linnaeus, 1758)	II/B	→ <i>Antigone canadensis</i> (Linnaeus, 1758)	→	<i>Antigone canadensis</i> (Linnaeus, 1758)	Generic change	

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Grus leucogeranus</i> Pallas, 1773	I/A	→ <i>Leucogeranus leucogeranus</i> (Pallas, 1773)	→	<i>Leucogeranus leucogeranus</i> (Pallas, 1773)	Generic change
<i>Grus rubicunda</i> (Perry, 1810)	II/B	→ <i>Antigone rubicunda</i> (Perry, 1810)	→	<i>Antigone rubicunda</i> (Perry, 1810)	Generic change
<i>Grus vipio</i> Pallas, 1811	I/A	→ <i>Antigone vipio</i> (Pallas, 1811)	→	<i>Antigone vipio</i> (Pallas, 1811)	Generic change
<b>OTIDIDAE</b>					
<i>Eupodotis humilis</i> (Blyth, 1856)	II/B	→ <i>Heterotetrax humilis</i> (Blyth, 1855)	→	<i>Heterotetrax humilis</i> (Blyth, 1855)	Generic change and date correction
<i>Eupodotis rueppellii</i> (Wahlberg, 1856)	II/B	→ <i>Heterotetrax rueppelii</i> (Wahlberg, 1856)	→	<i>Heterotetrax rueppelii</i> (Wahlberg, 1856)	Generic change and spelling correction
<i>Eupodotis vigorsii</i> (A. Smith, 1831)	II/B	→ <i>Heterotetrax vigorsii</i> (A. Smith, 1831)	→	<i>Heterotetrax vigorsii</i> (A. Smith, 1831)	Generic change
<i>Neotis denhami</i> (Children, 1826)	II/B	→ <i>Ardeotis denhami</i> (Children & Vigors, 1826)	→	<i>Neotis denhami</i> (Children, 1826)	Generic change (H&M <sub>4</sub> only) and author correction
<i>Neotis heuglinii</i> (Hartlaub, 1859)	II/B	→ <i>Ardeotis heuglinii</i> (Hartlaub, 1859)	→	<i>Neotis heuglinii</i> (Hartlaub, 1859)	Generic change (H&M <sub>4</sub> only)
<i>Neotis ludwigii</i> (Rüppell, 1837)	II/B	→ <i>Ardeotis ludwigii</i> (Rüppell, 1837)	→	<i>Neotis ludwigii</i> (Rüppell, 1837)	Generic change (H&M <sub>4</sub> only)
<i>Neotis nuba</i> (Cretzschmar, 1826)	II/B	→ <i>Ardeotis nuba</i> (Cretzschmar, 1826)	→	<i>Neotis nuba</i> (Cretzschmar, 1826)	Generic change (H&M <sub>4</sub> only)
<b>RALLIDAE</b>					
<i>Gallirallus sylvestris</i> (P. L. Sclater, 1870)	I/A	→ <i>Hypotaenidia sylvestris</i> (P. L. Sclater, 1870)	→	<i>Hypotaenidia sylvestris</i> (P. L. Sclater, 1870)	Generic change
<b>PASSERIFORMES</b>					
<b>FRINGILLIDAE</b>					
<i>Carduelis cucullata</i> (Swainson, 1820)	I/A	→ <i>Spinus cucullatus</i> (Swainson, 1820)		N/A	Generic change (H&M <sub>4</sub> only)
<i>Carduelis yarrellii</i> (Audubon, 1839)	II/B	→ <i>Spinus yarrellii</i> (Audubon, 1839)		N/A	Generic change (H&M <sub>4</sub> only)
<b>MUSCICAPIDAE</b>					
<i>Garrulax taewanus</i> Swinhoe, 1859	II/B	< <i>Garrulax canorus</i> (Linnaeus, 1758)		N/A	Species lump (H&M <sub>4</sub> only)

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex	H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<b>PARADISAEIDAE</b>					
<i>Diphyllodes magnificus</i> (J. R. Forster, 1781)	II/B	→ <i>Cicinnurus magnificus</i> (J. R. Forster, 1781)		N/A	Generic change (H&M4 only)
<i>Diphyllodes respublica</i> (Bonaparte, 1850)	II/B	→ <i>Cicinnurus respublica</i> (Bonaparte, 1850)		N/A	Generic change (H&M4 only)
<i>Epimachus fastuosus</i> (Hermann, 1783)	II/B	= <i>Epimachus fastosus</i> (Hermann, 1783)		N/A	Spelling correction (H&M4 only)
<i>Melampitta lugubris</i> Schlegel, 1871	II/B	→ <i>Megalampitta lugubris</i> (Schlegel, 1871)		N/A	Generic change (H&M4 only)
<i>Paradigalla brevicauda</i> (Rothschild & Hartert, 1911)	II/B	→ <i>Astrapia brevicauda</i> (Rothschild & Hartert, 1911)		N/A	Generic change (H&M4 only)
<i>Paradigalla carunculata</i> (Lesson, 1835)	II/B	→ <i>Astrapia carunculata</i> (Lesson, 1835)		N/A	Generic change (H&M4 only)
<i>Parotia carolae</i> A. B. Meyer, 1894	II/B	→ <i>Parotia carolae</i> A. B. Meyer, 1894 -> <i>Parotia berlepschi</i> O. Kleinschmidt, 1897		N/A N/A	Species split (H&M4 only)
<i>Ptiloris intercedens</i> (Sharpe, 1882)	II/B	→ <i>Lophorina intercedens</i> (Sharpe, 1882)		N/A	Generic change (H&M4 only)
<i>Ptiloris magnificus</i> (Vieillot, 1819)	II/B	→ <i>Lophorina magnifica</i> (Vieillot, 1819)		N/A	Generic change (H&M4 only)
<i>Ptiloris paradiseus</i> (Swainson, 1825)	II/B	→ <i>Lophorina paradisea</i> (Swainson, 1825)		N/A	Generic change (H&M4 only)
<i>Ptiloris victoriae</i> (Gould, 1850)	II/B	→ <i>Lophorina victoriae</i> (Gould, 1850)		N/A	Generic change (H&M4 only)
<b>PELECANIFORMES</b>					
<b>THRESKIORNITHIDAE</b>					
<i>Pseudibis gigantea</i> (Oustalet, 1877)	-/A	= <i>Pseudibis gigantea</i> (Oustalet, 1877)	→	<i>Thaumatibis gigantea</i> (Oustalet, 1877)	Generic change (HBW/BL only)
<b>PICIFORMES</b>					
<b>RAMPHASTIDAE</b>					
<i>Baillonius bailloni</i> (Vieillot, 1819)	III/C	→ <i>Pteroglossus bailloni</i> (Vieillot, 1819)	→	<i>Pteroglossus bailloni</i> (Vieillot, 1819)	Generic change
<i>Ramphastos tucanus</i> Linnaeus, 1758	II/B	= <i>Ramphastos tucanus</i> Linnaeus, 1758		<i>Ramphastos tucanus</i> Linnaeus, 1758	

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			>	<i>Ramphastos cuvieri</i> Wagler, 1827 (including spp. <i>cuvieri</i> , <i>inca</i> )	Species split (HBW/BL only)
<i>Ramphastos vitellinus</i> M. H. C. Lichtenstein, 1823	II/B	= <i>Ramphastos vitellinus</i> M. H. C. Lichtenstein, 1823	>	<i>Ramphastos vitellinus</i> M. H. C. Lichtenstein, 1823	
			>	<i>Ramphastos ariel</i> Vigors, 1826	Species split(HBW/BL only)
			>	<i>Ramphastos citreolaemus</i> Gould, 1844	Species split (HBW/BL only)
			>	<i>Ramphastos culminatus</i> Gould, 1833	Species split (HBW/BL only)
<b>PSITTACIFORMES</b>					
<b>CACATUIDAE</b>					
<i>Cacatua goffini</i> (Finsch, 1863)	I/A	= <i>Cacatua goffiniana</i> Roselaar & Michels, 2004	=	<i>Cacatua goffiniana</i> Roselaar & Michels, 2004	Replacement name. See CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Calyptorhynchus baudinii</i> Lear, 1832	II/B	→ <i>Zanda baudinii</i> (Lear, 1832)	→	<i>Zanda baudinii</i> (Lear, 1832)	Generic change
<i>Calyptorhynchus funereus</i> (Shaw, 1794)	II/B	→ <i>Zanda funerea</i> (Shaw, 1794)	→	<i>Zanda funerea</i> (Shaw, 1794)	Generic change
<i>Calyptorhynchus latirostris</i> Carnaby, 1948	II/B	→ <i>Zanda latirostris</i> (Carnaby, 1948)	→	<i>Zanda latirostris</i> (Carnaby, 1948)	Generic change
<b>LORIIDAE</b>					
<i>Eos rubra</i> (J. F. Gmelin, 1788)	II/B	= <i>Eos bornea</i> (Linnaeus, 1758)	=	<i>Eos bornea</i> (Linnaeus, 1758)	Replacement name
<b>PSITTACIDAE</b>					
<i>Amazona autumnalis</i> (Linnaeus, 1758)		= <i>Amazona autumnalis</i> (Linnaeus, 1758)		<i>Amazona autumnalis</i> (Linnaeus, 1758)	
			>	<i>Amazona diadema</i> (Spix, 1824)	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			>	<i>Amazona lilacina</i> Lesson, 1844	Species split (HBW/BL only)
<i>Amazona farinosa</i> (Boddaert, 1783)		= <i>Amazona farinosa</i> (Boddaert, 1783)	>	<i>Amazona farinosa</i> (Boddaert, 1783)	Species split (HBW/BL only)
<i>Amazona festiva</i> (Linnaeus, 1758)		= <i>Amazona festiva</i> (Linnaeus, 1758)	>	<i>Amazona festiva</i> (Linnaeus, 1758)	Species split (HBW/BL only)
<i>Amazona mercenaria</i> (Tschudi, 1844)	II/B	= <i>Amazona mercenarius</i> (Tschudi, 1844)	=	<i>Amazona mercenarius</i> (Tschudi, 1844)	Spelling correction
<i>Amazona xanthops</i> (Spix, 1824)	II/B	→ <i>Alipiopsitta xanthops</i> (von Spix, 1824)	→	<i>Alipiopsitta xanthops</i> (von Spix, 1824)	Generic change and author correction
<i>Aratinga acuticaudata</i> (Vieillot, 1818)	II/B	→ <i>Psittacara acuticaudatus</i> (Vieillot, 1818)	→	<i>Psittacara acuticaudatus</i> (Vieillot, 1818)	Generic change
<i>Aratinga aurea</i> (J. F. Gmelin, 1788)	II/B	→ <i>Eupsittula aurea</i> (J. F. Gmelin, 1788)	→	<i>Eupsittula aurea</i> (J. F. Gmelin, 1788)	Generic change
<i>Aratinga cactorum</i> (Kuhl, 1820)	II/B	→ <i>Eupsittula cactorum</i> (Kuhl, 1820)	→	<i>Eupsittula cactorum</i> (Kuhl, 1820)	Generic change
<i>Aratinga canicularis</i> (Linnaeus, 1758)	II/B	→ <i>Eupsittula canicularis</i> (Linnaeus, 1758)	→	<i>Eupsittula canicularis</i> (Linnaeus, 1758)	Generic change
<i>Aratinga chloroptera</i> (Souancé, 1856)	II/B	→ <i>Psittacara chloropterus</i> (Souancé, 1856)	→	<i>Psittacara chloropterus</i> (Souancé, 1856)	Generic change
<i>Aratinga erythrogenys</i> (Lesson, 1844)	II/B	→ <i>Psittacara erythrogenys</i> (Lesson, 1844)	→	<i>Psittacara erythrogenys</i> (Lesson, 1844)	Generic change
<i>Aratinga euops</i> (Wagler, 1832)	II/B	→ <i>Psittacara euops</i> (Wagler, 1832)	→	<i>Psittacara euops</i> (Wagler, 1832)	Generic change
<i>Aratinga finschi</i> (Salvin, 1871)	II/B	→ <i>Psittacara finschi</i> (Salvin, 1871)	→	<i>Psittacara finschi</i> (Salvin, 1871)	Generic change
<i>Aratinga holochlora</i> (P. L. Sclater, 1859)	II/B	→ <i>Psittacara holochlorus</i> (P. L. Sclater, 1859)	→	<i>Psittacara holochlorus</i> (P. L. Sclater, 1859)	Generic change
<i>Aratinga leucophthalma</i> (Statius Müller, 1776)	II/B	→ <i>Psittacara leucophthalmus</i> (Statius Müller, 1776)	→	<i>Psittacara leucophthalmus</i> (Statius Müller, 1776)	Generic change
<i>Aratinga mitrata</i> (Tschudi, 1844)	II/B	→ <i>Psittacara mitratus</i> (Tschudi, 1844)	→	<i>Psittacara mitratus</i> (Tschudi, 1844)	Generic change
<i>Aratinga nana</i> (Vigors, 1830)	II/B	→ <i>Eupsittula nana</i> (Vigors, 1830)	→	<i>Eupsittula nana</i> (Vigors, 1830)	Generic change
<i>Aratinga pertinax</i> (Linnaeus, 1758)	II/B	→ <i>Eupsittula pertinax</i> (Linnaeus, 1758)	→	<i>Eupsittula pertinax</i> (Linnaeus, 1758)	Generic change
<i>Aratinga solstitialis</i> (Linnaeus, 1758)	II/B	<i>Aratinga solstitialis</i> (Linnaeus, 1758)		<i>Aratinga solstitialis</i> (Linnaeus, 1758)	

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
		> <i>Aratinga maculata</i> (Statius Müller, 1776)	>	<i>Aratinga maculata</i> (Statius Müller, 1776)	Species split. See CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Aratinga strenua</i> (Ridgway, 1915)	II/B	→ <i>Psittacara strenuus</i> (Ridgway, 1915)	→	<i>Psittacara strenuus</i> (Ridgway, 1915)	Generic change
<i>Aratinga wagleri</i> (G. R. Gray, 1845)	II/B	→ <i>Psittacara wagleri</i> (G. R. Gray, 1845)	→	<i>Psittacara wagleri</i> (G. R. Gray, 1845)	Generic change
<i>Coracopsis nigra</i> (Linnaeus, 1758)	II/B	Coracopsis nigra (Linnaeus, 1758) (including spp. <i>nigra</i> , <i>libs</i> , <i>sibilans</i> )		Coracopsis nigra (Linnaeus, 1758) (including spp. <i>nigra</i> , <i>libs</i> , <i>sibilans</i> )	
		> <i>Coracopsis barklyi</i> E. Newton, 1867	>	<i>Coracopsis barklyi</i> E. Newton, 1867	Species split
<i>Cyclopsitta gulielmitertii</i> (Schlegel, 1866)	II/B	<i>Cyclopsitta gulielmitertii</i> (Schlegel, 1866)		<i>Cyclopsitta gulielmitertii</i> (Schlegel, 1866)	
		> <i>Cyclopsitta melanogenia</i> (von Rosenberg, 1866) (including spp. <i>melanogenia</i> , <i>fuscifrons</i> , <i>suavissima</i> )	>	<i>Cyclopsitta melanogenia</i> (von Rosenberg, 1866) (including spp. <i>melanogenia</i> , <i>fuscifrons</i> , <i>suavissima</i> )	Species split
		> <i>Cyclopsitta nigrifrons</i> (Reichenow, 1891) (including spp. <i>nigrifrons</i> , <i>amabilis</i> , <i>ramuensis</i> )	>	<i>Cyclopsitta nigrifrons</i> (Reichenow, 1891) (including spp. <i>nigrifrons</i> , <i>amabilis</i> , <i>ramuensis</i> )	Species split
<i>Eunymphicus cornutus</i> (J. F. Gmelin, 1788)	I/A	<i>Eunymphicus cornutus</i> (J. F. Gmelin, 1788)		<i>Eunymphicus cornutus</i> (J. F. Gmelin, 1788)	
		> <i>Eunymphicus uvaeensis</i> (E. L. & E. L. C. Layard, 1882)	>	<i>Eunymphicus uvaeensis</i> (E. L. & E. L. C. Layard, 1882)	Species split
<i>Forpus passerinus</i> (Linnaeus, 1758)	II/B	= <i>Forpus passerinus</i> (Linnaeus, 1758)		<i>Forpus passerinus</i> (Linnaeus, 1758) (including spp. <i>passerinus</i> , <i>cyanochlorus</i> , <i>cyanophanes</i> , <i>deliciosus</i> , <i>viridissimus</i> )	
			>	<i>Forpus spengeli</i> (Hartlaub, 1885)	Species split (HBW/BL only)
<i>Forpus sclateri</i> (G. R. Gray, 1859)	II/B	= <i>Forpus modestus</i> (Cabanis, 1849)	=	<i>Forpus modestus</i> (Cabanis, 1849)	Replacement name. See CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex		H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Guarouba guarouba</i> (J. F. Gmelin, 1788)	I/A	=	<i>Guaruba guarouba</i> (J. F. Gmelin, 1788)	=	<i>Guaruba guarouba</i> (J. F. Gmelin, 1788)	Spelling correction
<i>Loriculus aurantiifrons</i> Schlegel, 1871	II/B		<i>Loriculus aurantiifrons</i> Schlegel, 1871 (including spp. <i>aurantiifrons</i> , <i>batavorum</i> , <i>meeki</i> )		<i>Loriculus aurantiifrons</i> Schlegel, 1871 (including spp. <i>aurantiifrons</i> , <i>batavorum</i> , <i>meeki</i> )	
		>	<i>Loriculus tener</i> P. L. Sclater, 1877	>	<i>Loriculus tener</i> P. L. Sclater, 1877	Species split
<i>Loriculus amabilis</i> Wallace, 1862	II/B		<i>Loriculus amabilis</i> Wallace, 1862		<i>Loriculus amabilis</i> Wallace, 1862	
		>	<i>Loriculus sclateri</i> Wallace, 1863 (including spp. <i>sclateri</i> , <i>ruber</i> )	>	<i>Loriculus sclateri</i> Wallace, 1863 (including spp. <i>sclateri</i> , <i>ruber</i> )	Species split
<i>Myiopsitta monachus</i> (Boddaert, 1783)	II/B	=	<i>Myiopsitta monachus</i> (Boddaert, 1783)		<i>Myiopsitta monachus</i> (Boddaert, 1783) (including spp. <i>monachus</i> , <i>calita</i> , <i>cotorra</i> )	
				>	<i>Myiopsitta luchsi</i> (Finsch, 1868)	Species split (HBW/BL only)
<i>Nandayus nenday</i> (Vieillot, 1823)	II/B	→	<i>Aratinga nenday</i> (Vieillot, 1823)	→	<i>Aratinga nenday</i> (Vieillot, 1823)	Generic change
<i>Orthopsittaca manilata</i> (Boddaert, 1783)	II/B	=	<i>Orthopsittaca manilatus</i> (Boddaert, 1783)	=	<i>Orthopsittaca manilatus</i> (Boddaert, 1783)	Spelling correction
<i>Pezoporus wallicus</i> (Kerr, 1792)	I/A		<i>Pezoporus wallicus</i> (Kerr, 1792) (including spp. <i>wallicus</i> , <i>leachi</i> )	=	<i>Pezoporus wallicus</i> (Kerr, 1792)	
		>	<i>Pezoporus flaviventris</i> North, 1911			Species split (H&M4 only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Pionites leucogaster</i> (Kuhl, 1820)	II/B	=	<i>Pionites leucogaster</i> (Kuhl, 1820)	>	<i>Pionites leucogaster</i> (Kuhl, 1820)
				>	<i>Pionites xanthomerius</i> (P. L. Sclater, 1858)
				>	<i>Pionites xanthurus</i> Todd, 1925
N/A	II/B		<i>Pionopsitta aurantiocephala</i> Gaban-Lima, Raposo & Höfling, 2002		New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
		→	<i>Pyrilia aurantiocephala</i> (Gaban-Lima, Raposo & Höfling, 2002)	→	<i>Pyrilia aurantiocephala</i> (Gaban-Lima, Raposo & Höfling, 2002)
<i>Pionopsitta barrabandi</i> (Kuhl, 1820)	II/B	→	<i>Pyrilia barrabandi</i> (Kuhl, 1820)	→	<i>Pyrilia barrabandi</i> (Kuhl, 1820)
<i>Pionopsitta caica</i> (Latham, 1790)	II/B	→	<i>Pyrilia caica</i> (Latham, 1790)	→	<i>Pyrilia caica</i> (Latham, 1790)
<i>Pionopsitta haematotis</i> (Sclater & Salvin, 1860)	II/B	→	<i>Pyrilia haematotis</i> (Sclater & Salvin, 1860)	→	<i>Pyrilia haematotis</i> (Sclater & Salvin, 1860)
<i>Pionopsitta pulchra</i> Berlepsch, 1897	II/B	→	<i>Pyrilia pulchra</i> (von Berlepsch, 1897)	→	<i>Pyrilia pulchra</i> (von Berlepsch, 1897)
<i>Pionopsitta pyrilia</i> (Bonaparte, 1853)	II/B	→	<i>Pyrilia pyrilia</i> (Bonaparte, 1853)	→	<i>Pyrilia pyrilia</i> (Bonaparte, 1853)
<i>Pionopsitta vulturina</i> (Kuhl, 1820)	II/B	→	<i>Pyrilia vulturina</i> (Kuhl, 1820)	→	<i>Pyrilia vulturina</i> (Kuhl, 1820)
<i>Pionus menstruus</i> (Linnaeus, 1766)	II/B	=	<i>Pionus menstruus</i> (Linnaeus, 1766)		<i>Pionus menstruus</i> (Linnaeus, 1766) (including spp. <i>menstruus</i> , <i>rubrigularis</i> )
				>	<i>Pionus reichenowi</i> Heine, 1884
<i>Pionus tumultuosus</i> (von Tschudi, 1844)	II/B	=	<i>Pionus tumultuosus</i> (von Tschudi, 1844)		<i>Pionus tumultuosus</i> (von Tschudi, 1844)

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex	H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			>	<i>Pionus seniloides</i> (Massena & Souancé, 1854)	Species split (HBW/BL only)
<i>Prioniturus montanus</i> Ogilvie-Grant, 1895	II/B	<i>Prioniturus montanus</i> Ogilvie-Grant, 1895		<i>Prioniturus montanus</i> Ogilvie-Grant, 1895	
		> <i>Prioniturus waterstradti</i> Rothschild, 1904 (including spp. <i>waterstradti</i> , <i>malindangensis</i> )	>	<i>Prioniturus waterstradti</i> Rothschild, 1904 (including spp. <i>waterstradti</i> , <i>malindangensis</i> )	Species split
<i>Prosopeia personata</i> (G. R. Gray, 1848)	II/B	→ <i>Pyrrhulopsis personatus</i> (G. R. Gray, 1848)	=	<i>Prosopeia personata</i> (G. R. Gray, 1848)	Generic change (H&M4 only)
<i>Prosopeia splendens</i> (Peale, 1848)	II/B	→ <i>Pyrrhulopsis splendens</i> (Peale, 1848)	=	<i>Prosopeia splendens</i> (Peale, 1848)	Generic change (H&M4 only)
<i>Prosopeia tabuensis</i> (J. F. Gmelin, 1788)	II/B	→ <i>Pyrrhulopsis tabuensis</i> (J. F. Gmelin, 1788)	=	<i>Prosopeia tabuensis</i> (J. F. Gmelin, 1788)	Generic change (H&M4 only)
<i>Psephotus chrysoterygius</i> Gould, 1858	I/A	→ <i>Psephotellus chrysoterygius</i> (Gould, 1857)	→	<i>Psephotellus chrysoterygius</i> (Gould, 1857)	Generic change and date correction
<i>Psephotus dissimilis</i> Collett, 1898	I/A	→ <i>Psephotellus dissimilis</i> (Collett, 1898)	→	<i>Psephotellus dissimilis</i> (Collett, 1898)	Generic change
<i>Psephotus pulcherrimus</i> (Gould, 1845)	I/A	→ <i>Psephotellus pulcherrimus</i> (Gould, 1845)	→	<i>Psephotellus pulcherrimus</i> (Gould, 1845)	Generic change
<i>Psephotus varius</i> A. H. Clark, 1910	II/B	→ <i>Psephotellus varius</i> (A. H. Clark, 1910)	→	<i>Psephotellus varius</i> (A. H. Clark, 1910)	Generic change
<i>Psittacula calthrapae</i> (Blyth, 1849)	II/B	= <i>Psittacula calthrapae</i> (Blyth, 1849)	=	<i>Psittacula calthrapae</i> (Blyth, 1849)	Spelling correction
<i>Psittacula echo</i> (A. & E. Newton, 1876)	I/A	< <i>Psittacula eques</i> (Boddaert, 1783)	<	<i>Psittacula eques</i> (Boddaert, 1783)	Species lump
<i>Psittacus erithacus</i> Linnaeus, 1758	II/B	= <i>Psittacus erithacus</i> Linnaeus, 1758		<i>Psittacus erithacus</i> Linnaeus, 1758 (including spp. <i>erithacus</i> , <i>princeps</i> )	
			>	<i>Psittacus timneh</i> Fraser, 1844	Species split(HBW/BL only)
<i>Pyrrhura amazonum</i> Hellmayr, 1906	II/B	= <i>Pyrrhura amazonum</i> Hellmayr, 1906		<i>Pyrrhura amazonum</i> Hellmayr, 1906	
			>	<i>Pyrrhura snethlageae</i> Joseph & Bates, 2002 (including spp. <i>snethlageae</i> , <i>lucida</i> )	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex		H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Pyrrhura caeruleiceps</i> Todd, 1947	II/B	<	<i>Pyrrhura picta</i> (Statius Müller, 1776)	=	<i>Pyrrhura caeruleiceps</i> Todd, 1947	Species lump (H&M <sub>4</sub> only)
<i>Pyrrhura eisenmanni</i> Delgado, 1985	II/B	<	<i>Pyrrhura picta</i> (Statius Müller, 1776)	=	<i>Pyrrhura eisenmanni</i> Delgado, 1985	Species lump (H&M <sub>4</sub> only)
<i>Pyrrhura leucotis</i> (Kuhl, 1820)	II/B		<i>Pyrrhura leucotis</i> (Kuhl, 1820) (including sspp. <i>leucotis</i> , <i>emma</i> )		<i>Pyrrhura leucotis</i> (Kuhl, 1820) (including sspp. <i>leucotis</i> )	
				>	<i>Pyrrhura emma</i> Salvadori, 1891	Species split (HBW/BL only)
		>	<i>Pyrrhura griseipectus</i> Salvadori, 1900	>	<i>Pyrrhura griseipectus</i> Salvadori, 1900	Species split
N/A	II/B		<i>Pyrrhura parvifrons</i> Arndt, 2008		<i>Pyrrhura parvifrons</i> Arndt, 2008	New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
		<	<i>Pyrrhura roseifrons</i> (G. R. Gray, 1859)			Species lump (H&M <sub>4</sub> only)
<i>Pyrrhura picta</i> (Statius Müller, 1776)	II/B		<i>Pyrrhura picta</i> (Statius Müller, 1776) (including sspp. <i>picta</i> , <i>caeruleiceps</i> , <i>eisenmanni</i> , <i>subandina</i> )		<i>Pyrrhura picta</i> (Statius Müller, 1776)	
		>	<i>Pyrrhura lucianii</i> (Deville, 1851)	>	<i>Pyrrhura lucianii</i> (Deville, 1851)	Species split
				>	<i>Pyrrhura peruviana</i> Hocking, Blake & Joseph, 2002 (including sspp. <i>peruviana</i> , <i>dilutissima</i> Arndt, 2008)	Species split (HBW/BL only)
		>	<i>Pyrrhura roseifrons</i> (G. R. Gray, 1859) (including sspp. <i>roseifrons</i> , <i>dilutissima</i> Arndt, 2008, <i>parvifrons</i> Arndt, 2008, <i>peruviana</i> )	>	<i>Pyrrhura roseifrons</i> (G. R. Gray, 1859)	Species split
<i>Pyrrhura subandina</i> Todd, 1917	II/B	<	<i>Pyrrhura picta</i> (Statius Müller, 1776)	<	<i>Pyrrhura subandina</i> Todd, 1917	Species lump (H&M <sub>4</sub> only)
<b>RHEIFORMES</b>						
<b>RHEIDAE</b>						

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex	H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Pterocnemia pennata</i> (d'Orbigny, 1834)	I/A	→ <i>Rhea pennata</i> d'Orbigny, 1834	→ → >	<i>Rhea pennata</i> d'Orbigny, 1834 <i>Rhea tarapacensis</i> (C. Chubb, 1913)	Generic change Generic change and species split (HBW/BL only)
<b>STRIGIFORMES</b>					
<b>STRIGIDAE</b>					
<i>Bubo africanus</i> (Temminck, 1821)	II/B	= <i>Bubo africanus</i> (Temminck, 1821)		<i>Bubo africanus</i> (Temminck, 1821) (including sspp. <i>africanus</i> , <i>milesi</i> )	
			>	<i>Bubo cinerascens</i> Guérin-Méneville, 1843	Species split (HBW/BL only)
<i>Bubo bubo</i> (Linnaeus, 1758)	II/A	<i>Bubo bubo</i> (Linnaeus, 1758) (including sspp. <i>bubo</i> , <i>borissowi</i> , <i>hemachalanus</i> , <i>hispanus</i> , <i>interpositus</i> , <i>jakutensis</i> , <i>kiautschensis</i> , <i>nikolskii</i> , <i>omissus</i> , <i>ruthenus</i> , <i>sibiricus</i> , <i>tarimensis</i> , <i>tibetanus</i> , <i>turcomanus</i> , <i>ussuriensis</i> , <i>yenisseensis</i> )		<i>Bubo bubo</i> (Linnaeus, 1758) (including sspp. <i>bubo</i> , <i>borissowi</i> , <i>hemachalanus</i> , <i>hispanus</i> , <i>interpositus</i> , <i>jakutensis</i> , <i>kiautschensis</i> , <i>nikolskii</i> , <i>omissus</i> , <i>ruthenus</i> , <i>sibiricus</i> , <i>tarimensis</i> , <i>tibetanus</i> , <i>turcomanus</i> , <i>ussuriensis</i> , <i>yenisseensis</i> )	
		> <i>Bubo bengalensis</i> (Franklin, 1831)	>	<i>Bubo bengalensis</i> (Franklin, 1831)	Species split
<i>Bubo cinerascens</i> Guérin-Méneville, 1843	II/B	< <i>Bubo africanus</i> (Temminck, 1821)	=	<i>Bubo cinerascens</i> Guérin-Méneville, 1843	Species lump (H&M4 only)
<i>Bubo virginianus</i> (J. F. Gmelin, 1788)	II/B	= <i>Bubo virginianus</i> (J. F. Gmelin, 1788)		<i>Bubo virginianus</i> (J. F. Gmelin, 1788) (including sspp. <i>virginianus</i> , <i>algistus</i> , <i>deserti</i> , <i>elachistus</i> , <i>heterocnemis</i> , <i>lagophonus</i> , <i>mayensis</i> , <i>mesembrinus</i> , <i>nacurutu</i> , <i>nigrescens</i> , <i>pacificus</i> , <i>pallescens</i> , <i>pinorum</i> , <i>saturatus</i> , <i>subarcticus</i> )	
			>	<i>Bubo magellanicus</i> (Lesson, 1828)	Species split(HBW/BL only)
<i>Bubo vosseleri</i> Reichenow, 1908	II/B	< <i>Bubo poensis</i> Fraser, 1854	=	<i>Bubo vosseleri</i> Reichenow, 19	Species lump (H&M4 only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex		H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Glaucidium brasiliandum</i> (J. F. Gmelin, 1788)	II/B	=	<i>Glaucidium brasiliandum</i> (J. F. Gmelin, 1788)		<i>Glaucidium brasiliandum</i> (J. F. Gmelin, 1788) (including ssp. <i>brasiliandum</i> , <i>cactorum</i> , <i>duidae</i> , <i>intermedium</i> , <i>margaritae</i> , <i>medianum</i> , <i>olivaceum</i> , <i>phaloenoides</i> , <i>ridgwayi</i> , <i>stranecki</i> , <i>ucayalae</i> )	
				>	<i>Glaucidium tucumanum</i> Chapman, 1922	Species split (HBW/BL only)
<i>Glaucidium capense</i> (A. Smith, 1834)	II/B	=	<i>Glaucidium capense</i> (A. Smith, 1834)		<i>Glaucidium capense</i> (A. Smith, 1834) (including ssp. <i>capense</i> , <i>etchedecopari</i> , <i>ngamiense</i> , <i>scheffleri</i> )	
				>	<i>Glaucidium albertainum</i> Prigogine, 1983	Species split (HBW/BL only)
				>	<i>Glaucidium castaneum</i> Reichenow, 1893	Species split (HBW/BL only)
<i>Glaucidium castanotum</i> (Blyth, 1852)	II/B	=	<i>Glaucidium castanotum</i> (Blyth, 1852)	=	<i>Glaucidium castanotum</i> (Blyth, 1852)	Spelling correction
<i>Glaucidium gnoma</i> Wagler, 1832	II/B	=	<i>Glaucidium gnoma</i> Wagler, 1832		<i>Glaucidium gnoma</i> Wagler, 1832	
				>	<i>Glaucidium californicum</i> P. L. Sclater, 1857 (including ssp. <i>californicum</i> , <i>grinnelli</i> , <i>pinicola</i> , <i>swarthi</i> )	Species split (HBW/BL only)
				>	<i>Glaucidium cobanense</i> Sharpe, 1875	Species split (HBW/BL only)
				>	<i>Glaucidium hoskinsii</i> Brewster, 1888	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex		H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
N/A	II/B		<i>Glaucidium mooreorum</i> Silva, Coelho & Gonzaga, 2003		<i>Glaucidium mooreorum</i> Silva, Coelho & Gonzaga, 2003	New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Gymnoglaux lawrencii</i> Sclater & Salvin, 1868	II/B	→	<i>Margarobyas lawrencii</i> (Sclater & Salvin, 1868)	→	<i>Margarobyas lawrencii</i> (Sclater & Salvin, 1868)	Generic change
<i>Mimizuku gurneyi</i> (Tweeddale, 1879)	II/B	=	<i>Mimizuku gurneyi</i> (Tweeddale, 1879)	→	<i>Otus gurneyi</i> (Tweeddale, 1879)	Generic change(HBW/ BL only)
<i>Ninox affinis isolata</i> E. C. S. Baker, 1926	II/B	=	<i>Ninox scutulata isolata</i> E. C. S. Baker, 1926	=	<i>Ninox scutulata isolata</i> E. C. S. Baker, 1926	Subspecies transfer
<i>Ninox affinis reximenti</i> Abdulali, 1979	II/B	=	<i>Ninox scutulata reximenti</i> Abdulali, 1979	=	<i>Ninox scutulata reximenti</i> Abdulali, 1979	Subspecies transfer
<i>Ninox boobook</i> (Latham, 1802)	II/B		<i>Ninox boobook</i> (Latham, 1802) (including spp. <i>boobook</i> , <i>cinnamomina</i> , <i>fusca</i> , <i>halmaturina</i> , <i>moae</i> , <i>ocellata</i> , <i>plesseni</i> , <i>pusilla</i> , <i>remigialis</i> , <i>rotiensis</i> , )	=	<i>Ninox boobook</i> (Latham, 1802)	
		>	<i>Ninox lurida</i> De Vis, 1887			Species split (H&M <sub>4</sub> only)
N/A	II/B		<i>Ninox burhani</i> Indrawan & Somadikarta, 2004		<i>Ninox burhani</i> Indrawan & Somadikarta, 2004	New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Ninox jacquinoti</i> (Bonaparte, 1850)	II/B	=	<i>Ninox jacquinoti</i> (Bonaparte, 1850)	>	<i>Ninox jacquinoti</i> (Bonaparte, 1850)	
				>	<i>Ninox granti</i> Sharpe, 1888	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			>	<i>Ninox malitiae</i> Mayr, 1931	Species split (HBW/BL only)
			>	<i>Ninox roseoaxillaris</i> (E. Hartert, 1929)	Species split (HBW/BL only)
N/A	II/B	<i>Ninox leventisi</i> Rasmussen, Allen, Collar, DeMeulemeester, Hutchinson, Jakosalem, Kennedy, Lambert & Paguntalan, 2012		<i>Ninox leventisi</i> Rasmussen, Allen, Collar, DeMeulemeester, Hutchinson,	
<i>Ninox novaeseelandiae</i> (J. F. Gmelin, 1788)	II/B	<i>Ninox novaeseelandiae</i> (J. F. Gmelin, 1788) (including spp. <i>novaeseelandiae</i> , <i>albaria</i> , <i>undulata</i> )		<i>Ninox novaeseelandiae</i> (J. F. Gmelin, 1788) (including spp. <i>novaeseelandiae</i> , <i>albaria</i> , <i>undulata</i> )	
		> <i>Ninox leucopsis</i> (Gould, 1838)	>	<i>Ninox leucopsis</i> (Gould, 1838)	Species split
<i>Ninox philippensis</i> Bonaparte, 1855	II/B	<i>Ninox philippensis</i> Bonaparte, 1855 (including spp. <i>philippensis</i> [syn. <i>proxima</i> ], <i>centralis</i> , <i>ticaoensis</i> )		<i>Ninox philippensis</i> Bonaparte, 1855 (including spp. <i>philippensis</i> [syn. <i>proxima</i> ], <i>centralis</i> , <i>ticaoensis</i> )	
		> <i>Ninox mindorensis</i> Ogilvie-Grant, 1896	>	<i>Ninox mindorensis</i> Ogilvie-Grant, 1896	Species split
		> <i>Ninox reyi</i> Oustalet, 1880	>	<i>Ninox reyi</i> Oustalet, 1880	Species split
		> <i>Ninox spilocephala</i> Tweeddale, 1879	>	<i>Ninox spilocephala</i> Tweeddale, 1879	Species split
		> <i>Ninox spilonotus</i> Bourns & Worcester, 1894 (including spp. <i>spilonotus</i> , <i>fisheri</i> Rasmussen, Allen, Collar, DeMeulemeester, Hutchinson, Jakosalem, Kennedy, Lambert & Paguntalan, 2012)	>	<i>Ninox spilonotus</i> Bourns & Worcester, 1894 (including spp. <i>spilonotus</i> , <i>fisheri</i> Rasmussen, Allen, Collar, DeMeulemeester, Hutchinson, Jakosalem, Kennedy, Lambert & Paguntalan, 2012)	Species split
N/A	II/B	<i>Ninox rumseyi</i> Rasmussen, Allen, Collar, DeMeulemeester, Hutchinson, Jakosalem, Kennedy, Lambert & Paguntalan, 2012		<i>Ninox rumseyi</i> Rasmussen, Allen, Collar, DeMeulemeester, Hutchinson, Jakosalem, Kennedy, Lambert & Paguntalan, 2012	New species

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Ninox scutulata</i> (Raffles, 1822)	II/B	<i>Ninox scutulata</i> (Raffles, 1822) (including spp. <i>scutulata</i> , <i>borneensis</i> , <i>burmanica</i> , <i>hirsuta</i> , <i>isolata</i> , <i>javanensis</i> , <i>lugubris</i> , <i>obscura</i> , <i>palawanensis</i> , <i>reximenti</i> )		<i>Ninox scutulata</i> (Raffles, 1822) (including spp. <i>scutulata</i> , <i>borneensis</i> , <i>burmanica</i> , <i>hirsuta</i> , <i>isolata</i> , <i>javanensis</i> , <i>lugubris</i> , <i>palawanensis</i> , <i>reximenti</i> )	
		> <i>Ninox japonica</i> (Temminck & Schlegel, 1845) (including spp. <i>japonica</i> , <i>florensis</i> , <i>totogo</i> )	>	<i>Ninox japonica</i> (Temminck & Schlegel, 1845) (including spp. <i>japonica</i> , <i>florensis</i> , <i>totogo</i> )	Species split
			>	<i>Ninox obscura</i> Hume, 1872	Species split (HBW/BL only)
		> <i>Ninox randi</i> Deignan, 1951	>	<i>Ninox randi</i> Deignan, 1951	Species split
<i>Ninox squamipila</i> (Bonaparte, 1850)	II/B	<i>Ninox squamipila</i> (Bonaparte, 1850) (including spp. <i>squamipila</i> , <i>hantu</i> )		<i>Ninox squamipila</i> (Bonaparte, 1850)	
		> <i>Ninox forbesi</i> P. L. Sclater, 1883	>	<i>Ninox forbesi</i> P. L. Sclater, 1883	Species split
			>	<i>Ninox hantu</i> (Wallace, 1863)	Species split (HBW/BL only)
		> <i>Ninox hypogramma</i> (G. R. Gray, 1861)	>	<i>Ninox hypogramma</i> (G. R. Gray, 1861)	Species split
<i>Ninox superciliaris</i> Vieillot, 1817	II/B	→ <i>Athene superciliaris</i> Vieillot, 1817)	→	<i>Athene superciliaris</i> Vieillot, 1817)	Generic change
<i>Nyctea scandiaca</i> (Linnaeus, 1758)	II/A	→ <i>Bubo scandiacus</i> (Linnaeus, 1758)	→	<i>Bubo scandiacus</i> (Linnaeus, 1758)	Generic change
<i>Otus albogularis</i> (Cassin, 1849)	II/B	→ <i>Megascops albogularis</i> (Cassin, 1849)	→	<i>Megascops albogularis</i> (Cassin, 1849)	Generic change
<i>Otus asio</i> (Linnaeus, 1758)	II/B	→ <i>Megascops asio</i> (Linnaeus, 1758)	→	<i>Megascops asio</i> (Linnaeus, 1758)	Generic change
<i>Otus atricapilla</i> (Temminck, 1822)	II/B	→ <i>Megascops atricapilla</i> (Temminck, 1822)	→	<i>Megascops atricapilla</i> (Temminck, 1822)	Generic change
<i>Otus bakkamoena</i> Pennant, 1769	II/B	= <i>Otus bakkamoena</i> Pennant, 1769		<i>Otus bakkamoena</i> Pennant, 1769 (including spp. <i>bakkamoena</i> , <i>deserticolor</i> , <i>gangeticus</i> , <i>marathae</i> )	
			>	<i>Otus lempiji</i> (Horsfield, 1821) (including spp. <i>lempiji</i> , <i>cnephaeus</i> , <i>condorensis</i> , <i>hypnoides</i> , <i>kangeanus</i> , <i>lemurum</i> )	Species split (HBW/BL only)
			>	<i>Otus lettia</i> (Hodgson, 1836) (including spp. <i>lettia</i> , <i>erythrocampa</i> , <i>glabripes</i> , <i>plumipes</i> , <i>umbratilis</i> )	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
			>	<i>Otus semitorques</i> Temminck & Schlegel, 1844 (including spp. <i>semitorques</i> , <i>pryeri</i> , <i>ussuriensis</i> )	Species split (HBW/BL only)
<i>Otus barbarus</i> (Sclater & Salvin, 1868)	II/B	→ <i>Megascops barbarus</i> (Sclater & Salvin, 1868)	→	<i>Megascops barbarus</i> (Sclater & Salvin, 1868)	Generic change
<i>Otus clarkii</i> L. & E. H. Kelso, 1935	II/B	→ <i>Megascops clarkii</i> (L. & E. H. Kelso, 1935)	→	<i>Megascops clarkii</i> (L. & E. H. Kelso, 1935)	Generic change
<i>Otus choliba</i> (Vieillot, 1817)	II/B	→ <i>Megascops choliba</i> (Vieillot, 1817)	→	<i>Megascops choliba</i> (Vieillot, 1817)	Generic change
<i>Otus colombianus</i> Traylor, 1952	II/B	→ <i>Megascops colombianus</i> (Traylor, 1952)	→	<i>Megascops colombianus</i> (Traylor, 1952)	Generic change
<i>Otus cooperi</i> (Ridgway, 1878)	II/B	→ <i>Megascops cooperi</i> (Ridgway, 1878)	→	<i>Megascops cooperi</i> (Ridgway, 1878)	Generic change
<i>Otus guatemalae</i> (Sharpe, 1875)	II/B	→ <i>Megascops guatemalae</i> (Sharpe, 1875)	→	<i>Megascops guatemalae</i> (Sharpe, 1875)	Generic change
			>	<i>Megascops vermiculatus</i> Ridgway, 1887 (including spp. <i>vermiculatus</i> , <i>napensis</i> , <i>roraimae</i> )	Generic change and species split
<i>Otus hoyi</i> C. König & Straneck, 1989	II/B	→ <i>Megascops hoyi</i> (C. König & Straneck, 1989)	→	<i>Megascops hoyi</i> (C. König & Straneck, 1989)	Generic change
<i>Otus ingens</i> (Salvin, 1897)	II/B	→ <i>Megascops ingens</i> (Salvin, 1897)	→	<i>Megascops ingens</i> (Salvin, 1897)	Generic change
N/A	II/B			<i>Otus jolandae</i> Sangster, King, Verbelen & Trainor, 2013	New species
<i>Otus kennicottii</i> (Elliot, 1867)	II/B	→ <i>Megascops kennicottii</i> (Elliot, 1867)	→	<i>Megascops kennicottii</i> (Elliot, 1867)	Generic change
<i>Otus koepckeae</i> Hekstra, 1982	II/B	→ <i>Megascops koepckeae</i> (Hekstra, 1982)	→	<i>Megascops koepckeae</i> (Hekstra, 1982)	Generic change
<i>Otus madagascariensis</i> (A. Grandidier, 1867)	II/B	< <i>Otus rutilus</i> (Pucheran, 1849)	<	<i>Otus rutilus</i> (Pucheran, 1849)	Species lump
<i>Otus magicus</i> (S. Müller, 1841)	II/B	= <i>Otus magicus</i> (S. Müller, 1841)		<i>Otus magicus</i> (S. Müller, 1841) (including spp. <i>magicus</i> , <i>albiventris</i> , <i>leucospilus</i> , <i>morotensis</i> , <i>obira</i> )	
			>	<i>Otus mendeni</i> Neumann, 1939	Species split (HBW/BL only)
			>	<i>Otus sulaensis</i> (E. Hartert, 1898)	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex		H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
				>	<i>Otus tempestatis</i> (E. Hartert, 1904)	Species split (HBW/BL only)
<i>Otus magicus kalidupae</i> (E. Hartert, 1903)	II/B	=	<i>Otus magicus kalidupae</i> (E. Hartert, 1903)	=	<i>Otus manadensis kalidupae</i> (E. Hartert, 1903)	Subspecies transfer (HBW/BL only)
<i>Otus magicus siaoensis</i> (Schlegel, 1873)	II/B	=	<i>Otus manadensis siaoensis</i> (Schlegel, 1873)			Subspecies transfer (H&M <sub>4</sub> only)
				>	<i>Otus siaoensis</i> (Schlegel, 1873)	Species split (HBW/BL only)
<i>Otus marshalli</i> Weske & Terborgh, 1981	II/B	→	<i>Megascops marshalli</i> (Weske & Terborgh, 1981)	→	<i>Megascops marshalli</i> (Weske & Terborgh, 1981)	Generic change
<i>Otus nudipes</i> (Daudin, 1800)	II/B	→	<i>Megascops nudipes</i> (Daudin, 1800)	→	<i>Megascops nudipes</i> (Daudin, 1800)	Generic change
<i>Otus petersoni</i> Fitzpatrick & O'Neill, 1986	II/B	→	<i>Megascops petersoni</i> (Fitzpatrick & O'Neill, 1986)	→	<i>Megascops petersoni</i> (Fitzpatrick & O'Neill, 1986)	Generic change
<i>Otus roboratus</i> Bangs & Noble, 1918	II/B	→	<i>Megascops roboratus</i> (Bangs & Noble, 1918)	→	<i>Megascops roboratus</i> (Bangs & Noble, 1918)	Generic change
<i>Otus sanctaecatarinae</i> (Salvin, 1897)	II/B	→	<i>Megascops sanctaecatarinae</i> (Salvin, 1897)	→	<i>Megascops sanctaecatarinae</i> (Salvin, 1897)	Generic change
<i>Otus seductus</i> R. T. Moore, 1941	II/B	→	<i>Megascops seductus</i> (R. T. Moore, 1941)	→	<i>Megascops seductus</i> (R. T. Moore, 1941)	Generic change
<i>Otus senegalensis</i> (Swainson, 1834)	II/B	=	<i>Otus senegalensis</i> (Swainson, 1834)	>	<i>Otus senegalensis</i> (Swainson, 1834)	Species split (HBW/BL only)
				>	<i>Otus feae</i> (Salvadori, 1903)	Species split (HBW/BL only)
				>	<i>Otus pamela</i> Bates, 1937	Species split (HBW/BL only)
				>	<i>Otus socotranus</i> (Ogilvie-Grant & Forbes, 1899)	Species split (HBW/BL only)

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex	H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
N/A	II/B	<i>Otus thilohoffmanni</i> Warakagoda & Rasmussen, 2004		<i>Otus thilohoffmanni</i> Warakagoda & Rasmussen, 2004	New species. Described since H&M <sub>3</sub> but see CoP16 Doc. 43.1 (Rev. 1), Annex 6 (Rev. 1)
<i>Otus trichopsis</i> (Wagler, 1832)	II/B	→ <i>Megascops trichopsis</i> (Wagler, 1832)	→	<i>Megascops trichopsis</i> (Wagler, 1832)	Generic change
<i>Otus umbra</i> (Richmond, 1903)	II/B	= <i>Otus umbra</i> (Richmond, 1903)	>	<i>Otus umbra</i> (Richmond, 1903)	Species split (HBW/BL only)
<i>Otus watsonii</i> (Cassin, 1848)	II/B	→ <i>Megascops watsonii</i> (Cassin, 1849)	→	<i>Megascops watsonii</i> (Cassin, 1849)	Generic change and date correction
<i>Pseudoscops clamator</i> (Vieillot, 1808)	II/B	→ <i>Asio clamator</i> (Vieillot, 1808)	→	<i>Asio clamator</i> (Vieillot, 1808)	Generic change
<i>Strix albitarsis</i> (Bonaparte, 1850)	II/B	→ <i>Ciccaba albitarsis</i> (Bonaparte, 1850)	→	<i>Ciccaba albitarsis</i> (Bonaparte, 1850)	Generic change
<i>Strix aluco</i> Linnaeus, 1758	II/B	= <i>Strix aluco</i> Linnaeus, 1758		<i>Strix aluco</i> Linnaeus, 1758 (including sspp. <i>aluco</i> , <i>biddulphi</i> , <i>harmisi</i> , <i>mauritanica</i> , <i>sanctinicolai</i> , <i>siberiae</i> , <i>sylvatica</i> , <i>willkonskii</i> )	
			>	<i>Strix nivicolum</i> (Blyth, 1845) (including sspp. <i>nivicolum</i> , <i>ma</i> , <i>yamadae</i> )	Species split(HBW/BL only)
N/A	II/B			<i>Strix omanensis</i> Robb, van den Berg & Constantine, 2013	New species (HBW/BL only)
<i>Strix virgata</i> (Cassin, 1849)	II/B	→ <i>Ciccaba virgata</i> (Cassin, 1849)	→	<i>Ciccaba virgata</i> (Cassin, 1849)	Generic change

H&M3 (Dickinson, 2003)	CITES Appendix/EU Annex	H&M4 (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<b>TYTONIDAE</b>					
<i>Phodilus badius</i> (Horsfield, 1821)	II/B	=	<i>Phodilus badius</i> (Horsfield, 1821)	<i>Phodilus badius</i> (Horsfield, 1821) (including spp. <i>badius</i> , <i>arithuxus</i> , <i>parvus</i> , <i>saturatus</i> )	
		>		<i>Phodilus assimilis</i> Hume, 1877 (including spp. <i>assimilis</i> , <i>ripleyi</i> )	Species split (HBW/BL only)
<i>Phodilus prigoginei</i> Schouteden, 1952	II/B	→	<i>Tyto prigoginei</i> (Schouteden, 1952)	= <i>Phodilus prigoginei</i> Schouteden, 1952	Generic change (H&M4 only)
<i>Tyto alba</i> (Scopoli, 1769)	II/A		<i>Tyto alba</i> (Scopoli, 1769) (including spp. <i>alba</i> , <i>bargei</i> , <i>bondi</i> , <i>contempta</i> , <i>detorta</i> , <i>erlangeri</i> , <i>ernesti</i> , <i>furcata</i> , <i>gracilirostris</i> , <i>guatemalae</i> , <i>guttata</i> , <i>hypermetra</i> , <i>insularis</i> , <i>javanica</i> , <i>nigrescens</i> , <i>niveicauda</i> , <i>poensis</i> , <i>pratincola</i> , <i>punctatissima</i> , <i>schmitzi</i> , <i>stertens</i> , <i>thomensis</i> , <i>tuidara</i> , <i>zottae</i> )	= <i>Tyto alba</i> (Scopoli, 1769)	
		>	<i>Tyto delicatula</i> (Gould, 1837) (including spp. <i>delicatula</i> , <i>crassirostris</i> , <i>interposita</i> , <i>meeki</i> , <i>sumbaensis</i> )		Species split (H&M4 only)
		>	<i>Tyto deropstorffi</i> (Hume, 1875)		Species split (H&M4 only)
N/A	II/B			<i>Tyto almae</i> Jönsson, Poulsen, Haryoko, Reeve & Fabre, 2013	New species (HBW/BL only)
<i>Tyto capensis</i> (A. Smith, 1834)	II/B		<i>Tyto capensis</i> (A. Smith, 1834) (including spp. <i>capensis</i> , <i>cameroonensis</i> )	<i>Tyto capensis</i> (A. Smith, 1834) (including spp. <i>capensis</i> , <i>cameroonensis</i> )	
		>	<i>Tyto longimembris</i> (Jerdon, 1839) (including spp. <i>longimembris</i> , <i>amauronota</i> , <i>chinensis</i> [syn. <i>pithecops</i> ], <i>papuensis</i> )	> <i>Tyto longimembris</i> (Jerdon, 1839) (including spp. <i>longimembris</i> , <i>amauronota</i> , <i>chinensis</i> [syn. <i>pithecops</i> ], <i>papuensis</i> )	Species split

H&M <sub>3</sub> (Dickinson, 2003)	CITES Appendix/EU Annex		H&M <sub>4</sub> (Dickinson & Remsen, 2013; Dickinson & Christidis, 2014)		HBW & BirdLife Checklist (del Hoyo & Collar, 2014)	Notes
<i>Tyto manusi</i> Rothschild & Hartert, 1914	II/B	=	<i>Tyto manusi</i> Rothschild & Hartert, 1914	<	<i>Tyto novaehollandiae</i> (Stephens, 1826)	Species lump (HBW/BL only)
<i>Tyto novaehollandiae</i> (Stephens, 1826)	II/B		<i>Tyto novaehollandiae</i> (Stephens, 1826) (including spp. <i>novaehollandiae</i> , <i>calabyi</i> , <i>galei</i> , <i>kimberli</i> , <i>melvillensis</i> )	=	<i>Tyto novaehollandiae</i> (Stephens, 1826)	
		>	<i>Tyto castanops</i> (Gould, 1837)			Species split (H&M <sub>4</sub> only)
<i>Tyto sororcula</i> (P. L. Sclater, 1883)	II/B	=	<i>Tyto sororcula</i> (P. L. Sclater, 1883)	<	<i>Tyto novaehollandiae</i> (Stephens, 1826)	Species lump (HBW/BL only)