

Cambios recomendados en el anexo de la Resolución Conf. 12.11 (Rev. CoP16)

Lista de bibliografía normalizada adoptada por la Conferencia de las Partes en su formato actual

Texto suprimido está ~~tachado~~ y el nuevo texto está subrayado

FAUNA

Mammalia

WILSON, D.E. y REEDER, D.M. (ed.) (2005): *Mammal Species of the World. A Taxonomic and Geographic Reference*. Third edition, Vol. 1-2, xxxv + 2142 pp. Baltimore (John Hopkins University Press). [para todos los mamíferos – a excepción del reconocimiento de los nombres siguientes para las formas silvestres de las especies (se prefieren a los nombres de las formas domesticadas): *Bos gaurus*, *Bos mutus*, *Bubalus arnee*, *Equus africanus*, *Equus przewalskii*, *Ovis orientalis ophion*; y con excepción de las especies mencionadas *infra*]

BEASLEY, I., ROBERTSON, K. M. & ARNOLD, P. W. (2005): Description of a new dolphin, the Australian Snubfin Dolphin, *Orcaella heinsohni* sp. n. (Cetacea, Delphinidae). -- *Marine Mammal Science*, 21(3): 365-400. [para *Orcaella heinsohni*]

~~BOUBLI, J. P., DA SILVA, M. N. F., AMADO, M. V., HRBEK, T., PONTUAL, F. B. & FARIA, I. P. (2008): A taxonomic reassessment of *Cacajao melanocephalus* Humboldt (1811), with the description of two new species. – International Journal of Primatology, 29: 723-741. [para *Cacajao ayresi*, *C. hesomai*]~~

BRANDON-JONES, D., EUDEY, A. A., GEISSMANN, T., GROVES, C. P., MELNICK, D. J., MORALES J. C., SHEKELLE, M. & STEWARD, C.-B. (2004): Asian primate classification. - *International Journal of Primatology*, 25: 97-163. [para *Trachypithecus villosum*]

CABALLERO, S., TRUJILLO, F., VIANNA, J. A., BARRIOS-GARRIDO, H., MONTIEL, M. G., BELTRÁN-PEDREROS, S., MARMONTEL, M., SANTOS, M. C., ROSSI-SANTOS, M. R., SANTOS, F. R. & BAKER, C. S. (2007). Taxonomic status of the genus *Sotalia*: species level ranking for "tucuxi" (*Sotalia fluviatilis*) and "costero" (*Sotalia guianensis*) dolphins. *Marine Mammal Science* 23: 358-386 [para *Sotalia fluviatilis* y *Sotalia guianensis*]

CHARLTON-ROBB, K., GERSHWIN, L.-A., THOMPSON, R., AUSTIN, J., OWEN, K. & McKECHNIE, S. (2011): A new dolphin species, the Burrunan Dolphin *Tursiops australis* sp. nov., endemic to southern Australian coastal waters. - PLoS ONE, 6 (9): e24047. [para *Tursiops australis*]

DALEABOUT, M. L., SCOTT BAKER, C., STEEL, D., THOMPSON, K., ROBERTSON, K. M., CHIVERS, S. J., PERRIN, W. F., GOONATILAKE, M., ANDERSON, C. R., MEAD, J. G., POTTER, C. W., THOMPSON, L., JUPITER, D. and YAMADA, T. K. (2014): Resurrection of *Mesoplodon hotaula* Deraniyagala 1963: A new species of beaked whale in the tropical Indo-Pacific. - *Marine Mammal Science*, 30 (3): 1081-1108. [para *Mesoplodon hotaula*]

DALPONTE, J. C., SILVA, F. E. & SILVA JÚNIOR, J. S. (2014): New species of titi monkey, genus *Callicebus* Thomas, 1903 (Primates, Pitheciidae), from Southern Amazonia, Brazil. - Papéis Avulsos de Zoologia, São Paulo, 54: 457-472. [para *Callicebus miltoni*]

DAVENPORT, T. R. B., STANLEY, W. T., SARGIS, E. J., DE LUCA, D. W., MPUNGA, N. E., MACHAGA, S. J. & OLSON, L. E. (2006): A new genus of African monkey, *Rungwecebus*: Morphology, ecology, and molecular phylogenetics. – *Science*, 312: 1378-1381. [para *Rungwecebus kipunji*]

DEFLER, T. R. & BUENO, M. L. (2007): *Aotus* diversity and the species problem. – *Primate Conservation*, 22: 55-70. [para *Aotus jorgehernandezi*]

DEFLER, T. R., BUENO, M. L. & GARCÍA, J. (2010): *Callicebus caquetensis*: a new and Critically Endangered titi monkey from southern Caquetá, Colombia. – *Primate Conservation*, 25: 1-9. [para *Callicebus caquetensis*]

FERRARI, S. F., GUEDES, P. G., FIGUEIREDO-READY, W. M. B. & BARNETT, A. A. (2014): Reconsidering the taxonomy of the Black-faced Uacaris, *Cacajao melanocephalus* group (Mammalia: Pitheciidae), from the northern Amazon Basin. - *Zootaxa*, **3866** (3): 353-370. [para *Cacajao melanocephalus* and *C. oukary*]

FERRARI, S. F., SENA, L., SCHNEIDER, M. P. C. & JÚNIOR, J. S. S. (2010): Rondon's Marmoset, *Mico rondoni* sp. n., from southwestern Brazilian Amazonia. – *International Journal of Primatology*, 31: 693-714. [para *Mico rondoni*]

GARBINO, T. & SINICIATO, G. (2014): The taxonomic status of *Mico marcai* (Alperin 1993) and *Mico manicorensis* (van Roosmalen et al. 2000) (Cebidae, Callitrichinae) from Southwestern Brazilian Amazonia. - *International Journal of Primatology*, **35** (2): 529-546. [para *Mico manicorensis* confundan con *Mico marcai* tratado como *Callithrix marcai* under CITES]

GEISMANN, T., LWIN, N. , AUNG, S. S., AUNG, T. N., AUNG, Z. M., HLA, T. H., GRINDLEY, M. & MOMBERG, F. (2011): A new species of snub-nosed monkey, genus *Rhinopithecus* Milne-Edwards, 1872 (Primates, Colobinae), from Northern Kachin State, Northeastern Myanmar. – *Amer. J. Primatology*, 73: 96-107. [para *Rhinopithecus strykeri*]

GREGORIN, R. & DE VIVO, M. (2013): Revalidation of *Saguinus ursula* Hoffmannsegg (Primates: Cebidae: Callitrichinae). - *Zootaxa*, **3721** (2): 172-182. [para *Saguinus ursulus*]

GUALDA-BARROS, J., NASCIMENTO, F. O. & AMARAL, M. K. (2012): A new species of *Callicebus* Thomas, 1903 (Primates, Pitheciidae) from the states of Mato Grosso and Pará, Brazil. - *Papéis Avulsos de Zoologia* (São Paulo), **52**: 261-279. [para *Callicebus vieira*]

HART, J.A., DETWILER, K.M., GILBERT, C.C., BURRELL, A.S., FULLER, J.L., EMETSHU, M., HART, T.B., VOSPER, A., SARGIS, E.J. & TOSI, A.J. (2012): Lesula: A new species of *Cercopithecus* monkey endemic to the Democratic Republic of Congo and implications for conservation of Congo's Central Basin. - *PLoS ONE*, **7** (9): e44271. [para *Cercopithecus lomamiensis*]

HRBEK, T., DA SILVA, V. M. F., DUTRA, N., GRAVENA, W., MARTIN, A. R. & FARIA, I. P. (2014): A new species of river dolphin from Brazil or: How little do we know our biodiversity. - *PLoS ONE* **83623**: 1-12. [para *Inia araguaiaensis*]

JEFFERSON, T. A. & ROSENBAUM, H. C. (2014): Taxonomic revision of the humpback dolphins (*Sousa* spp.), and description of a new species from Australia. - *Marine Mammal Science*, **30**(4): 1494-1541. [para *Sousa plumbea* and *S. sahulensis*]

JEFFERSON, T. A. & WANG, J. Y. (2011): Revision of the taxonomy of finless porpoises (genus *Neophocaena*): The existence of two species. - *Journal of Marine Animals and their Ecology*, **4** (1): 3-16. [para *Neophocaena asiaeorientalis*]

MARSH, L.K. (2014): A taxonomic revision of the saki monkeys, *Pithecia* Desmarest, 1804. - *Neotropical Primates*, **21**: 1-163. [para *Pithecia cauzai*, *P. chrysocephala*, *P. hirsuta*, *P. inusta*, *P. isabela*, *P. milleri*, *P. mittermeieri*, *P. napensis*, *P. pissinattii*, *P. rylandsi* und *P. vanzolinii*]

MERCES, M. P., ALFARO, J. W. L., FERREIRA, W. A. S., HARADA, M. L. & JÚNIOR, J. S. S. (2015): Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: *Saimiri sciureus* and *S. collinsi*. - *Molecular Phylogenetics and Evolution*, **82**: 426-435. [para *Saimiri collinsi*]

MERKER, S. & GROVES, C. P. (2006): *Tarsius lariang*: A new primate species from Western Central Sulawesi. – *International Journal of Primatology*, 27(2): 465-485. [para *Tarsius lariang*]

MUNDS, R.A., NEKARIS, K.A.I. & FORD, S.M. (2013): Taxonomy of the bornean slow loris, with new species *Nycticebus kayan* (Primates, Lorisidae). - *American Journal of Primatology*, **75**: 46-56. [para *Nycticebus kayan*]

OLIVEIRA, M. M. DE & LANGGUTH, A. (2006): Rediscovery of Marcgrave's Capuchin Monkey and designation of a neotype for *Simia flava* Schreber, 1774 (Primates, Cebidae). – *Boletim do Museu Nacional do Rio de Janeiro*, N.S., *Zoologia*, 523: 1-16. [para *Cebus flavius*]

RADE SPIEL, U., RATSIMBAZAFY, J. H., RASOLOHARIJAONA, S., RAVELOSON, H., ANDRIAHOLINIRINA, N., RAKOTONDRAVONY, R., RANDRIANARISON, R. M. & RANDRIANAMBININA, B. (2012): First indications of a highland specialist among mouse lemurs (*Microcebus* spp.) and evidence for a new mouse lemur species from eastern Madagascar. - *Primates*, **53**: 157-170. [para *Microcebus gerpi*]

RASOLOARISON, R. M., WEISROCK, D. W., YODER, A. D., RAKOTONDRAVONY, D. & KAPPELER, P. M. [2013]: Two new species of mouse lemurs (Cheirogaleidae: *Microcebus*) from Eastern Madagascar. - *International Journal of Primatology*, **34**: 455-469. [para *Microcebus marohita* and *M. tanosi*]

RICE, D. W., 1998: *Marine Mammals of the World: Systematics and Distribution*, Society of Marine Mammalogy Special Publication Number 4, The Society for Marine Mammalogy, Lawrence, Kansas [para *Physeter macrocephalus* y *Platanista gangetica*]

ROBERTS, T. E., LANIER, H. C., SARGIS, E. J. & OLSON, L. E. (2011): Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. - *Molecular Phylogenetics and Evolution*, **60** (3): 358-372. [para *Tupaia everetti*]

RYLANDS, A. B., GROVES, C. P., MITTERMEIER, R. A., CORTES-ORTIZ, L. & HINES, J. J. (2006): Taxonomy and distributions of Mesoamerican primates. - In: A. ESTRADA, P. GARBER, M. PAVELKA and L. LUECKE (eds), *New Perspectives in the Study of Mesoamerican Primates: Distribution, Ecology, Behavior and Conservation*, pp. 29–79. Springer, New York, USA. [para *Ateles geoffroyi*]

SARGIS, E. J., CAMPBELL, K. K. & OLSON, L. E. (2014): Taxonomic boundaries and craniometric variation in the treeshrews (Scandentia, Tupaiidae) from the Palawan faunal region. - *Journal of Mammalian Evolution*, **21** (1): 111-123. [para *Tupaia palawanensis*]

SHEKELLE, M., GROVES, C., MERKER, S. & SUPRIATNA, J. (2010): *Tarsius tumpara*: A new tarsier species from Siau Island, North Sulawesi. – *Primate Conservation*, 23: 55-64. [para *Tarsius tumpara*]

SINHA, A., DATTA, A., MADHUSUDAN, M. D. & MISHRA, C. (2005): *Macaca munzala*: A new species from western Arunachal Pradesh, northeastern India. – *International Journal of Primatology*, 26(4): 977-989: doi:10.1007/s10764-005-5333-3. [para *Macaca munzala*]

THIELE, D., RAZAFIMAHATRATRA, E. & HAPKE, A. (2013): Discrepant partitioning of genetic diversity in mouse lemurs and dwarf lemurs – biological reality or taxonomic bias? - *Molecular Phylogenetics and Evolution*, **69**: 593-609. [para *Cheirogaleus lavasoensis*]

VAN NGOC THINH, MOOTNICK, A. R., Vu NGOC THANH, NADLER, T. & ROOS, C. (2010): A new species of crested gibbon from the central Annamite mountain range. *Vietnamese Journal of Primatology*, 4: 1-12. [para *Nomascus annamensis*]

WADA, S., OISHI, M. & YAMADA, T. K. (2003): A newly discovered species of living baleen whales. – *Nature*, 426: 278-281. [para *Balaenoptera omurai*]

WALLACE, R. B., GÓMEZ, H., FELTON, A. & FELTON, A. (2006): On a new species of titi monkey, genus *Callicebus* Thomas (Primates, Pitheciidae), from western Bolivia with preliminary notes on distribution and abundance. – *Primate Conservation*, 20: 29-39. [para *Callicebus aureipalatii*]

WILSON, D. E. & REEDER, D. M. (1993): *Mammal Species of the World: a Taxonomic and Geographic Reference*. Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press). [para *Loxodonta africana*, *Puma concolor*, *Lama guanicoe* y *Ovis vignei*]

Aves

MORONY, J. J., BOCK, W. J. & FARRAND, J., Jr. (1975): [Reference List of the Birds of the World](#). American Museum of Natural History. 207 pp. [para nombres de aves a nivel de orden y familia]

DICKINSON, E. C. (ed.) (2003): *The Howard and Moore Complete Checklist of the Birds of the World*. Revised and enlarged 3rd Edition. 1039 pp. London (Christopher Helm) [para todas las especies de aves – menos los taxones mencionados a continuación y para *Lophura imperialis*, cuyos especímenes deberán ser considerados como especímenes de *L. edwardsii*]"]

DICKINSON, E. C. (2005): [Corrigenda 4 \(02.06.2005\) to Howard & Moore Edition 3 \(2003\)](#) [para todas las especies de aves – excepto para los taxones precipitados]

ARNDT, T. (2008): Anmerkungen zu einigen *Pyrrhura*-Formen mit der Beschreibung einer neuen Art und zweier neuer Unterarten. – *Papageien*, 8: 278-286. [para *Pyrrhura parvifrons*]

COETZER, W.G., DOWNS, C.T., PERRIN, M.R. & WILLOWS-MUNRO, S. (2015): Molecular Systematics of the Cape Parrot (*Poicephalus robustus*). Implications for Taxonomy and Conservation. -- *PLoS ONE*, 10(8):e0133376. doi: 10.1371/journal.pone.0133376. [para *Poicephalus robustus* and *Poicephalus fuscicollis*]

COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), *Handbook of the Birds of the World*, 4 (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions). [para *Psittacula intermedia* y *Trichoglossus haematodus*]

COLLAR, N. J. (2006): A partial revision of the Asian babblers (Timaliidae). – *Forktail*, 22: 85-112. [para *Garrulax taewanus*]

CORTÉS-DIAGO, A., ORTEGA, L. A., MAZARIEGOS-HURTADO, L. & WELLER, A.-A. (2007): Una nueva especie de *Eriocnemis* (Trochilidae) del suroeste de Colombia. -- *Ornitología Neotropical*, 18: 161-170. [para *Eriocnemis isabellae*]

DA SILVA, J. M. C., COELHO, G. & GONZAGA, P. (2002): Discovered on the brink of extinction: a new species of pygmy owl (Strigidae: *Glaucidium*) from Atlantic forest of northeastern Brazil. – *Ararajuba*, 10(2): 123-130. [para *Glaucidium mooreorum*]

GABAN-LIMA, R., RAPOSO, M. A. & HOFLING, E. (2002): Description of a new species of *Pionopsitta* (Aves: Psittacidae) endemic to Brazil. – *Auk*, 119: 815-819. [para *Pionopsitta aurantiocephala*]

INDRAWAN, M. & SOMADIKARTA, S. (2004): A new hawk-owl from the Togian Islands, Gulf of Tomini, central Sulawesi, Indonesia. -- *Bulletin of the British Ornithologists' Club*, 124: 160-171. [para *Ninox burhani*]

NEMESIO, A. & RASMUSSEN, C. (2009): The rediscovery of Buffon's "Guarouba" or "Perriche jaune": two senior synonyms of *Aratinga pictoi* SILVEIRA, LIMA & HÖFLING, 2005 (Aves: Psittaciformes). – *Zootaxa*, 2013: 1-16. [para *Aratinga maculata*]

OLMOS, F., SILVA, W. A. G. & ALBANO, C. (2005): Grey-breasted Conure *Pyrrhura griseipectus*, an overlooked endangered species. - *Cotinga*, 24: 77-83. [para *Pyrrhura griseipectus*]

PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds. - *Bull. Brit. Orn. Club*, 126: 242-244. [para *Chlorostilbon lucidus*, *Forpus modestus*]

PARRY, S. J., CLARK, W. S. & PRAKASH, V. (2002) On the taxonomic status of the Indian Spotted Eagle *Aquila hastata*. – *Ibis*, 144: 665-675. [para *Aquila hastata*]

PIACENTINI, V. Q., ALEIXO, A. & SILVEIRA, L. F. (2009): Hybrid, subspecies or species? The validity and taxonomic status of *Phaethornis longuemareus aethopyga* Zimmer, 1950 (Trochilidae). - *Auk*, 126: 604-612. [para *Phaethornis aethopyga*]

PORTER, R. F. & KIRWAN, G. M. (2010): Studies of Socotran birds VI. The taxonomic status of the Socotra Buzzard. – *Bulletin of the British Ornithologists' Club*, 130 (2): 116–131. [para *Buteo socotraensis*]

ROSELAAR, C. S. & MICHELS, J. P. (2004): Nomenclatural chaos untangled, resulting in the naming of the formally undescribed *Cacatua* species from the Tanimbar Islands, Indonesia (Psittaciformes: Cacatuidae). -- *Zoologische Verhandelingen*, 350: 183-196. [para *Cacatua goffiniana*]

WARAKAGODA, D. H. & RASMUSSEN, P. C. (2004): A new species of scops-owl from Sri Lanka. – *Bulletin of the British Ornithologists' Club*, 124(2): 85-105. [para *Otus thilohoffmanni*]

WHITTAKER, A. (2002): A new species of forest-falcon (Falconidae: *Micrastur*) from southeastern Amazonia and the Atlantic rainforests of Brazil. – *Wilson Bulletin*, 114: 421-445. [para *Micrastur mintoni*]

Reptilia

ANDREONE, F., MATTIOLI, F., JESU, R. & RANDRIANIRINA, J. E. (2001): Two new chameleons of the genus *Calumma* from north-east Madagascar, with observations on hemipenial morphology in the *Calumma tigrifrons* group (Reptilia, Squamata, Chamaeleonidae). – *Herpetological Journal*, 11: 53-68. [para *Calumma vatosea* y *Calumma vencesi*]

AVILA PIRES, T. C. S. (1995): Lizards of Brazilian Amazonia (Reptilia: Squamata). – *Zoologische Verhandelingen*, 299: 706 pp. [para *Tupinambis*]

BAREJ, M. F., INEICH, I., GVOŽDIK, V., LHERMITTE-VALLARINO, N., GONWOUO, N. L., LEBRETON, M., BOTT, U. & SCHMITZ, A. (2010): Insights into chameleons of the genus *Trioceros* (Squamata: Chamaeleonidae) in Cameroon, with the resurrection of *Chamaeleo serratus* Mortens, 1922. – *Bonn zool. Bull.*, 57(2): 211-229. [para *Trioceros perrotii*, *Trioceros serratus*]

BERGHOF, H. P. & TRAUTMANN, G. (2009): Eine neue Art der Gattung *Phelsuma* Gray, 1825 (Sauria: Gekkonidae) von der Ostküste Madagaskars. – *Sauria*, 31 (1): 5-14. [para *Phelsuma hoehni*]

BÖHLE, A. & SCHÖNECKER, P. (2003): Eine neue Art der Gattung *Uroplatus* Duméril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). – *Salamandra*, 39(3/4): 129-138. [para *Uroplatus pietschmanni*]

BÖHME, W. (1997): Eine neue Chamäleon-Art aus der *Calumma gastrotaenia* – Verwandtschaft Ost-Madagaskars – *Herpetofauna* (Weinstadt), 19 (107): 5-10. [para *Calumma glawi*]

BÖHME, W. (2003): Checklist of the living monitor lizards of the world (family Varanidae) – *Zoologische Verhandelingen*. Leiden, 341: 1-43. [para Varanidae]

BÖHME, W., EHRLICH, K., MILTO, K. D., ORLOV, N. & SCHOLZ, S. (2015): A new species of desert monitor lizard (Varanidae: *Varanus: Psammosaurus*) from the western Zagros region (Iraq, Iran). - *Russian Journal of Herpetology*, 22 (1): 41-52. [para *Varanus nesterovi*]

~~BRANCH, W. R. & TOLLEY, K. A. (2010): A new species of chameleon (Sauria: Chamaeleonidae: Nadzikambia) from Mount Mabu, central Mozambique. – Afr. J. Herpetology, 59(2): 157-172. doi: 10.1080/21564574.2010.516275. [para Nadzikambia baylissi]~~

~~BRANCH, W. R. (2007): A new species of tortoise of the genus *Homopus* (Chelonia: Testudinidae) from southern Namibia. – African Journal of Herpetology, 56(1): 1-21. [para *Homopus solus*]~~

~~BRANCH, W. R., TOLLEY, K. A. & TILBURY, C. R. (2006): A new Dwarf Chameleon (Sauria: *Bradypteron* Fitzinger, 1843) from the Cape Fold Mountains, South Africa. – African Journal Herpetology, 55(2): 123-141. [para *Bradypteron atromontanum*]~~

~~BROADLEY, D. G. (1999): The southern African python, *Python natalensis* A. Smith 1840, is a valid species. – African Herp News 29: 31-32. [para *Python natalensis*]~~

~~BROADLEY, D. G. (2006): *CITES Standard reference for the species of Cordylus* (Cordylidae, Reptilia) preparada a petición del Comité de Nomenclatura de la CITES [para *Cordylus*]~~

~~BURTON, F. J. (2004): [Revision to Species *Cyclura nubila lewisi*, the Grand Cayman Blue Iguana](#) – Caribbean Journal of Science, 40(2): 198-203. [para *Cyclura lewisi*]~~

~~CEI, J. M. (1993): *Reptiles del noroeste, nordeste y este de la Argentina – herpetofauna de las selvas subtropicales, Puna y Pampa* – Monografie XIV, Museo Regionale di Scienze Naturali. [para *Tupinambis*]~~

~~COLLI, G. R., PÉRES, A. K. & DA CUNHA, H. J. (1998): A new species of *Tupinambis* (Squamata: Teiidae) from central Brazil, with an analysis of morphological and genetic variation in the genus. – Herpetologica 54: 477-492. [para *Tupinambis cerradensis*]~~

~~CROTTINI, A., GEHRING, P. S., GLAW, F., HARRIS, D. J., LIMA, A. & VENCES, M. (2011): Deciphering the cryptic species diversity of dull-coloured day geckos *Phelsuma* (Squamata: Gekkonidae) from Madagascar, with description of a new species. – Zootaxa, 2982: 40-48. [para *Phelsuma gouldi*]~~

~~CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus *Tropidophis* Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). – HerpetologicalMonographs, 26 (1): 80-121. [para *Tropidophis grapiuna* and *Tropidophis precious*]~~

~~DIRKSEN, L. (2002): Anakondas. NTV Wissenschaft. [para *Eunectes beniensis*]~~

~~DOMÍNGUEZ, M., MORENO, L. V. & HEDGES, S. B. (2006): A new snake of the genus *Tropidophis* (Tropidophiidae) from the Guanahacabibes Peninsula of Western Cuba. – Amphibia-Reptilia, 27 (3): 427-432. [para *Tropidophis xanthogaster*]~~

~~DOUGHTY, P., KEALLEY, L., FITCH, A. & DONNELLAN, S. C. (2014): A new diminutive species of *Varanus* from the Dampier Peninsula, western Kimberley region, Western Australia. – Records of the Western Australian Museum, 29: 128–140. [para *Varanus sparnus*]~~

~~ENNEN, J. R., LOVICH, J. E., KREISER, B. R., SELMAN, W. & QUALLS, C. P. (2010): Genetic and morphological variation between populations of the Pascagoula Map Turtle (*Graptemys gibbonsi*) in the Pearl and Pascagoula Rivers with description of a new species. – Chelonian Conservation and Biology, 9(1): 98-113. [para *Graptemys pearlensis*]~~

~~FITZGERALD, L. A., COOK, J. A. & LUZ AQUINO, A. (1999): Molecular Phylogenetics and Conservation of *Tupinambis* (Sauria: Teiidae). – Copeia, 4: 894-905. [para *Tupinambis dusonii*]~~

~~FRITZ, U., GUICKING, D., AUER, M., SOMMER, R. S., WINK, M. & HUNDSDÖRFER, A. K. (2008): Diversity of the Southeast Asian leaf turtle genus *Cyclemys*: how many leaves on its tree of life? – Zoologica Scripta, 37: 367-390. [para *Cyclemys enigmatica*, *Cyclemys fusca*, *Cyclemys gemeli*, *Cyclemys oldhamii*]~~

~~FRITZ, U. & HAVAŠ, P. (2007): Checklist of Chelonians of the World. – Vertebrate Zoology, 57(2): 149-368. Dresden. ISSN 1864-5755 [sin su apéndice; para Testudines, para los nombres de especie y de familia – con excepción del mantenimiento de los siguientes nombres: *Mauremys iversoni*, *Mauremys pritchardi*, *Ocadia glyphistoma*, *Ocadia philippensi*, *Sacalia pseudocellata*]~~

~~GEHRING, P. S., PABIJAN, M., RATSOAVINA, F. M., KÖHLER, J., VENCES, M. & GLAW, F. (2010): A Tarzan yell for conservation: a new chameleon, *Calumma tarzan* sp. n., proposed as a flagship species for the creation of new nature reserves in Madagascar. – Salamandra, 46(3): 167-179. [para *Calumma tarzan*]~~

~~GEHRING, P. S., RATSOAVINA, F. M., VENCES, M. & GLAW, F. (2011): *Calumma voibola*, a new chameleon species (Squamata: Chamaeleonidae) from the littoral forests of eastern Madagascar. – Afr. J. Herpetology, 60(2): 130-154. [para *Calumma voibola*]~~

GENTILE, G. & SNELL, H. (2009): *Conolophus marthae* sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago. – Zootaxa, 2201: 1-10. [para *Conolophus marthae*]

GLAW, F. (2015): Taxonomic checklist of chamaeleons (Squamata: Chamaeleonidae). -- Vertebrate Zoology, 65(2): 167-246. (http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/01_vertebrate_zoology_65-2_glaw_167-246.pdf) [para Chamaeleonidae]

GLAW, F., GEHRING, P.-S., KÖHLER, J., FRANZEN, M. & VENCES, M. (2010): A new dwarf species of day gecko, genus *Phelsuma*, from the Ankarana pinnacle karst in northern Madagascar. – Salamandra, 46: 83-92. [para *Phelsuma roesleri*]

GLAW, F., KÖHLER, J. & VENCES, M. (2009a): A new species of cryptically coloured day gecko (*Phelsuma*) from the Tsingy de Bemaraha National Park in western Madagascar. – Zootaxa, 2195: 61-68. [para *Phelsuma bora*]

GLAW, F., KÖHLER, J. & VENCES, M. (2009b): A distinctive new species of chameleon of the genus *Furcifer* (Squamata: Chamaeleonidae) from the Montagne d'Ambre rainforest of northern Madagascar. – Zootaxa, 2269: 32-42. [para *Phelsuma timori*]

GLAW, F., KOSUCH, J., HENKEL, W. F., SOUND, P. AND BÖHME, W. (2006): Genetic and morphological variation of the leaf-tailed gecko *Uroplatus fimbriatus* from Madagascar, with description of a new giant species. – Salamandra, 42: 129-144. [para *Uroplatus giganteus*]

GLAW, F. & RÖSLER, H. (2015): Taxonomic checklist of the day geckos of the genera *Phelsuma* Gray, 1825 and *Rhoptropella* Hewitt, 1937 (Squamata: Gekkonidae). -- Vertebrate Zoology, 65(2): 167-246) (http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/02_vertebrate_zoology_65-2_glaw-roesler_247-283.pdf) [para *Phelsuma* spp. and *Rhoptropella* spp.]

GLAW, F. & M. Vences (2007): *A field guide to the amphibians and reptiles of Madagascar*, third edition. Vences & Glaw Verlag, 496 pp. [para *Calumma ambroënsis*]

GLAW, F., VENCES, M., ZIEGLER, T., BÖHME, W. & KÖHLER, J. 1999. Specific distinctiveness and biogeography of the dwarf chameleons *Brookesia minima*, *B. peyrierasi* and *B. tuberculata* (Reptilia: Chamaeleonidae): evidence from hemipenial and external morphology. – J. Zool. Lond. 247: 225-238. [para *Brookesia peyrierasi*, *B. tuberculata*]

GREENBAUM, E., STANLEY, E. L., KUSAMBA, C., MONINGA, W. M., GOLDBERG, S. R. & CHA (2012): A new species of *Cordylus* (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. – African Journal of Herpetology, 61 (1): 14-39. [para *Cordylus marunguensis*]

HALLMANN, G., KRÜGER, J. & TRAUTMANN, G. (2008). *Faszinierende Taggeckos. Die Gattung Phelsuma*. 2. überarbeitete und erweiterte Auflage, 253 pp., Münster (Natur und Tier – Verlag). ISBN 978-3-86659-059-5. [para *Phelsuma* spp., no obstante, con el mantenimiento de *Phelsuma ocellata*]

HARVEY, M. B., BARKER, D. B., AMMERMAN, L. K. & CHIPPINDALE, P. T. (2000): Systematics of pythons of the *Morelia amethistina* complex (Serpentes: Boidae) with the description of three new species – *Herpetological Monographs*, 14: 139-185. [para *Morelia clastolepis*, *Morelia nauta* y *Morelia tracyae*, y elevación a nivel de especie de *Morelia kinghorni*]

HARVEY, M. B., UGUETO, G. N. & GUTBERLET, R. L. JR. (2012): Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). – Zootaxa, 3459: 1-156. [para Teiidae]

HAY, J. M., SARRE, S. D., LAMBERT, D. M., ALLENDORF, F. W. & DAUGHERTY, C. H. (2010): Genetic diversity and taxonomy: a reassessment of species designation in tuatara (*Sphenodon*: Reptilia). - Conservation Genetics, 11 (93): 1063-1081. [para *Sphenodon* spp.]

HEDGES, S.B. (2002): Morphological variation and the definition of species in the snake genus *Tropidophis* (Serpentes, Tropidophiidae). - Bulletin of the Natural History Museum, London (Zoology), 68 (2): 83-90. [para *Tropidophis* spp.]

HEDGES, B. S. & GARRIDO, O. (1999): *A new snake of the genus Tropidophis* (Tropidophiidae) from central Cuba – Journal of Herpetology, 33: 436-441. [para *Tropidophis spiritus*]

HEDGES, B. S. & GARRIDO, O. (2002): *A new snake of the genus Tropidophis* (Tropidophiidae) from Eastern Cuba – Journal of Herpetology, 36:157-161. [para *Tropidophis hendersoni*]

HEDGES, B. S., ESTRADA, A. R. & DIAZ, L. M. (1999): *New snake (Tropidophis)* from western Cuba – Copeia 1999(2): 376-381. [para *Tropidophis celiae*]

HEDGES, B. S., GARRIDO, O. & DIAZ, L. M. (2001): *A new banded snake of the genus Tropidophis* (Tropidophiidae) from north-central Cuba – Journal of Herpetology, 35: 615-617. [para *Tropidophis morenoi*]

HENDERSON, R. W., PASSOS, P. & FEITOSA, D. (2009); Geographic variation in the Emerald Treeboa, *Corallus caninus* (Squamata: Boidae). – Copeia, 2009 (3): 572-582. [para *Corallus batesii*]

HOLLINGSWORTH, B. D. (2004): The Evolution of Iguanas: An Overview of Relationships and a Checklist of Species. pp. 19-44. In: Alberts, A. C., Carter, R. L., Hayes, W. K. & Martins, E. P. (Eds), *Iguanas: Biology and Conservation*. Berkeley (University of California Press). [para Iguanidae, excepto para el reconocimiento de *Brachylophus bulabula*, *Phrynosoma blainvillii*, *P. cerroense* y *P. wigginsi* como especies válidas]

JACOBS, H. J., AULIYA, M. & BÖHME, W. (2009): Zur Taxonomie des Dunklen Tigerpythons, *Python molurus bivittatus* KUHL, 1820, speziell der Population von Sulawesi. – Sauria, 31: 5-16. [para *Python bivittatus*]

JESU, R., MATTIOLI, F. & SCHIMENTI, G. (1999): On the discovery of a new large chameleon inhabiting the limestone outcrops of western Madagascar. *Furcifer nicosiai* sp. nov. (Reptilia, Chamaeleonidae). – Doriana 7(311): 1-14. [para *Furcifer nicosiai*]

KEOGH, J. S., BARKER, D. G. & SHINE, R. 2001. Heavily exploited but poorly known: systematics and biogeography of commercially harvested pythons (*Python curtus* group) in Southeast Asia – *Biological Journal of the Linnean Society*, 73: 113-129. [para *Python breitensteini* y *Python brongersmai*]

KEOGH, J. S., EDWARDS, D. L., FISHER, R. N. & HARLOW, P. S. (2008): Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. – *Phil. Trans. R. Soc. B*, 363(1508): 3413-3426. [para *Brachylophus bulabula*]

KINDLER, C., BRANCH, W. R., HOFMEYR, M. D., MARAN, J., ŠIROKÝ, P., VENCES, M., HARVEY, J., HAUSWALDT, J. S., SCHLEICHER, A., STUCKAS, H. & FRITZ, U. (2012): Molecular phylogeny of African hinge-back tortoises (*Kinixys*): implications for phylogeography and taxonomy (Testudines: Testudinidae). - *Journal of Zoological Systematics and Evolutionary Research*, 50: 192–201. [para *Kinixysogueyi* and *Kinixys zombensis*]

KLAVER, C. J. J. & BÖHME, W. (1997): *Chamaeleonidae* – Das Tierreich, 112, 85 pp. [para *Bradypodion*, *Brookesia*, *Calumma*, *Chamaeleo* y *Furcifer* excepto para las especies *Bradypodion* cambiadas por *Kinyongia* y *Nadzikambia*, y excepto para el reconocimiento de *Calumma andringitaensis*, *C. guillaumeti*, *C. hilleniusi* y *C. marojezensis* como especies válidas]

KLUGE, A.G. (1983): Cladistic relationships among gekkonid lizards. – Copeia, 1983 (no. 2): 465-475. [para *Nactus serpensinsula*]

KOCH, A., AULIYA, M. & ZIEGLER, T. (2010): Updated Checklist of the living monitor lizards of the world (Squamata: Varanidae). - *Bonn zool. Bull.*, 57(2): 127-136. [para Varanidae]

KOCH, A., GAULKE, M. & BÖHME, W. (2010): Unravelling the underestimated diversity of Philippine water monitor lizards (Squamata: *Varanus salvator* complex), with the description of two new species and a new subspecies. - *Zootaxa*, 2446: 1–54. [para *Varanus samarensis*]

KRAUSE, P. & BÖHME, W. (2010): A new chameleon of the *Trioceros bitaeniatus* complex from Mt. Hanang, Tanzania, East Africa (Squamata, Chamaeleonidae). – *Bonn Zoological Bulletin*, 57: 19-29. [para *Trioceros hanangensis*]

LANZA, B. & NISTRI, A. (2005): Somali Boidae (genus *Eryx* Daudin 1803) and Pythonidae (genus *Python* Daudin 1803) (Reptilia Serpentes). – *Tropical Zoology*, 18 (1): 67-136. [para *Eryx borri*]

LUTZMANN, N. & LUTZMANN, H. (2004): Das grammatischen Geschlecht der Gattung *Calumma* (Chamaeleonidae) und die nötigen Anpassungen einiger Art- und Unterartbezeichnungen. – *Reptilia* (Münster) 9(4): 4-5 (Addendum in issue 5: 13). [para *Calumma cucullatum*, *Calumma nasutum*]

MANZANI, P. R. & ABE, A. S. (1997): A new species of *Tupinambis* Daudin, 1802 (Squamata, Teiidae) from central Brazil – *Boletim do Museu Nacional Nov. Ser. Zool.*, 382: 1-10. [para *Tupinambis quadrilineatus*]

MANZANI, P. R. & ABE, A. S. (2002): A new species of *Tupinambis* Daudin, 1803 from southeastern Brazil – *Arquivos do Museu Nacional, Rio de Janeiro*, 60(4): 295-302. [para *Tupinambis palustris*]

MARIAUX, J., LUTZMANN, N. & STIPALA, J. (2008): The two-horned chameleons of East Africa. – *Zoological Journal Linnean Society*, 152: 367-391. [para *Kinyongia vosseleri*, *Kinyongia boehmei*]

MARYAN, B., OLIVER, P. M., FITCH, A. J. & O'CONNELL, M. (2014): Molecular and morphological assessment of *Varanus pilbarensis* (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. - *Zootaxa*, 3768 (2): 139–158. [para *Varanus hamersleyensis*]

MASSARY, J.-C. DE & HOOGMOED, M. (2001): [The valid name for *Crocodilurus lacertinus auctorum* \(nec Daudin, 1802\) \(Squamata: Teiidae\)](#) – *Journal of Herpetology*, 35: 353-357. [para *Crocodilurus amazonicus*]

MCCRANIE, J. R. (2015): A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. -- *Zootaxa*, 3931 (3): 352–386. [para *Micrurus ruatanus*]

McDIARMID, R. W., CAMPBELL, J. A. & TOURÉ, T. A. (1999): *Snake Species of the World. A Taxonomic and Geographic Reference*. Volume 1, Washington, DC. (The Herpetologists' League). [para Loxocemidae, Pythonidae, Boidae, Bolyeriidae, Tropidophiidae y Viperidae – excepto para el mantenimiento de los géneros *Acrantophis*, *Sanzinia*, *Calabaria* y *Lichenura* y el reconocimiento de *Epicrates maurus* y *Tropidophis xanthogaster* como especies válidas]

MENECON, M., TOLLEY, K. A., JONES, T., ROVERO, F., MARSHALL, A. R. & TILBURY, C. R. (2009): A new species of chameleon (Sauria: Chamaeleonidae: *Kinyongia*) from the Magombera forest and the Udzungwa Mountains National Park, Tanzania. – *African Journal of Herpetology*, 58(2): 59–70. [para *Kinyongia magomberae*]

MONTANUCCI, R.R. (2004): Geographic variation in *Phrynosoma coronatum* (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. – *Herpetologica*, 60: 117. [para *Phrynosoma blainvillii*, *Phrynosoma cerroense*, *Phrynosoma wigginsi*]

MURPHY, R. W., BERRY, K. H., EDWARDS, T., LEVITON, A. E., LATHROP, A. & RIEDLE, J. D. (2011): The dazed and confused identity of Agassiz's land tortoise, *Gopherus agassizii* (Testudines, Testudinidae) with the description of a new species, and its consequences for conservation. – *Zookeys*, 113: 39-71. [para *Gopherus morafkai*]

NECAS, P. [2009]: Ein neues Chamäleon der Gattung *Kinyongia* Tilbury, Tolley & Branch 2006 aus den Poroto-Bergen, Süd-Tansania (Reptilia: Sauria: Chamaeleonidae). – *Sauria*, 31 (2): 41-48. [para *Kinyongia vanhooyeni*]

NECAS, P., MODRY, D. & SLAPETA, J. R. (2003): *Chamaeleo (Triceros) narraioca* n. sp. (Reptilia Chamaeleonidae), a new chameleon species from a relict montane forest of Mount Kulal, northern Kenya. – *Tropical Zool.*, 16:1-12. [para *Chamaeleo narraioca*]

NECAS, P., MODRY, D. & SLAPETA, J. R. (2005): *Chamaeleo (Triceros) ntunto* n. sp. a new chameleon species from Mt. Nyiru, northern Kenya (Squamata: Sauria: Chamaeleonidae). – *Herpetozoa*, 18/3/4): 125-132. [para *Chamaeleo ntunto*]

NECAS, P., SINDACO, R., KOŘENÝ, L., KOPEČNÁ, J., MALONZA, P. K. & MODRY, D. (2009): *Kinyongia asheorum* sp. n., a new montane chameleon from the Nyiro Range, northern Kenya (Squamata: Chamaeleonidae). – *Zootaxa*, 2028: 41-50. [para *Kinyongia asheorum*]

NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. – *Molecular Phylogenetics and Evolution*, 59 (1): 1-22. [para *Dactylocnemis* spp., *Hoplodactylus* spp., *Mokopirirakau* spp., *Naultinus* spp., *Toropuku* spp., *Tukutuku* spp. and *Woodworthia* spp.]

OLSON, S.L. & DAVID, N. (2014): The gender of the tortoise genus *Chelonoidis* Fitzinger, 1835 (Testudines: Testudinidae). -- *Proceedings of the Biological Society of Washington*, 126(4): 393-394. [para corrección ortográfica de *Chelonoidis carbonarius*, *C. denticulatus* and *C. niger*].

PASSOS, P. & FERNANDES, R. (2008): Revision of the *Epicrates cenchria* complex (Serpentes: Boidae). – *Herpetol. Monographs*, 22: 1-30. [para *Epicrates crassus*, *E. assisi*, *E. alvarezi*]

POUGH, F. H., ANDREWS, R. M., CADLE, J. E., CRUMP, M. L., SAVITZKY, A. H. & WELLS, K. D. (1998): *Herpetology*. Upper Saddle River/New Jersey (Prentice Hall). [para la delimitación de las familias en los saurios]

PRASCHAG, P., HUNSDÖRFER, A. K. & FRITZ, U. (2007): Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: *Batagur*, *Callagur*, *Hardella*, *Kachuga*, *Pangshura*). -- *Zoologica Scripta*, 36: 429-442. [para *Batagur borneoensis*, *Batagur dhongoka*, *Batagur kachuga*, *Batagur trivittata*]

PRASCHAG, P., HUNSDÖRFER, A.K., REZA, A.H.M.A. & FRITZ, U. (2007): Genetic evidence for wild-living *Aspideretes nigricans* and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: *Aspideretes*, *Nilssonia*). - *Zoologica Scripta*, 36:301-310. [para *Nilssonia gangeticus*, *N. hurum*, *N. nigricans*]

PRASCHAG, P., SOMMER, R. S., MCCARTHY, C., GEMEL, R. & FRITZ, U. (2008): Naming one of the world's rarest chelonians, the southern Batagur. – *Zootaxa*, 1758: 61-68. [para *Batagur affinis*]

PRASCHAG, P., STUCKAS, H., PÄCKERT, M., MARAN, J. & FRITZ, U. (2011): Mitochondrial DNA sequences suggest a revised taxonomy of Asian flapshell turtles (*Lissemys* Smith, 1931) and the validity of previously unrecognized taxa (Testudines: Trionychidae). – *Vertebrate Zoology*, 61(1): 147-160. [para *Lissemys ceylonensis*]

RATSOAVINA, F.M., LOUIS JR., E.E., CROTTINI, A., RANDRIANIAINA, R.-D., GLAW, F. & VENCES, M. (2011): A new leaf tailed gecko species from northern Madagascar with a preliminary assessment of molecular and morphological variability in the *Uroplatus ebenaui* group. – Zootaxa, 3022: 39-57. [para *Uroplatus finiavana*]

RAW, L. & BROTHERS, D. J. (2008): Redescription of the South African dwarf chameleon, *Bradypodion nemorale* Raw 1978 (Sauria: Chamaeleonidae), and description of two new species. – ZooNova 1 (1): 1-7. [para *Bradypodion caeruleogula*, *Bradypodion nkandiae*]

RAXWORTHY, C.J. & NUSSBAUM, R.A. (2006): Six new species of Occipital Loped *Calumma* Chameleons (Squamata: Chamaeleonidae) from Montane Regions of Madagascar, with a New Description and Revision of *Calumma brevicorne*. – Copeia, 4: 711-734. [para *Calumma amber*, *Calumma brevicorne*, *Calumma crypticum*, *Calumma hafaifa*, *Calumma johy*, *Calumma politorum*, *Calumma tsycorno*]

RAXWORTHY, C.J. (2003): Introduction to the reptiles. – In: Goodman, S.M. & Bernstead, J.P. (eds.), The natural history of Madagascar, : 934-949. Chicago. [para *Uroplatus* spp.]

RAXWORTHY, C.J., PEARSON, R.G., ZIMKUS, B.M., REDDY, S., DEO, A.J., NUSSBAUM, R.A. & INGRAM, C.M. (2008): Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the *Uroplatus* leaf-tailed gecko radiation of Madagascar. Journal of Zoology 275: 423–440. [para *Uroplatus sameiti*]

ROCHA, S., RÖSLER, H., GEHRING, P.-S., GLAW, F., POSADA, D., HARRIS, D. J. & VENCES, M. (2010): Phylogenetic systematics of day geckos, genus *Phelsuma*, based on molecular and morphological data (Squamata: Gekkonidae). – Zootaxa, 2429: 1-28. [para *Phelsuma dorsovittata*, *P. parva*]

SCHLEIP, W. D. (2008): Revision of the genus *Leiopython* Hubrecht 1879 (Serpentes: Pythonidae) with the redescription of taxa recently described by Hoser (2000) and the description of new species. – Journal of Herpetology, 42(4): 645–667. [para *Leiopython bennettorum*, *L. biakensis*, *L. fredparkeri*, *L. hoserae*]

SLOWINSKI, J. B. & WÜSTER, W. (2000): A new cobra (Elapidae: *Naja*) from Myanmar (Burma) – Herpetologica, 56: 257-270. [para *Naja mandalayensis*]

SMITH, H. M., CHISZAR, D., TEPEDELEN, K. & VAN BREUKELLEN, F. (2001): A revision of the bevelnosed boas (Candoia carinata complex) (Reptilia: Serpentes). – Hamadryad, 26(2): 283-315. [para *Candoia paulsoni*, *C. superciliosa*]

SPINKS, P.Q., THOMSON, R.C., ZHANG, Y.P., CHE, J., WU, Y. & SHAFFER, H.B. (2012): Species boundaries and phylogenetic relationships in the critically endangered Asian box turtle genus *Cuora*. – Molecular Phylogenetics and Evolution, 63: 656–667. doi:10.1016/j.ympev.2012.02.014 [para *Cuora bourreti*, *Cuora picturata*]

STANLEY, E. L., BAUER, A. M., JACKMAN, T. R., BRANCH, W. R. & P. LE F. N. (2011): Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). – Molecular Phylogenetics and Evolution, 58(1): 53-70. [para *Cordylidae*]

STIPALA, J., LUTZMANN, N., MALONZA, P.K., BORGESIO, L., WILKINSON, P., GODLEY, B. & EVANS, M.R. (2011): A new species of chameleon (Sauria: Chamaeleonidae) from the highlands of northwest Kenya. – Zootaxa, 3002: 1-16. [para *Trioceros nyirit*]

TILBURY, C. (1998): Two new chameleons (Sauria: Chamaeleonidae) from isolated Afromontane forests in Sudan and Ethiopia. – Bonner Zoologische Beiträge, 47: 293-299. [para *Chamaeleo balebicornutus* y *Chamaeleo conirostratus*]

TILBURY, C. R. & TOLLEY, K. A. (2009a): A new species of dwarf chameleon (Sauria: Chamaeleonidae, *Bradypodion* Fitzinger) from KwaZulu Natal South Africa with notes on recent climatic shifts and their influence on speciation in the genus. – Zootaxa, 2226: 43-57. [para *Bradypodion ngomeense*, *B. nkandiae*]

TILBURY, C. R. & TOLLEY, K. A. (2009b): A re-appraisal of the systematics of the African genus *Chamaeleo* (Reptilia: Chamaeleonidae). – Zootaxa, 2079: 57-68. [para *Trioceros*]

TILBURY, C. R., TOLLEY, K. A. & BRANCH, R. B. (2007): Corrections to species names recently placed in *Kinyongia* and *Nadzikambia* (Reptilia: Chamaeleonidae). – Zootaxa, 1426: 68. [para la ortografía correcta de *Kinyongia uluguruensis*, *Nadzikambia mlanjensis*]

TILBURY, C. R., TOLLEY, K. A. & BRANCH, W. R. (2006): A review of the systematics of the genus *Bradypodion* (Sauria: Chamaeleonidae), with the description of two new genera. – Zootaxa, 1363: 23-38. [para *Kinyongia adolfifriederici*, *Kinyongia carpenteri*, *Kinyongia excubitor*, *Kinyongia fischeri*, *Kinyongia matschiei*, *Kinyongia multituberculata*, *Kinyongia oxyrhina*, *Kinyongia tavetana*, *Kinyongia tonis*, *Kinyongia uluguruensis*, *Kinyongia uthmoelleri*, *Kinyongia xenorhina*, *Nadzikambia mlanjense*]

TOLLEY, K. A., TILBURY, C. R., BRANCH, W. R. & MATHEE, C. A. (2004): Phylogenetics of the southern African dwarf chameleons, *Bradypodion* (Squamata: Chamaeleonidae). – Molecular Phylogen. Evol., 30: 354-365. [para *Bradypodion caffrum*, *Bradypodion damaranum*, *Bradypodion gutturale*, *Bradypodion transvaalense*, *Bradypodion ventrale*]

TOWNSEND, T. M., TOLLEY, K. A., GLAW, F., BÖHME, W. & VENCES, M. (2010): Eastward from Africa: paleocurrent-mediated chameleon dispersal to the Seychelles Islands. — Biol. Lett., publicado en línea el 8 de septiembre de 2010, doi: 10.1098/rsbl.2010.0701 [para *Archaius tigris*]

TUCKER, A. D. (2010): The correct name to be applied to the Australian freshwater crocodile, *Crocodylus johnstoni* [Krefft, 1873]. — Australian Zoologist, 35(2): 432-434. [para *Crocodylus johnstoni*]

Turtle Taxonomy Working Group [van DIJK, P. P., IVERSON, J. B., RHODIN, A. G. J., SHAFFER, H. B. & BOUR, R.] (2014): Turtles of the world, 7TH edition: Annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status. 000.v7. - Chelonian Research Monographs, 5 doi: 10.3854/crm.5.000.checklist.v7.2014 [para *Centrochelys sulcata* and *Mauremys reevesii*]

ÜLLENBRUCH, K., KRAUSE, P. & BÖHME, W. (2007): A new species of the *Chamaeleo dilepis* group (Sauria Chamaeleonidae) from West Africa. — Tropical Zool., 20: 1-17. [para *Chamaeleo necasi*]

VOGEL, G. & DAVID, P. (2012): A revision of the species group of *Xenochrophis piscator* (Schneider, 1799) (Squamata: Natricidae). — Zootaxa, 3473: 1-60. [para *Xenochrophispiscator*, *Xenochrophis schnurrenbergeri* and *Xenochrophis tytleri*]

WALBRÖL, U. & WALBRÖL, H. D. (2004): Bemerkungen zur Nomenklatur der Gattung *Calumma* (Gray, 1865) (Reptilia: Squamata: Chamaeleonidae). — Sauria, 26 (3): 41-44. [para *Calumma andringitraense*, *Calumma marojezense*, *Calumma tsarafananense*]

WELTON, L. J., TRAVERS, S. L., SILVER, C. D. & BROWN, R. M. (2014): Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (*Varanus salvator* complex) with descriptions of two new cryptic species. — Zootaxa, 3881 (3): 201-227. [para *Varanus bangonorum* and *Varanus dalubhasa*]

WERMUTH, H. & MERTENS, R. (1996) (reprint): *Schildkröte, Krokodile, Brückenechsen*. xvii + 506 pp. Jena (Gustav Fischer Verlag). [para nombres del orden de Testudines, Crocodylia y Rhynchocephalia]

WILMS, T. M., BÖHME, W., WAGNER, P., LUTZMANN, N. & SCHMITZ, A. (2009): On the phylogeny and taxonomy of the genus *Uromastyx* Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastycinae) – resurrection of the genus *Saara* Gray, 1845. — Bonner zool. Beiträge, 56(1-2): 55-99. [para *Uromastyx*, *Saara*]

WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (*Naja naja* species complex) — Toxicon, 34: 339-406. [para *Naja atra*, *Naja kaouthia*, *Naja oxiana*, *Naja philippinensis*, *Naja sagittifera*, *Naja samarensis*, *Naja siamensis*, *Naja sputatrix* y *Naja sumatrana*]

ZUG, G.R., GROTE, S. W. & JACOBS, J. F. (2011): Pythons in Burma: Short-tailed python (Reptilia: Squamata). — Proc. biol. Soc. Washington, 124(2): 112-136. [para *Python kyaikiyo*]

Amphibia

Taxonomic Checklist of CITES-listed Amphibians Amphibian Species listed in the CITES Appendices and the Annexes of EC Regulation 338/97. Información extraída de FROST, D. R. (ed.) (2014)15, Amphibian Species of the World: a taxonomic and geographic reference, an online reference. Version 5.5 6.0 para Diciembre 2014-mayo 2015 con comentarios adicionales de especialistas de nomenclaturas de la Comité de Fauna de la CITES BROWN, J. L., TWOMEY, E., AMÉZQUITA, A., BARBOSA DE SOUZA, M., CALDWELL, L. P., LÖTTERS, S., VON MAY, R., MELO SAMPAIO, P. R., MEJIA VARGAS, D., PEREZ-PENA, P., PEPPER, M., POELMAN, E. H., SÁNCHEZ-RODRÍQUEZ, M. & SUMMERS, K. (2011): A taxonomic revision of the Neotropical poison frog genus *Ranitomeya* (Amphibia: Dendrobatidae). — Zootaxa, 3083: 1-120. [para todas las especies de anfibios]

Elasmobranchii, Actinopterygii y Sarcopterygii

Taxonomic Checklist of all CITES listed Shark and Fish species (Elasmobranchii and Actinopterygii: Actinopteri Coelacanthi, and Dipneusti, except the genus *Hippocampus*), listed in the CITES Appendices and the Annexes of EC Regulation 338/97, species información extraída de ESCHMEYER, W.N. & FRICKE, R. (eds.): Catalog of Fishes, una referencia en línea (<http://research.calacademy.org/redirect?url=http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>), versión actualización de 3 febrero 2015 el 30 de noviembre de 2011. [para todas las especies de tiburones y de peces, excepto el género *Hippocampus*]

FOSTER, R. & GOMON, M. F. (2010): A new seahorse (Teleostei: Syngnathidae: Hippocampus) from south-western Australia. — Zootaxa, 2613: 61-68. [para *Hippocampus paradoxus*]

GOMON, M. F. & KUITER, R. H. (2009): Two new pygmy seahorses (Teleostei: Syngnathidae: Hippocampus) from the Indo-West Pacific. — Aqua, Int. J. of Ichthyology, 15(1): 37-44. [para *Hippocampus debelius*, *Hippocampus waaleanus*]

HORNE, M. L. (2001): A new seahorse species (Syngnathidae: Hippocampus) from the Great Barrier Reef — Records of the Australian Museum, 53: 243-246. [para *Hippocampus*]

KUITER, R. H. (2001): [Revision of the Australian seahorses of the genus *Hippocampus* \(Syngnathiformes: Syngnathidae\) with a description of nine new species](#) – *Records of the Australian Museum*, 53: 293-340. [para *Hippocampus*]

KUITER, R. H. (2003): [A new pygmy seahorse \(Pisces: Syngnathidae: Hippocampus\) from Lord Howe Island](#) – *Records of the Australian Museum*, 55: 113-116. [para *Hippocampus*]

LOURIE, S. A. & RANDALL, J. E. (2003): A new pygmy seahorse, *Hippocampus denise* (Teleostei: Syngnathidae), from the Indo-Pacific – *Zoological Studies*, 42: 284-291. [para *Hippocampus*]

LOURIE, S. A., VINCENT, A. C. J. & HALL, H. J. (1999): *Seahorses. An identification guide to the world's species and their conservation.* Project Seahorse (ISBN 0 9534693 0 1) (Segunda edición disponible en CD-ROM). [para *Hippocampus*]

LOURIE, S. A. & KUITER, R. H. (2008): Three new pygmy seahorse species from Indonesia (Teleostei: Syngnathidae: *Hippocampus*). – *Zootaxa*, 1963: 54-68. [para *Hippocampus pontohi*, *Hippocampus satomiae*, *Hippocampus severnsi*]

PIACENTINO, G. L. M. AND LUZZATTO, D. C. (2004): *Hippocampus patagonicus* sp. nov., new seahorse from Argentina (Pisces, Syngnathiformes). -- *Revista del Museo Argentino de Ciencias Naturales*, 6(2): 339-349. [para *Hippocampus patagonicus*]

RANDALL, J. & LOURIE, S. A. (2009): *Hippocampus tyro*, a new seahorse (Gasterosteiformes: Syngnathidae) from the Seychelles. – *Smithiana Bulletin*, 10: 19-21. [para *Hippocampus tyro*]

Arachnida

LOURENÇO, W. R. (2014): Further considerations on the identity and distribution of *Pandinus imperator* (C. L. Koch, 1841) and description of a new species from Cameroon (Scorpiones: Scorpionidae). - *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg*, 17(192): 139-151. [para *Pandinus roeseli*]

LOURENÇO, W. R. & CLOUDSLEY-THOMPSON, J. C. (1996): Recognition and distribution of the scorpions of the genus *Pandinus Thorell, 1876 accorded protection by the Washington Convention* – *Biogeographica*, 72(3): 133-143. [para escorpiones del género *Pandinus*]

PLATNICK, N. I. (2014): The World Spider Catalogue, V15. <http://platnick.sklipkani.cz/html/> [para *Brachypelmaruhnaui* lumped with *Brachypelmaalbiceps* treated as *Aphonopelmaalbiceps* under CITES]

RUDLOFF, J.-P. (2008): Eine neue *Brachypelma*-Art aus Mexiko (Araneae: Mygalomorphae: Theraphosidae: Theraphosinae). – *Arthropoda*, 16(2): 26-30. [para *Brachypelma kahlenbergi*]

Taxonomic Checklist of CITES listed Spider Species, information extracted from PLATNICK, N. (2006), *The World Spider Catalog*, an online reference, Version 6.5 as of 7 April 2006 [para Theraphosidae]

Insecta

BARTOZZI, L. (2005): Description of two new stag beetle species from South Africa (Coleoptera: Lucanidae). -- *African Entomology*, 13(2): 347-352. [para *Colophon endroedyi*]

MATSUKA, H. (2001): *Natural History of Birdwing Butterflies*. 367 pp. Tokyo (Matsuka Shuppan). (ISBN 4-9900697-0-6). [para mariposas de ala de pájaro de los géneros Ornithoptera, Tropidonoptera y Troides]

Hirudinoidea

NESEMANN, H. & NEUBERT, E. (1999): Annelida: Clitellata: Branchiobdellida, Acanthobdellea, Hirudinea. – *Süßwasserfauna von Mitteleuropa*, vol. 6/2, 178 pp., Berlin (Spektrum Akad. Verlag). ISBN 3-8274-0927-6. [para *Hirudo medicinalis* y *Hirudo verbana*]

Mollusca

PENNY, S. & WILLAN, R.C. (2014): Description of a new species of giant clam (Bivalvia: Tridacnidae) from Ningaloo Reef, Western Australia. - *Molluscan Research*, 34 (3): 201-211. [para *Tridacna ningaloo*]

SU, Y., HUNG, J.-H., KUBO, H. & LIU, L.-L. (2014): *Tridacna noae* (Röding, 1798) – a valid giant clam species separated from *T. maxima* (Röding, 1798) by morphological and genetic data. - *Raffles Bulletin of Zoology*, 62: 124-135. [para *Tridacna noae*]

Anthozoa and Hydrozoa

Taxonomic Checklist of all CITES listed Coral Species, basado en informaciones compiladas por UNEP-WCMC en el 2012.

FLORA

The Plant-Book, second edition, [D. J. Mabberley, 1997, Cambridge University Press (reimpresa con correcciones 1998)], para los nombres genéricos de todas las plantas incluidas en los Apéndices de la Convención, a menos que se sustituyan por listas normalizadas adoptadas por la Conferencia de las Partes).

A Dictionary of Flowering Plants and Ferns, 8th edition, (J. C. Willis, revised by H. K. Airy Shaw, 1973, Cambridge University Press), para sinónimos genéricos no mencionados en el "Plant-Book", a menos que se sustituya por listas normalizadas adoptadas por la Conferencia de las Partes, según se menciona *infra*.

A Preliminary Dalbergia checklist for Madagascar for CITES(CVPM 2014) está basado en el Catálogo de las Plantas Vasculares de Madagascar es disponible como PDF en el sitio web de CITES como SC65 Inf. 21. Esta referencia se utiliza como directriz al hacer referencia a los nombres de especies de *Dalbergia* de Madagascar.
Ver:<https://cites.org/sites/default/files/eng/com/sc/65/Inf/E-SC65-Inf-21.pdf>

The genus Diospyros in Madagascar: a Preliminary Checklist for CITES Parties (CVPM 2016)) está basado en el Catálogo de las Plantas Vasculares de Madagascar es disponible en el sitio web del catálogo. Esta referencia se utiliza como directriz al hacer referencia a los nombres de especies de *Diospyros* de Madagascar. Ver <http://www.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros&projectid=17>. Hay un enlace a la página aquí:<http://www.tropicos.org/Name/40031908?projectid=17> y las descargas PDF aquí:
<http://www.tropicos.org/docs/MadCat/Diospyros%20checklist%202028.03.2016.pdf>

The World List of Cycads (D. W. Stevenson, R. Osborne and K. D. Hill, 1995; In: P. Vorster (Ed.), *Proceedings of the Third International Conference on Cycad Biology*, pp. 55-64, Cycad Society of South Africa, Stellenbosch), como directriz al hacer referencia a los nombres de especies de Cycadaceae, Stangeriaceae y Zamiaceae.

The World List of Cycads: CITES and Cycads: Checklist 2013 (Roy Osborne, Michael A. Calonje, Ken D. Hill, Leonie Stanberg and Dennis Wm. Stevenson) in *CITES and Cycads a user's guide* (Rutherford, C. et al., Royal Botanic Gardens, Kew. UK 2013), como directriz al hacer referencia a los nombres de especies de Cycadaceae, Stangeriaceae and Zamiaceae.

CITES Bulb Checklist (A. P. Davis et al., 1999, compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland), como directriz al hacer referencia a los nombres de especies de *Cyclamen* (Primulaceae) y *Galanthus* y *Sternbergia* (Liliaceae).

CITES Cactaceae Checklist, second edition, (1999, compiled by D. Hunt, Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland), como directriz al hacer referencia a los nombres de especies de Cactaceae.

CITES Cactaceae Checklist third edition, (2016, compiled by D. Hunt como directriz al hacer referencia a los nombres de especies de Cactaceae. It is available as a pdf on the CITES section of the website of the Royal Botanic Gardens, Kew, UK. <http://www.kew.org/kew-science/people-and-data/resources-and-databases/cites-resources>.

CITES Carnivorous Plant Checklist, (B. von Arx et al., 2001, Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland), como directriz al hacer referencia a los nombres de especies de *Dionaea*, *Nepenthes* y *Sarracenia*.

CITES Aloe and Pachypodium Checklist (U. Eggli et al., 2001, compiled by Städtische Sukkulanten-Sammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: *An Update and Supplement to the CITES Aloe & Pachypodium Checklist* [J. M. Lüthy (2007), Autoridad Administrativa CITES de Suiza, Berna, Suiza, como directriz al hacer referencia a los nombres de especies de *Aloe* y *Pachypodium*].

World Checklist and Bibliography of Conifers (A. Farjon, 2001), como directriz al hacer referencia a los nombres de especies de *Taxus*.

CITES Orchid Checklist, (compiled by the Royal Botanic Gardens, Kew, United Kingdom), como directriz al hacer referencia a los nombres de especies de (Volume 1, 1995) y *Cymbidium*, *Dendrobium*, *Disa*, *Dracula* y *Encyclia* (Volume 2, 1997), y *Aerangis*, *Angraecum*, *Ascocentrum*, *Bletilla*, *Brassavola*, *Calanthe*, *Catasetum*, *Miltonia*, *Miltonioides* y *Miltioniopsis*, *Renanthera*, *Renantherella*, *Rhynchostylis*, *Rossioglossum*, *Vanda* y *Vandopsis* (Volume 3, 2001); y *Aerides*, *Coelogyne*, *Compsophila* y *Masdevallia* (Volume 4, 2006).

The CITES Checklist of Succulent Euphorbia Taxa (Euphorbiaceae), Second edition (S. Carter and U. Eggli, 2003, published by the Federal Agency for Nature Conservation, Bonn, Germany), como directriz al hacer referencia a los nombres de especies de euphorbias suculentas.

[Dicksonia species of the Americas](#) (2003, compiled by Bonn Botanic Garden and the Federal Agency for Nature Conservation, Bonn, Germany), como directriz al hacer referencia a los nombres de especies de *Dicksonia*.

Plants of Southern Africa: an annotated checklist. Germishuizen, G. & Meyer N. L. (eds.) (2003). *Strelitzia* 14: 150-151. National Botanical Institute, Pretoria, South Africa, como directriz al hacer referencia a los nombres de especies de *Hoodia*.

[Proposed Standard Reference for two CITES-listed palms endemic to Madagascar \(CVPM 2016\)](#) está basado en el Catálogo de las Plantas Vasculares de Madagascar es disponible como pdf en el sitio web de US Fish & Wildlife Service. Se debe usar como directriz al hacer referencia a los nombres de especies de *Dypsis decipiens* y *Dypsis decaryi*. Ver: <http://www.fws.gov/international/>

[Lista de especies, nomenclatura y distribución en el genero Guaiacum](#). Davila Aranda. P. & Schippmann, U. (2006): *Medicinal Plant Conservation* 12:50, como directriz al hacer referencia a los nombres de especies de *Guaiacum*.

[CITES checklist for Bulbophyllum and allied taxa \(Orchidaceae\)](#). Sieder, A., Rainer, H., Kiehn, M. (2007): Address of the authors: Department of Biogeography and Botanical Garden of the University of Vienna; Rennweg 14, A-1030 Vienna (Austria), como directriz al hacer referencia a los nombres de especies de *Bulbophyllum*.